

MATERIAL SAFETY DATA SHEET

PG 22395 PEARL RD PE

Version Number 1.0 Revision Date 09/03/2002 Page 1 of 6 Print Date 11/6/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PG 22395 PEARL RD PE
Product code	:	CC10022395
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Mica	12001-26-2	1 - 5
Titanium dioxide	13463-67-7	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

PG 22395 PEARL RD PE

Version Number 1.0 Revision Date 09/03/2002 Page 2 of 6 Print Date 11/6/2011

	4.	FIRST AID MEASURES
Inhalation	ove	we to fresh air in case of accidental inhalation of fumes from rheating or combustion. When symptoms persist, or in all cases of bt, seek medical advice.
Ingestion		not induce vomiting without medical advice. When symptoms ist, or in all cases of doubt, seek medical advice.
Eyes		se immediately with plenty of water, also under the eyelids, for at t 15 minutes. If eye irritation persists, seek medical attention.
Skin		sh off with soap and plenty of water. If skin irritation persists seek lical attention.
	5. FI	RE-FIGHTING MEASURES
Flash point	: Not	applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	: Not : Not : Car : Full pres con : Not	
	ACCII	DENTAL RELEASE MEASURES
Personal precautions		ar appropriate personal protection during cleanup, such as ervious gloves, boots and coveralls.
Environmental precautions		uld not be released into the environment. The product should not llowed to enter drains, water courses or the soil.
Methods for cleaning up	plas	an up promptly by sweeping or vacuum. Package all material in tic, cardboard or metal containers for disposal. Refer to Section 13 his MSDS for proper disposal methods.
	7. H	ANDLING AND STORAGE
Handling		e measures to prevent the build up of electrostatic charge. Heat in areas with appropriate exhaust ventilation.
Storage	· Kee	p containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

PG 22395 PEARL RD PE

Version Number 1.0 Revision Date 09/03/2002 Page 3 of 6 Print Date 11/6/2011

sion Date 09/03/2002				Print	t Date 11/6/2
	a	nd contamination. Keep	in a dry, cool pla	ce.	
8. F	XPOSURE	CONTROLS / PERSO	NAL PROTECT	ION	
Respiratory protection	: N	No personal respiratory p	rotective equipme	nt normally	required.
Eye/Face Protection	: S	afety glasses with side-s	hields.		
Hand protection	: P	Protective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations		Iandle in accordance with Vash hands before breaks			safety practice.
Engineering measures		Ieat only in areas with ap ppropriate exhaust ventil			. Provide
Exposure limit(s)					
Components	Value	Exposure time	Expos	ure type	List:
Mica	3 mg/m3	Time Weighted Avera		ll dust.	ACGIH
Mica	20 mppcf	PEL:	Tota	l dust.	OSHA
Titanium dioxide	10 mg/m3	Time Weighted Avera (TWA):	age Tota	ıl dust.	ACGIH
Titanium dioxide	15 mg/m3	PEL:	Tota	l dust.	OSHA Z1
	9. PHYSIC	CAL AND CHEMICAI	PROPERTIES		
Form	: Solid	4 I	Evaporation rate	· No	ot applicable.
Appearance	: Pelle		Specific Gravity		ot determined
Color	: PINI		Bulk density		ot established
Odor			Vapor pressure		ot applicable
Melting point/range			Vapor density		ot applicable
Boiling Point:			pH : Not applica		
Water solubility	: Insol		/11	. 110	n applicable
	10. 8	STABILITY AND REA	CTIVITY		
Stability	: S	table.			
Hazardous Polymerization	n : V	Vill not occur.			
Conditions to avoid	· 12	Coon away from oxidizin	a agents and open	flama To	avoid thormal



MATERIAL SAFETY DATA SHEET

PG 22395 PEARL RD PE

 Version Number 1.0
 Page 4 of 6

 Revision Date 09/03/2002
 Print Date 11/6/2011

 Incompatible Materials
 : Incompatible with strong acids and oxidizing agents.

 Hazardous decomposition products
 : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
12001-26-2	Mica	Systemic effects	Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.



MATERIAL SAFETY DATA SHEET

PG 22395 PEARL RD PE

sion Number 1.0 ision Date 09/03/2002	Page 5 Print Date 11/6/2		
IMO / IMDG	: Not regulated for transportation.		
	15. REGULATORY INFORMATION		
US Regulations:			
OSHA Status	: Classified as hazardous based on components.		
TSCA Status	: All components of this product are listed on the TSCA inventory or are exempt.		
US. EPA CERCLA Hazardou	us Substances (40 CFR 302)		
Not applicable			
California Proposition 65	n : This product does not contain a substance listed by California Prop 65		
Canadian Regulations:			
WHMIS Classificatio	n : D2B		
WHMIS Ingredient D	isclosure List		
CAS-No. 12001-26-2			
DSL	: Listed.		
National Inventories:			
Australia AICS	: Listed.		
China IECS	: Listed.		
Europe EINECS	: Not determined.		
Japan ENCS	: Not determined.		
Korea KECI	: Listed.		
Philippines PICCS	: Listed.		
	16. OTHER INFORMATION		



MATERIAL SAFETY DATA SHEET

PG 22395 PEARL RD PE

Version Number 1.0 Revision Date 09/03/2002 Page 6 of 6 Print Date 11/6/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.