

MATERIAL SAFETY DATA SHEET

PG22410 PEARL GN PE

Version Number 1.0 Revision Date 09/03/2002 Page 1 of 6 Print Date 11/6/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

| NON-EMERGENCY TELEPHONE | : | Product Stewardship (770) 271-5902 | |
|-------------------------------|---|--|--|
| Emergency telephone number | : | CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). | |
| Product name | : | PG22410 PEARL GN PE | |
| Product code | : | CC10022410 | |
| Chemical Name | : | Mixture | |
| CAS-No. | : | Mixture | |
| Product Use | : | Industrial Applications | |

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

| Components | CAS-No. | Weight % |
|------------------|------------|----------|
| Mica | 12001-26-2 | 1 - 5 |
| Titanium dioxide | 13463-67-7 | 5 - 10 |

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

| Routes of Exposure: | : Inhalation, Ingestion, Skin contact |
|---|--|
| Acute exposure | |
| Inhalation Ingestion Eyes | Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eves |
| Skin | eyes. : Experience shows no unusual dermatitis hazard from routine handling. |
| Chronic exposure | : Refer to Section 11 for Toxicological Information. |
| Medical Conditions Aggravated by Exposure: | : None known. |



MATERIAL SAFETY DATA SHEET

PG22410 PEARL GN PE

Version Number 1.0 Revision Date 09/03/2002 Page 2 of 6 Print Date 11/6/2011

| | | 4. FIRST AID MEASURES | |
|---|----------|--|--|
| Inhalation | : | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all case doubt, seek medical advice. | |
| Ingestion | : | Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice. | |
| Eyes | : | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention. | |
| Skin | : | Wash off with soap and plenty of water. If skin irritation persists seek medical attention. | |
| | | 5. FIRE-FIGHTING MEASURES | |
| Flash point | : | Not applicable | |
| Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion | :: | Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None | |
| Hazards | <u> </u> | | |
| | 6. A | CCIDENTAL RELEASE MEASURES | |
| Personal precautions | : | Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. | |
| Environmental precautions | : | Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil. | |
| Methods for cleaning up | : | Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods. | |
| | | 7. HANDLING AND STORAGE | |
| Handling | : | Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. | |
| Storage | | Keep containers dry and tightly closed to avoid moisture absorption | |



MATERIAL SAFETY DATA SHEET

PG22410 PEARL GN PE

Version Number 1.0 Revision Date 09/03/2002 Page 3 of 6 Print Date 11/6/2011

| | a | nd contamination. Keep in a d | ry, cool place. | | |
|--|---|--|--|--|--|
| 8. E | XPOSURE | CONTROLS / PERSONAL | PROTECTION | | |
| Respiratory protection | : N | No personal respiratory protective equipment normally required. | | | |
| Eye/Face Protection | : S | Safety glasses with side-shields. | | | |
| Hand protection | : P | Protective gloves. | | | |
| Skin and body protection | : L | ong sleeved clothing. | | | |
| Additional Protective Measures | : S | Safety shoes. | | | |
| General Hygiene Considerations | | landle in accordance with good Vash hands before breaks and a | | | |
| Engineering measures | | leat only in areas with appropr ppropriate exhaust ventilation | | ation. Provide | |
| Exposure limit(s) | | | | | |
| Components | Value | Exposure time | Exposure typ | e List: | |
| Mica | 3 mg/m3 | Time Weighted Average | Total dust. | ACGIH | |
| | | $(\mathbf{I} \mathbf{W} \mathbf{A})$ | | | |
| Mica | 20 mppcf | (TWA): PEL: | Total dust. | OSHA | |
| Mica Titanium dioxide | 20 mppcf 10 mg/m3 | PEL: Time Weighted Average | Total dust. Total dust. | OSHA ACGIH | |
| | | PEL: | | | |
| Titanium dioxide | 10 mg/m3 15 mg/m3 | PEL: Time Weighted Average (TWA): | Total dust. Total dust. | ACGIH | |
| Titanium dioxide Titanium dioxide | 10 mg/m3 15 mg/m3 9. PHYSIC | PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO | Total dust. Total dust. DPERTIES | ACGIH OSHA Z1 | |
| Titanium dioxide Titanium dioxide | 10 mg/m3 15 mg/m3 9. PHYSIC : Solic | PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO | Total dust. Total dust. DPERTIES ration rate : | ACGIH OSHA Z1 Not applicable. | |
| Titanium dioxide Titanium dioxide Form Appearance | 10 mg/m3 15 mg/m3 9. PHYSIC : Solic : Pelle | PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO the Evapore Evapore Evapore Evapore Evapore | Total dust. Total dust. DPERTIES ration rate : ic Gravity : | ACGIH OSHA Z1 Not applicable. Not determined | |
| Titanium dioxide Titanium dioxide Form Appearance Color | 10 mg/m3 15 mg/m3 9. PHYSIC : Solic : Pelle : GRE | PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO the Evapo the Specific Spec | Total dust. Total dust. DPERTIES ration rate : ic Gravity : ensity : | ACGIH OSHA Z1 Not applicable. Not determined Not established | |
| Titanium dioxide Titanium dioxide Form Appearance Color Odor | 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : GRE : Very | PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO t Evapo ts Specif EN Bulk d faint Vapor | Total dust. Total dust. DPERTIES ration rate : ic Gravity : ensity : pressure : | ACGIH OSHA Z1 Not applicable. Not determined Not established Not applicable | |
| Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range | 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : GRE : Very : Not o | PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRC EXAMPLE SPECIFICATION | Total dust. Total dust. DPERTIES ration rate : ic Gravity : ensity : | ACGIH OSHA Z1 Not applicable. Not determined Not established Not applicable Not applicable | |
| Titanium dioxide Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point: | 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : GRE : Very : Not d : Not a | PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO I Evapo ets Specification EN Bulk d faint Vapor determined Vapor applicable pH | Total dust. Total dust. DPERTIES ration rate : ic Gravity : ensity : pressure : | ACGIH OSHA Z1 Not applicable. Not determined Not established Not applicable | |
| Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range | 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : GRE : Very : Not o | PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO I Evapo ets Specification EN Bulk d faint Vapor determined Vapor applicable pH | Total dust. Total dust. DPERTIES ration rate : ic Gravity : ensity : pressure : | ACGIH OSHA Z1 Not applicable. Not determined Not established Not applicable Not applicable | |
| Titanium dioxide Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point: | 10 mg/m3 15 mg/m3 9. PHYSIC : Solic : Pelle : GRE : Very : Not a : Insol | PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO I Evapo ets Specification EN Bulk d faint Vapor determined Vapor applicable pH | Total dust. Total dust. DPERTIES ration rate : ic Gravity : ensity : pressure : density : | ACGIH OSHA Z1 Not applicable. Not determined Not established Not applicable Not applicable | |
| Titanium dioxide Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point: | 10 mg/m3 15 mg/m3 9. PHYSIC : Solic : Pelle : GRE : Very : Not c : Insol 10. S | PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO I Evapo ets Specification EN Bulk divide the second divide the secon | Total dust. Total dust. DPERTIES ration rate : ic Gravity : ensity : pressure : density : | ACGIH OSHA Z1 Not applicable. Not determined Not established Not applicable Not applicable | |

decomposition, do not overheat.



MATERIAL SAFETY DATA SHEET

PG22410 PEARL GN PE

 Version Number 1.0
 Page 4 of 6

 Revision Date 09/03/2002
 Print Date 11/6/2011

 Incompatible Materials
 : Incompatible with strong acids and oxidizing agents.

 Hazardous decomposition products
 : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

| CAS-No. | Chemical Name | Effect | Target Organ |
|------------|------------------|------------------|---------------------|
| 12001-26-2 | Mica | Systemic effects | Respiratory system. |
| 13463-67-7 | Titanium dioxide | Systemic effects | Respiratory system. |

| | 12. ECOLOGICAL INFORMATION | | |
|-------------------------------|--|--|--|
| Persistence and degradability | : Not readily biodegradable. | | |
| Environmental Toxicity | : Chemicals are not readily available as they are bound within the matrix of the polymer. | | |
| Bioaccumulation Potential | : Chemicals are not readily available as they are bound within the matrix of the polymer. | | |
| Additional advice | : No data available. | | |
| | 13. DISPOSAL CONSIDERATIONS | | |
| Product | : Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. | | |
| Contaminated packaging | : Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. | | |
| | 14. TRANSPORT INFORMATION | | |
| U.S. DOT Classification | : Not regulated for transportation. | | |
| 0.5. DOT Classification | | | |



MATERIAL SAFETY DATA SHEET

PG22410 PEARL GN PE

| sion Number 1.0 ision Date 09/03/2002 | | Page 5 Print Date 11/6/2 |
|--|------------------------------------|---|
| IMO / IMDG | : Not regulated for transpo | ortation. |
| | 15. REGULATORY INFO | DRMATION |
| US Regulations: | | |
| OSHA Status | : Classified as hazardous | based on components. |
| TSCA Status | : All components of this p exempt. | product are listed on the TSCA inventory or are |
| US. EPA CERCLA Hazardou | Substances (40 CFR 302) | |
| Not applicable | | |
| | | |
| California Proposition 65 | : This product does not co | ontain a substance listed by California Prop 65 |
| Canadian Regulations: | | |
| WHMIS Classificatio | : D2B | |
| WHMIS Ingredient D | closure List | |
| CAS-No. 12001-26-2 | | |
| DSL | : Listed. | |
| National Inventories: | | |
| Australia AICS | : Listed. | |
| China IECS | : Listed. | |
| Europe EINECS | : Not determined. | |
| Japan ENCS | : Not determined. | |
| Korea KECI | : Listed. | |
| Philippines PICCS | : Listed. | |
| | 16. OTHER INFORM | IATION |
| | | |
| | | |



MATERIAL SAFETY DATA SHEET

PG22410 PEARL GN PE

Version Number 1.0 Revision Date 09/03/2002 Page 6 of 6 Print Date 11/6/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.