

MATERIAL SAFETY DATA SHEET

SAPPHIRE 2738C

Version Number 1.0 Revision Date 09/03/2002 Page 1 of 6 Print Date 11/6/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	SAPPHIRE 2738C
Product code	:	CC10022433
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

SAPPHIRE 2738C

Version Number 1.0 Revision Date 09/03/2002 Page 2 of 6 Print Date 11/6/2011

	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all ca doubt, seek medical advice.	ses of
Ingestion	: Do not induce vomiting without medical advice. When symptor persist, or in all cases of doubt, seek medical advice.	ns
Eyes	: Rinse immediately with plenty of water, also under the eyelids, f least 15 minutes. If eye irritation persists, seek medical attentior	
Skin	: Wash off with soap and plenty of water. If skin irritation persists medical attention.	s seek
	5. FIRE-FIGHTING MEASURES	
Flash point	: Not applicable	
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. 	
Special Fire Fighting Procedures Unusual Fire/Explosion	 Fullface self-contained breathing apparatus (SCBA) used in posi pressure mode should be worn to prevent inhalation of airborne contaminants. None 	tive
Hazards	ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should be allowed to enter drains, water courses or the soil.	d not
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all materia plastic, cardboard or metal containers for disposal. Refer to Secti of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge. H only in areas with appropriate exhaust ventilation.	eat
Storage	: Keep containers dry and tightly closed to avoid moisture absorpt	ion



MATERIAL SAFETY DATA SHEET

SAPPHIRE 2738C

sion Number 1.0 ision Date 09/03/2002					Print	Page: /Date 11/6
	a	nd contamination. Keep	in a dry	, cool place.		
8. F	EXPOSURE	CONTROLS / PERSO	NAL P	ROTECTIC	DN	
Respiratory protection	: N	lo personal respiratory pr	otective	e equipment	normally r	equired.
Eye/Face Protection	: Safety glasses with side-shields.					
Hand protection	: Protective gloves.					
Skin and body protection	: Long sleeved clothing.					
Additional Protective Measures	: Safety shoes.					
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice Wash hands before breaks and at the end of workday.					
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.					
Exposure limit(s)						
Components	Value	Exposure time		Exposure	e type	List:
Titanium dioxide	10 mg/m3	Time Weighted Avera (TWA):	age	Total d	ust.	ACGIH
Titanium dioxide	15 mg/m3	PEL:		Total d	ust.	OSHA Z
	9. PHYSI(CAL AND CHEMICAL	PROF	PERTIES		
Form	: Solid		Evaporation rate		Not applicable.Not determined	
Appearance Color	: Pelle : BLU		1 5		established	
Odor			•	2		applicable
Melting point/range			/apor p /apor d			applicable
Boiling Point:			н	clisity		applicable
Water solubility	: Insol		/11		. 1101	applicable
10. STABILITY AND REACTIVITY						
		. 11				
Stability	: 5	table.				
Stability Hazardous Polymerization		table. Vill not occur.				
-	n : W : K			and open fla	ame. To a	void therma



MATERIAL SAFETY DATA SHEET

SAPPHIRE 2738C

Version Number 1.0 Revision Date 09/03/2002 Page 4 of 6 Print Date 11/6/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

	12 ECOLOCI	CAL INFORMATION	N			
	12, ECOLOGI					
Persistence and degrad	ability : Not readily	biodegradable.				
Environmental Toxicit	y : Chemicals a of the polym		as they are bound within the matrix			
Bioaccumulation Poten		: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Additional advice	: No data avai	ilable.				
	13. DISPOSAI	L CONSIDERATION	S			
Product Contaminated packagir	possible, rec generator of classification applicable for ng : Recycling is has the response and disposal	 Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal. 				
	14. TRANSPO	ORT INFORMATION	[
U.S. DOT Classificatio	on : Not regulate	ed for transportation.				
ICAO/IATA	: Not regulate	: Not regulated for transportation.				
IMO / IMDG	: Not regulate	ed for transportation.	or transportation.			
	15. REGULAT	ORY INFORMATIO	N			

MATERIAL SAFETY DATA SHEET



SAPPHIRE 2738C Version Number 1.0

Version Number 1.0 Revision Date 09/03/2002		Page 5 of 6 Print Date 11/6/2011
US Regulations:		
OSHA Status :		Classified as hazardous based on components.
TSCA Status :		All components of this product are listed on the TSCA inventory or are exempt.
US. EPA CERCLA Hazardous Su	bs	stances (40 CFR 302)
Not applicable		
California Proposition : 65		This product does not contain a substance listed by California Prop 65.
Canadian Regulations:		
WHMIS Classification :		D2B
DSL :		Listed.
National Inventories:		
Australia AICS :		Listed.
China IECS :		Listed.
Europe EINECS :		Not determined.
Japan ENCS :		Listed.
Korea KECI :		Listed.
Philippines PICCS :		Listed.
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

MATERIAL SAFETY DATA SHEET

SAPPHIRE 2738C

Version Number 1.0 Revision Date 09/03/2002



Page 6 of 6 Print Date 11/6/2011