

MATERIAL SAFETY DATA SHEET

## SPORT BLUE W/LASER 0.5%

Version Number 1.0 Revision Date 09/10/2002 Page 1 of 6 Print Date 11/6/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	SPORT BLUE W/LASER 0.5%
Product code	:	CC10022484
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5
Mica	12001-26-2	10 - 30

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

# SPORT BLUE W/LASER 0.5%

Version Number 1.0 Revision Date 09/10/2002 Page 2 of 6 Print Date 11/6/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases of doubt, seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	: : :	Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
(	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

2/6



MATERIAL SAFETY DATA SHEET

## SPORT BLUE W/LASER 0.5%

Version Number 1.0 Revision Date 09/10/2002 Page 3 of 6 Print Date 11/6/2011

~ -							
8. E	XPOSURE	CONTROLS / PERSONAL	PROTECTION				
Respiratory protection	: N	No personal respiratory protective equipment normally required.					
Eye/Face Protection	: S	Safety glasses with side-shields.					
Hand protection	: P	Protective gloves.					
Skin and body protection	: L	ong sleeved clothing.					
Additional Protective Measures	: S	Safety shoes.					
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety prac Wash hands before breaks and at the end of workday.						
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.						
Exposure limit(s)							
Components	Value	Exposure time	Exposure type	List:			
Components Mica	Value 3 mg/m3	Exposure time Time Weighted Average (TWA):	Exposure type Total dust.	List: ACGIH			
		*					
Mica	3 mg/m3	Time Weighted Average (TWA): PEL: Time Weighted Average	Total dust.	ACGIH			
Mica Mica	3 mg/m3 20 mppcf	Time Weighted Average (TWA): PEL:	Total dust.	ACGIH OSHA			
Mica Mica Titanium dioxide	3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL:	Total dust. Total dust. Total dust.	ACGIH OSHA ACGIH			
Mica Mica Titanium dioxide Titanium dioxide	3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PR	Total dust. Total dust. Total dust. OPERTIES	ACGIH OSHA ACGIH OSHA Z1			
Mica Mica Titanium dioxide Titanium dioxide	3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PR	Total dust. Total dust. Total dust. OPERTIES	ACGIH OSHA ACGIH OSHA Z1			
Mica Mica Titanium dioxide Titanium dioxide Form Appearance	3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solic : Pelle	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PR t Evaports Speci	Total dust.         Total dust.         Total dust.         OPERTIES         Dration rate       : Not fic Gravity	ACGIH OSHA ACGIH OSHA Z1			
Mica Mica Titanium dioxide Titanium dioxide Form Appearance Color	3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : BLU	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PR the Evapo ets Speci E Bulk	Total dust.         Total dust.         Total dust.         OPERTIES         oration rate       : No         fic Gravity       : No         density       : No	ACGIH OSHA ACGIH OSHA Z1 ot applicable. ot determined ot established			
Mica Mica Titanium dioxide Titanium dioxide Form Appearance Color Odor	3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : BLU : Very	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PR the Evaports Speci E Bulk faint Vapo	Total dust.         Total dust.         Total dust.         OPERTIES         oration rate       : No         fic Gravity       : No         density       : No         r pressure       : No	ACGIH OSHA ACGIH OSHA Z1 ot applicable. ot determined ot established ot applicable			
Mica Mica Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range	3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : BLU : Very : Not of	Time Weighted Average (TWA):         PEL:         Time Weighted Average (TWA):         PEL:         CAL AND CHEMICAL PR         I       Evapo         Ets       Speci         E       Bulk         faint       Vapo         determined       Vapo	Total dust.         Total dust.         Total dust.         OPERTIES         oration rate       : No         fic Gravity       : No         density       : No         r pressure       : No         r density       : No         r density       : No	ACGIH OSHA ACGIH OSHA Z1 ot applicable. ot determined ot established ot applicable ot applicable			
Mica Mica Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIO : Solid : Pelle : BLU : Very : Not a : Not a	Time Weighted Average (TWA):         PEL:         Time Weighted Average (TWA):         PEL:         CAL AND CHEMICAL PR         d       Evapo ets         E       Bulk faint         Vapo determined       Vapo pH	Total dust.         Total dust.         Total dust.         OPERTIES         oration rate       : No         fic Gravity       : No         density       : No         r pressure       : No         r density       : No         r density       : No	ACGIH OSHA ACGIH OSHA Z1 ot applicable. ot determined ot established ot applicable			
Mica Mica Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range	3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : BLU : Very : Not of	Time Weighted Average (TWA):         PEL:         Time Weighted Average (TWA):         PEL:         CAL AND CHEMICAL PR         d       Evapo ets         E       Bulk faint         Vapo determined       Vapo pH	Total dust.         Total dust.         Total dust.         OPERTIES         oration rate       : No         fic Gravity       : No         density       : No         r pressure       : No         r density       : No         r density       : No	ACGIH OSHA ACGIH OSHA Z1 ot applicable. ot determined ot established ot applicable ot applicable			
Mica Mica Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : BLU : Very : Not : Not : Insol	Time Weighted Average (TWA):         PEL:         Time Weighted Average (TWA):         PEL:         CAL AND CHEMICAL PR         d       Evapo ets         E       Bulk faint         Vapo determined       Vapo pH	Total dust.         Total dust.         Total dust.         OPERTIES         Dration rate       : Notal dust.         Dration rate       : Notal dust.	ACGIH OSHA ACGIH OSHA Z1 ot applicable. ot determined ot established ot applicable ot applicable			



MATERIAL SAFETY DATA SHEET

## SPORT BLUE W/LASER 0.5%

Version Number 1.0 Revision Date 09/10/2002

Page 4 of 6 Print Date 11/6/2011

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
12001-26-2	Mica	Systemic effects	Respiratory system.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.



### MATERIAL SAFETY DATA SHEET

# SPORT BLUE W/LASER 0.5%

sion Date 09/10/2002		Print Date 11/6/
IMO / IMDG	:	Not regulated for transportation.
	15	5. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on the TSCA inventory or a exempt.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	This product does not contain a substance listed by California Prop 6
Canadian Regulations:		
WHMIS Classification	:	D2B
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



MATERIAL SAFETY DATA SHEET

# SPORT BLUE W/LASER 0.5%

Version Number 1.0 Revision Date 09/10/2002 Page 6 of 6 Print Date 11/6/2011