

MATERIAL SAFETY DATA SHEET

PG 22720 PU APET

Version Number 1.0 Revision Date 09/09/2002 Page 1 of 6 Print Date 11/6/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PG 22720 PU APET
Product code	:	CC10022741
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Barium sulfate	7727-43-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

PG 22720 PU APET

Version Number 1.0 Page 2 of 6 Revision Date 09/09/2002 Print Date 11/6/2011 **4. FIRST AID MEASURES** Inhalation Move to fresh air in case of accidental inhalation of fumes from ÷ overheating or combustion. When symptoms persist, or in all cases of doubt, seek medical advice. Ingestion Do not induce vomiting without medical advice. When symptoms : persist, or in all cases of doubt, seek medical advice. Eyes Rinse immediately with plenty of water, also under the eyelids, for at : least 15 minutes. If eye irritation persists, seek medical attention. Skin Wash off with soap and plenty of water. If skin irritation persists seek : medical attention. **5. FIRE-FIGHTING MEASURES** Flash point Not applicable : Flammable Limits Upper explosion limit Not applicable : Lower explosion limit Not applicable : Autoignition temperature Not relevant : Carbon dioxide blanket, Water spray, dry powder, foam. Suitable extinguishing media : Special Fire Fighting Fullface self-contained breathing apparatus (SCBA) used in positive : Procedures pressure mode should be worn to prevent inhalation of airborne contaminants. Unusual Fire/Explosion None · Hazards 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. Environmental precautions Should not be released into the environment. The product should not : be allowed to enter drains, water courses or the soil. Clean up promptly by sweeping or vacuum. Package all material in Methods for cleaning up : plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods. 7. HANDLING AND STORAGE Handling Take measures to prevent the build up of electrostatic charge. Heat : only in areas with appropriate exhaust ventilation. Storage Keep containers dry and tightly closed to avoid moisture absorption •



MATERIAL SAFETY DATA SHEET

PG 22720 PU APET

Version Number 1.0 Revision Date 09/09/2002				Print [Page 3 of 6 Date 11/6/2011
	a	nd contamination. Keep	in a d	ry, cool place.	
8. 1	EXPOSURE	CONTROLS / PERSO	NAL	PROTECTION	
Respiratory protection	: N	lo personal respiratory pr	rotecti	ve equipment normally r	equired.
Eye/Face Protection	: S	: Safety glasses with side-shields.			
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations		landle in accordance with Vash hands before breaks		industrial hygiene and sa t the end of workday.	ifety practice.
Engineering measures		leat only in areas with ap ppropriate exhaust ventil		ate exhaust ventilation. at machinery.	Provide
Exposure limit(s)					
Components	Value	Exposure time		Exposure type	List:
Barium sulfate	10 mg/m3	Time Weighted Avera	age	Total dust.	ACGIH
	0	(TWA):	0		
Barium sulfate	5 mg/m3	PEL:		Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:		Total dust.	OSHA Z1
	9. PHYSIC	CAL AND CHEMICAI	. PRO	PERTIES	
Form	: Solic				applicable.
Appearance	: Pelle				determined
Color			Bulk density : Not established		
Odor Malting point/range	: Very faint Vapor press : Not determined Vapor dens				applicable
Melting point/range Boiling Point:			oH apor		applicable applicable
Water solubility	: Insol)11	. 1101	applicable
	10. 8	STABILITY AND REA	CTIV	TTY	
Stability	: S	table.			
Hazardous Polymerizatio	n : W	Vill not occur.			
Conditions to avoid		Leep away from oxidizing ecomposition, do not over		ts and open flame. To a	void thermal
Incompatible Materials	: Ir	acompatible with strong	acids a	and oxidizing agents.	



MATERIAL SAFETY DATA SHEET

PG 22720 PU APET

Version Number 1.0 Revision Date 09/09/2002 Page 4 of 6 Print Date 11/6/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7727-43-7	Barium sulfate	Irritant	Respiratory system.
		Systemic effects	Eyes, Respiratory system.

12. ECOLOGICAL INFORMATION

Persistence and degradability	: Not readily biodegradable.			
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.			
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.			
Additional advice	: No data available.			
	13. DISPOSAL CONSIDERATIONS			
Product	: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
	14. TRANSPORT INFORMATION			
U.S. DOT Classification	: Not regulated for transportation.			
ICAO/IATA	: Not regulated for transportation.			
IMO / IMDG	: Not regulated for transportation.			



MATERIAL SAFETY DATA SHEET

PG 22720 PU APET

Version Number 1.0 Revision Date 09/09/2002 Page 5 of 6 Print Date 11/6/2011

JS Regulations:		~			
OSHA Status	:	Classified as haza	azardous based on components.		
TSCA Status	: All components of this product are listed on the TSCA inventory or are exempt.				
US. EPA CERCLA Hazardous	Subs	tances (40 CFR 30	2)		
Not applicable					
California Proposition 65	:	This product does	not contain a sul	ostance listed by Califor	nia Prop 65.
SARA Title III Section 313 To	kic C	hemicals:	CAS-No.	Weight %	1
ZINC COMPOU	JNDS	5	1314-98-3	05.00	
Canadian Regulations: WHMIS Classification	:	Not controlled.			
DSL	:	Listed.			
National Inventories:					
Australia AICS	:	Not determined.			
China IECS	:	Not determined.			
Europe EINECS	:	Not determined.			
Japan ENCS	:	Not determined.			
Korea KECI	:	Not determined.			
Philippines PICCS	:	Not determined.			
		16. OTHER INI	ORMATION		



MATERIAL SAFETY DATA SHEET

PG 22720 PU APET

Version Number 1.0 Revision Date 09/09/2002 Page 6 of 6 Print Date 11/6/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.