

MATERIAL SAFETY DATA SHEET

FLAMENCO ORANGE (SKIN) 3

Version Number 1.0 Revision Date 09/09/2002 Page 1 of 6 Print Date 11/6/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	FLAMENCO ORANGE (SKIN) 3
Product code	:	CC10022745
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Mica	12001-26-2	1 - 5
Titanium dioxide	13463-67-7	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eves
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

FLAMENCO ORANGE (SKIN) 3

Version Number 1.0 Revision Date 09/09/2002 Page 2 of 6 Print Date 11/6/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases of doubt, seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	: :	Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

FLAMENCO ORANGE (SKIN) 3

Version Number 1.0 Revision Date 09/09/2002 Page 3 of 6 Print Date 11/6/2011

	a	nd contamination. Keep in a c	lry, cool place.	
8. E	XPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: N	o personal respiratory protect	ive equipment normally	required.
Eye/Face Protection	: S	afety glasses with side-shields		
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations		andle in accordance with good ash hands before breaks and		safety practice.
Engineering measures		eat only in areas with appropr ppropriate exhaust ventilation		Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Mica	3 mg/m3	Time Weighted Average	Total dust.	ACGIH
Iviica	5 mg/m5		Total dust.	ACOIN
Mica	20 mppcf	(TWA): PEL:	Total dust.	OSHA
	-	(TWA): PEL: Time Weighted Average		
Mica	20 mppcf	(TWA): PEL:		OSHA
Mica Titanium dioxide	20 mppcf 10 mg/m3 15 mg/m3	(TWA): PEL: Time Weighted Average (TWA): PEL:	Total dust. Total dust.	OSHA ACGIH
Mica Titanium dioxide	20 mppcf 10 mg/m3 15 mg/m3	(TWA): PEL: Time Weighted Average (TWA):	Total dust. Total dust.	OSHA ACGIH
Mica Titanium dioxide	20 mppcf 10 mg/m3 15 mg/m3	(TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Total dust. Total dust. DPERTIES ration rate : No	OSHA ACGIH OSHA Z1 t applicable.
Mica Titanium dioxide Titanium dioxide	20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC	(TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Total dust. Total dust. DPERTIES ration rate : No	OSHA ACGIH OSHA Z1
Mica Titanium dioxide Titanium dioxide	20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : ORA	(TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO L Evapo ts Specif NGE Bulk of	Total dust. Total dust. DPERTIES ration rate : No ïc Gravity : No lensity : No	OSHA ACGIH OSHA Z1 t applicable. t determined t established
Mica Titanium dioxide Titanium dioxide Form Appearance Color Odor	20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : ORA : Very	(TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO L Evapo ts Specif NGE Bulk of faint Vapor	Total dust. Total dust. DPERTIES ration rate : No ïc Gravity : No lensity : No pressure : No	OSHA ACGIH OSHA Z1 t applicable. t determined t established t applicable
Mica Titanium dioxide Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range	20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : ORA : Very : Not c	(TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRODUCT L Evapo ts Specif NGE Bulk of faint Vapor determined Vapor	Total dust. Total dust. DPERTIES ration rate : No ic Gravity : No lensity : No pressure : No density : No	OSHA ACGIH OSHA Z1 t applicable. t determined t established t applicable t applicable
Mica Titanium dioxide Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : ORA : Very : Not c : Not a	(TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO I Evapo ts Specification NGE Bulk of faint Vapor Idetermined Vapor Applicable pH	Total dust. Total dust. DPERTIES ration rate : No ic Gravity : No lensity : No pressure : No density : No	OSHA ACGIH OSHA Z1 t applicable. t determined t established t applicable
Mica Titanium dioxide Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range	20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : ORA : Very : Not c	(TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO I Evapo ts Specification NGE Bulk of faint Vapor Idetermined Vapor Applicable pH	Total dust. Total dust. DPERTIES ration rate : No ic Gravity : No lensity : No pressure : No density : No	OSHA ACGIH OSHA Z1 t applicable. t determined t established t applicable t applicable
Mica Titanium dioxide Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : ORA : Very : Not a : Not a : Insol	(TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO I Evapo ts Specification NGE Bulk of faint Vapor Idetermined Vapor Applicable pH	Total dust. Total dust. DPERTIES ration rate : No ic Gravity : No lensity : No pressure : No density : No ic No	OSHA ACGIH OSHA Z1 t applicable. t determined t established t applicable t applicable
Mica Titanium dioxide Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : ORA : Very : Not c : Not a : Insol 10. S	(TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO I Evapo ts Specif NGE Bulk of faint Vapor applicable pH uble Uble	Total dust. Total dust. DPERTIES ration rate : No ic Gravity : No lensity : No pressure : No density : No ic No	OSHA ACGIH OSHA Z1 t applicable. t determined t established t applicable t applicable

decomposition, do not overheat.



MATERIAL SAFETY DATA SHEET

FLAMENCO ORANGE (SKIN) 3

Version Number 1.0 Revision Date 09/09/2002 Page 4 of 6 Print Date 11/6/2011

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
12001-26-2	Mica	Systemic effects	Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.



MATERIAL SAFETY DATA SHEET

FLAMENCO ORANGE (SKIN) 3

sion Number 1.0 ision Date 09/09/2002	Page Print Date 11/	
IMO / IMDG	: Not regulated for transportation.	
	15. REGULATORY INFORMATION	
US Regulations:		
OSHA Status	: Classified as hazardous based on components.	
TSCA Status	: All components of this product are listed on the TSCA inventory or exempt.	r are
US. EPA CERCLA Hazardo	as Substances (40 CFR 302)	
Not applicable		
California Proposition 65	This product does not contain a substance listed by California Prop	0 65
Canadian Regulations:		
WHMIS Classification	n : D2B	
WHMIS Ingredient D	sclosure List	
CAS-No. 12001-26-2		
DSL	: Listed.	
National Inventories:		
Australia AICS	: Not determined.	
China IECS	: Listed.	
Europe EINECS	: Not determined.	
Japan ENCS	: Not determined.	
Korea KECI	: Not determined.	
Philippines PICCS	: Listed.	
	16. OTHER INFORMATION	



MATERIAL SAFETY DATA SHEET

FLAMENCO ORANGE (SKIN) 3

Version Number 1.0 Revision Date 09/09/2002 Page 6 of 6 Print Date 11/6/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.