

MATERIAL SAFETY DATA SHEET

# CC00007609WE PURPLE

Version Number 1.0 Revision Date 09/16/2002 Page 1 of 5 Print Date 11/6/2011

## 1. PRODUCT AND COMPANY IDENTIFICATION

### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	CC00007609WE PURPLE
Product code	:	CC10022787
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

## POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact			
Acute exposure				
Inhalation Ingestion Eyes Skin	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>Experience shows no unusual dermatitis hazard from routine handling.</li> </ul>			
Chronic exposure	: Refer to Section 11 for Toxicological Information.			
Medical Conditions Aggravated by Exposure:	: None known.			
	4. FIRST AID MEASURES			



## MATERIAL SAFETY DATA SHEET

# CC00007609WE PURPLE

sion Number 1.0 ision Date 09/16/2002	Page 2 Print Date 11/6/2
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases of doubt, seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, Water spray, dry powder, foam.</li> </ul>
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: none
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by scoop or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.



MATERIAL SAFETY DATA SHEET

# CC00007609WE PURPLE

Version Number 1.0 Revision Date 09/16/2002 Page 3 of 5 Print Date 11/6/2011

ð. I	EXPOSURE	CONTROLS / PERSONA	L PROTECTION		
Respiratory protection		No personal respiratory proto lusty conditions occur wear			
Eye/Face Protection	: s	afety glasses			
Hand protection	: F	Protective gloves.			
Skin and body protection	: I	long sleeved clothing.			
Additional Protective Measures	: S	Safety shoes.			
General Hygiene Considerations	p	Wash hands and face before breaks and immediately after handling the product. Handle in accordance with good industrial hygiene and safety practice for diagnostics.			
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):	Dust.	ACGIH	
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA): PEL:	Total dust.	OSHA Z1	
	15 mg/m3	(TWA): PEL:	Total dust.		
	15 mg/m3	(TWA):	Total dust.		
	15 mg/m3	(TWA): PEL: CAL AND CHEMICAL P	Total dust.		
Titanium dioxide Form Appearance	15 mg/m3 9. PHYSI : Solic : flake	(TWA): PEL: CAL AND CHEMICAL P d Eva es Spe	Total dust.         ROPERTIES         poration rate       :         cific Gravity       :	OSHA Z1           Not applicable.           Not determined	
Titanium dioxide Form Appearance Color	15 mg/m3 9. PHYSI : Solid : flake : PUR	(TWA): PEL: CAL AND CHEMICAL P d Eva es Spe RPLE Bul	Total dust.         ROPERTIES         poration rate       :         cific Gravity       :         k density       :	Not applicable. Not determined Not determined	
Titanium dioxide Form Appearance Color Odor	15 mg/m3 9. PHYSIO : Solid : flako : PUR : Very	(TWA): PEL: CAL AND CHEMICAL P d Eva es Spe RPLE Bul y faint Vaj	Total dust.         ROPERTIES         poration rate       :         cific Gravity       :         k density       :         por pressure       :	Not applicable. Not determined Not determined Not determined	
Titanium dioxide Form Appearance Color Odor Melting point/range	15 mg/m3 9. PHYSI : Solid : flake : PUR : Very : Grea	(TWA):         PEL:         CAL AND CHEMICAL P         d       Eva         d       Eva         es       Spe         RPLE       Bull         y faint       Vag         ater than 130 °C       Vag	Total dust.         ROPERTIES         poration rate       :         cific Gravity       :         k density       :         por pressure       :         por density       :	Not applicable. Not determined Not determined Not determined Not determined Not determined	
Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	15 mg/m3 9. PHYSI : Solid : flake : PUR : Very : Grea : Not	(TWA):         PEL:         CAL AND CHEMICAL P         d       Eva         ds       Spec         RPLE       Bul         y faint       Vap         ter than 130 °C       Vap         applicable       pH	Total dust.         ROPERTIES         poration rate       :         cific Gravity       :         k density       :         por pressure       :         por density       :	Not applicable. Not determined Not determined Not determined	
Titanium dioxide Form Appearance Color Odor Melting point/range	15 mg/m3 9. PHYSI : Solid : flake : PUR : Very : Grea	(TWA):         PEL:         CAL AND CHEMICAL P         d       Eva         ds       Spec         RPLE       Bul         y faint       Vap         ter than 130 °C       Vap         applicable       pH	Total dust.         ROPERTIES         poration rate       :         cific Gravity       :         k density       :         por pressure       :         por density       :	Not applicable. Not determined Not determined Not determined Not determined Not determined	
Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	15 mg/m3 9. PHYSI : Solid : flaka : PUR : Very : Grea : Not : Inso	(TWA):         PEL:         CAL AND CHEMICAL P         d       Eva         ds       Spec         RPLE       Bul         y faint       Vap         ter than 130 °C       Vap         applicable       pH	Total dust.         ROPERTIES         poration rate       :         cific Gravity       :         k density       :         por pressure       :         por density       :	Not applicable. Not determined Not determined Not determined Not determined Not determined	
Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	15 mg/m3 9. PHYSI : Solid : flaka : PUR : Very : Grea : Not : Inso 10. S	(TWA):         PEL:         CAL AND CHEMICAL P         d       Eva         ds       Eva         es       Spec         RPLE       Bull         y faint       Vaj         atter than 130 °C       Vaj         applicable       pH         luble       Eva	Total dust.         ROPERTIES         poration rate       :         cific Gravity       :         k density       :         por pressure       :         por density       :	Not applicable. Not determined Not determined Not determined Not determined Not determined	
Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	15 mg/m3 9. PHYSI : Solid: : flaka : PUR : Very : Grea : Not : Inso 10. S : S	(TWA):         PEL:         CAL AND CHEMICAL P         d       Eva         d       Eva         es       Spe         RPLE       Bul         y faint       Vap         ater than 130 °C       Vap         uble       STABILITY AND REACT	Total dust.         ROPERTIES         poration rate       :         cific Gravity       :         k density       :         por pressure       :         por density       :	Not applicable. Not determined Not determined Not determined Not determined Not determined	
Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	15 mg/m3 9. PHYSI : Solid : flaka : PUR : Very : Grea : Not : Inso 10. S n : V	(TWA):         PEL:         CAL AND CHEMICAL P         d       Eva         d       Eva         es       Spece         RPLE       Bul         y faint       Vap         applicable       pH         luble       STABILITY AND REACT         Stable.       Stable.	Total dust.         ROPERTIES         poration rate       :         cific Gravity       :         cor pressure       :         por density       :         :       :         TIVITY	Not applicable. Not determined Not determined Not determined Not determined Not determined	



### MATERIAL SAFETY DATA SHEET

# CC00007609WE PURPLE

Version Number 1.0 Revision Date 09/16/2002 Page 4 of 5 Print Date 11/6/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

	12. ECOLOGI	CAL INFORMATION	1			
Persistence and degrada	bility : Not readily b	biodegradable.				
Environmental Toxicity	ronmental Toxicity : Chemicals are not readily available as th of the polymer.		as they are bound within the matri			
Bioaccumulation Potent	ial : Not inherent	: Not inherently biodegradable.				
Additional advice		: Chemicals are not readily available as they are bound within the matrix of the polymer.				
	13. DISPOSAL	<b>CONSIDERATIONS</b>	6			
Product	generator of classificatior applicable fe	waste material has the n, transportation and dis deral, state/provincial a	-			
Contaminated packaging	has the respo and disposal	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
	14. TRANSPO	ORT INFORMATION				
U.S. DOT Classification	: Not regulated	d for transportation.				
ICAO/IATA	: Not regulated	d for transportation.				
IMO / IMDG	: Not regulated	d for transportation.				
	15. REGULAT	ORY INFORMATION	N			
US Regulations:						



### MATERIAL SAFETY DATA SHEET

# CC00007609WE PURPLE

Version Number 1.0		Page 5 of 5			
Revision Date 09/16/2002		Print Date 11/6/2011			
OSHA Status	:	Classified as hazardous based on components.			
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.			
US. EPA CERCLA Hazardous Su	US. EPA CERCLA Hazardous Substances (40 CFR 302)				
Not applicable					
1	:	This product does not contain a substance listed by California Prop 65.			
65					
Canadian Regulations:					
-	:	D2B			
	•				
DSL	:	Listed.			
National Inventories:					
Australia AICS	:	Listed.			
China IECS	:	Listed.			
Europe EINECS	:	Not determined.			
Japan ENCS	:	Not determined.			
Korea KECI	:	Not determined.			
Philippines PICCS	:	Not determined.			
16. OTHER INFORMATION					

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.