

MATERIAL SAFETY DATA SHEET

PURPLE

Version Number 1.0 Revision Date 09/11/2002 Page 1 of 5 Print Date 11/6/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PURPLE
Product code	:	CC10023089
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES

MATERIAL SAFETY DATA SHEET



sion Number 1.0 vision Date 09/11/2002	Page 2 Print Date 11/6/2
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases or doubt, seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.



MATERIAL SAFETY DATA SHEET

PURPLE

Version Number 1.0 Revision Date 09/11/2002 Page 3 of 5 Print Date 11/6/2011

	OSURE	<u>CONTROLS / I</u>	PERSONAL PROTECTION	
Respiratory protection	: 1	No personal respir	atory protective equipment normally required.	
Eye/Face Protection	: \$	Safety glasses with	n side-shields.	
Hand protection	: Protective gloves.			
Skin and body protection	: I	Long sleeved cloth	ing.	
Additional Protective Measures	: \$	Safety shoes.		
General Hygiene Considerations			nce with good industrial hygiene and safety pract breaks and at the end of workday.	tice
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)				
T 1 1 1				
There are no known hazardou	is compo	onents above regu	atory thresholds in this product.	
0	PHVSI	CAL AND CHE	MICAL PROPERTIES	
,	111101			
Form	: Soli		Evaporation rate : Not applicable	
Appearance	: Pell		Specific Gravity : Not determine	
Color	: PURPLE Bulk density : Not establ			
			** ** ** ** **	•
Odor		y faint	Vapor pressure : Not applicable	
Odor Melting point/range	: Not	determined	Vapor density : Not applicable	
Odor Melting point/range Boiling Point:	: Not : Not	determined applicable		
Odor Melting point/range	: Not	determined applicable	Vapor density : Not applicable	
Odor Melting point/range Boiling Point:	: Not : Not : Insc	determined applicable sluble	Vapor density : Not applicable	
Odor Melting point/range Boiling Point: Water solubility	: Not : Not : Insc 10.	determined applicable oluble STABILITY AN	Vapor density : Not applicable pH : Not applicable	
Odor Melting point/range Boiling Point:	: Not : Not : Insc 10. : S	determined applicable oluble STABILITY AN Stable.	Vapor density : Not applicable pH : Not applicable	
Odor Melting point/range Boiling Point: Water solubility	: Not : Not : Insc 10. : S	determined applicable oluble STABILITY AN	Vapor density : Not applicable pH : Not applicable	
Odor Melting point/range Boiling Point: Water solubility Stability	: Not : Not : Insc 10. : S : S : S	determined applicable oluble STABILITY AN Stable. Will not occur.	Vapor density : Not applicable pH : Not applicable D REACTIVITY xidizing agents and open flame. To avoid therm	
Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	: Not : Not : Insc 10. : S : S : S	determined applicable oluble STABILITY AN Stable. Will not occur. Keep away from o decomposition, do	Vapor density : Not applicable pH : Not applicable D REACTIVITY xidizing agents and open flame. To avoid therm	
Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	: Not : Not : Insc : S : S : S : S : S : S : S : S : S : S	determined applicable oluble STABILITY AN Stable. Will not occur. Keep away from o decomposition, do facompatible with Carbon dioxide (C	Vapor density : Not applicable pH : Not applicable D REACTIVITY xidizing agents and open flame. To avoid thern not overheat.	nal



MATERIAL SAFETY DATA SHEET

PURPLE

Version Number 1.0 Revision Date 09/11/2002 Page 4 of 5 Print Date 11/6/2011

There are no known hazardous components above regulatory thresholds in this product.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.
IMO / IMDG	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: All components of this product are listed on the TSCA inventory or are exempt.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	



MATERIAL SAFETY DATA SHEET

PURPLE

Version Number 1.0 Revision Date 09/11/2002		Page 5 of 5 Print Date 11/6/2011
California Proposition 65	:	
Canadian Regulations:		
WHMIS Classification	:	Not controlled.
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.
		16. OTHER INFORMATION

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.