

MATERIAL SAFETY DATA SHEET

LIGHT BLUE 5

Version Number 1.0 Revision Date 09/19/2002 Page 1 of 6 Print Date 11/6/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	LIGHT BLUE 5
Product code	:	CC10023224
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

LIGHT BLUE 5

sion Number 1.0 ision Date 09/19/2002	Page 2 Print Date 11/6/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases of doubt, seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	· Not applicable
Flash point	: Not applicable
Flammable Limits	
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Autoignition temperature	: Not relevant
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

LIGHT BLUE 5

sion Date 09/19/2002				Print	Page 3 Date 11/6/
	a	nd contamination. Keep	in a dry, coo	l place.	
8. H	XPOSURE	CONTROLS / PERSO	NAL PROT	ECTION	
Respiratory protection	: No personal respiratory protective equipment normally required.			required.	
Eye/Face Protection	: Safety glasses with side-shields.				
Hand protection	: Protective gloves.				
Skin and body protection	: Long sleeved clothing.				
Additional Protective Measures	: Safety shoes.				
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice Wash hands before breaks and at the end of workday.				
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Components Titanium dioxide	Value 10 mg/m3	Exposure time Time Weighted Aver		xposure type Dust.	List: ACGIH
Titanium dioxide	15 mg/m3	(TWA): PEL:		Total dust.	OSHA Z
i numum utovitue	0				
				TEC	
	9. PHYSIC	CAL AND CHEMICA	L PROPERT	IES	
	9. PHYSIC		L PROPERT Evaporation r		t applicable.
	: Solic : Pelle	1 ets		ate : Not	t applicable. t determined
Form Appearance	: Solic : Pelle : BLU	d ets IE	Evaporation r Specific Grav Bulk density	ate : Not ity : Not : Not	t determined t established
Form Appearance	: Solic : Pelle	l ets /E / faint	Evaporation r Specific Grav Bulk density Vapor pressu	ate : Not ity : Not : Not re : Not	t determined
Form Appearance Color Odor Melting point/range	: Solid : Pelle : BLU : Very : Not	l ets /E / faint determined	Evaporation r Specific Grav Bulk density	ate : Not ity : Not : Not re : Not re : Not	t determined t established t applicable t applicable
Form Appearance Color Odor Melting point/range Boiling Point:	: Solid : Pelle : BLU : Very : Not : Not	l ets E / faint determined applicable	Evaporation r Specific Grav Bulk density Vapor pressu	ate : Not ity : Not : Not re : Not re : Not	t determined t established t applicable
Form Appearance Color Odor Melting point/range Boiling Point:	: Solid : Pelle : BLU : Very : Not	l ets E / faint determined applicable	Evaporation r Specific Grav Bulk density Vapor pressu Vapor density	ate : Not ity : Not : Not re : Not re : Not	t determined t established t applicable t applicable
Form Appearance Color Odor Melting point/range Boiling Point:	: Solid : Pelle : BLU : Very : Not : Not : Insol	l ets E / faint determined applicable	Evaporation r Specific Grav Bulk density Vapor pressur Vapor density pH	ate : Not ity : Not : Not re : Not re : Not	t determined t established t applicable t applicable
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Solid : Pelle : BLU : Very : Not : Not : Insol	d ets /E / faint determined applicable luble	Evaporation r Specific Grav Bulk density Vapor pressur Vapor density pH	ate : Not ity : Not : Not re : Not re : Not	t determined t established t applicable t applicable
Form Appearance Color Odor Melting point/range	: Solid : Pelle : BLU : Very : Not : Not : Insol 10. S : S	d ets /E / faint determined applicable luble STABILITY AND REA	Evaporation r Specific Grav Bulk density Vapor pressur Vapor density pH	ate : Not ity : Not : Not re : Not re : Not	t determined t established t applicable t applicable
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	: Solid : Pelle : BLU : Very : Not : Not : Insol 10. S : S n : V : K	d ets /E / faint determined applicable luble STABILITY AND REA table.	Evaporation r Specific Grav Bulk density Vapor pressur Vapor density pH CTIVITY g agents and o	ate : Not ity : Not re : Not re : Not : Not	t determined t established t applicable t applicable t applicable



MATERIAL SAFETY DATA SHEET

LIGHT BLUE 5

Version Number 1.0 Revision Date 09/19/2002 Page 4 of 6 Print Date 11/6/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

	Titanium dioxide	Systemic effects	Respiratory system.			
	12. ECOLOGI	CAL INFORMATION	N			
Persistence and degrada	ability : Not readily b	biodegradable.				
Environmental Toxicity		: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Bioaccumulation Poten		: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Additional advice	: No data avai	: No data available.				
	13. DISPOSAI	CONSIDERATIONS	5			
Product Contaminated packagin	possible, rec generator of classification applicable fe gg : Recycling is has the respo and disposal	 Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal. 				
	14. TRANSPO	ORT INFORMATION				
U.S. DOT Classification	n : Not regulated	d for transportation.				
ICAO/IATA	: Not regulated	d for transportation.				
IMO / IMDG	: Not regulated	: Not regulated for transportation.				
	15. REGULAT	ORY INFORMATIO	N			

MATERIAL SAFETY DATA SHEET



LIGHT BLUE 5		
Version Number 1.0 Revision Date 09/19/2002		Page 5 of 6 Print Date <i>11/6/2011</i>
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.
US. EPA CERCLA Hazardous S	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
Canadian Regulations:		
WHMIS Classification	:	D2B
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Listed.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

MATERIAL SAFETY DATA SHEET

LIGHT BLUE 5

Version Number 1.0 Revision Date 09/19/2002



Page 6 of 6 Print Date 11/6/2011