

MATERIAL SAFETY DATA SHEET

IRIDESCENT RED PC

Version Number 1.0 Revision Date 09/19/2002 Page 1 of 6 Print Date 11/6/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	IRIDESCENT RED PC
Product code	:	CC10023292
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Mica	12001-26-2	10 - 30
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to ever
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

IRIDESCENT RED PC

Version Number 1.0 Revision Date 09/19/2002 Page 2 of 6 Print Date 11/6/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases of doubt, seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	: :	Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption



Page 3 of 6

MATERIAL SAFETY DATA SHEET

IRIDESCENT RED PC

Version Number 1.0 Revision Date 09/19/2002

Print Date 11/6/2011 and contamination. Keep in a dry, cool place. 8. EXPOSURE CONTROLS / PERSONAL PROTECTION Respiratory protection : No personal respiratory protective equipment normally required. Eye/Face Protection : Safety glasses with side-shields. Hand protection : Protective gloves. Skin and body protection : Long sleeved clothing. Additional Protective : Safety shoes. Measures : Handle in accordance with good industrial hygiene and safety practice. General Hygiene Considerations Wash hands before breaks and at the end of workday. Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Mica	3 mg/m3	Time Weighted Average	Total dust.	ACGIH
		(TWA):		
Mica	20 mppcf	PEL:	Total dust.	OSHA
Titanium dioxide	10 mg/m3	Time Weighted Average	Dust.	ACGIH
	_	(TWA):		
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z1

Form	: Solid	Evaporation rate	: Not applicable.
Appearance	: Pellets	Specific Gravity	: Not determined
Color	: RED	Bulk density	
Odor	: Very faint	Vapor pressure	
Melting point/range	: Not determined	Vapor density	: Not applicable
Boiling Point:	: Not applicable	pH	: Not applicable
Water solubility	: Insoluble		
	10. STABILITY AN	DREACTIVITY	
Stability	: Stable.		
	XX 7'11		
Hazardous Polymerization	: Will not occur.		
	• Keen away from o	xidizing agents and open f	lame. To avoid thermal
Conditions to avoid			



MATERIAL SAFETY DATA SHEET

IRIDESCENT RED PC

rsion Number 1.0 vision Date 09/19/200	2			Page 4 c Print Date 11/6/20
Incompatible Materials	: Inc	ompatible v	with strong acids and o	oxidizing agents.
Hazardous decomposit products				oxide (CO), oxides of nitrogen ad smoke are all possible.
	11. TOX	ICOLOG	ICAL INFORMATIO	DN
This mixture has not be health data for the indi-				are effects listed are based on exist
<u>Toxicity Overview</u> This product contains t	he following con	ponents wł	nich in their pure form	have the following characteristics
CAS-No.	Chemical	Name	Effect	Target Organ
12001-26-2	Mica		Systemic effects	Respiratory system.
13463-67-7	Titanium dioxid	le	Systemic effects	Respiratory system.
	12 F(AL INFORMATION	1
	12, EV		AL INFORMATION	
Persistence and degrad	ability : No	readily bio	odegradable.	
Environmental Toxicit		emicals are he polymer		s they are bound within the matrix
Bioaccumulation Poten		emicals are he polymer		s they are bound within the matrix
Additional advice	: No	data availa	ble.	
	13. D	SPOSAL (CONSIDERATIONS	
Product	pos gei cla	sible, recyc erator of w ssification,	cling is preferred to dis vaste material has the r	ct can be recycled. Where sposal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations.
Contaminated packagir	has	the respon	sibility for proper was accordance with app	e. The generator of waste material te classification, transportation licable federal, state/provincial
	14. T	RANSPOF	RT INFORMATION	
U.S. DOT Classificatio	on : No	t regulated	for transportation.	
		-	*	
ICAO/IATA	. NT.	. ma and - 4 - 1	for transportation.	



MATERIAL SAFETY DATA SHEET

IRIDESCENT RED PC

sion Date 09/19/2002	Print Date 11,	0/2
IMO / IMDG	: Not regulated for transportation.	
	15. REGULATORY INFORMATION	
US Regulations:		
OSHA Status	: Classified as hazardous based on components.	
TSCA Status	: All components of this product are listed on the TSCA inventory o exempt.	r are
US. EPA CERCLA Hazardous	Substances (40 CFR 302)	
Not applicable		
California Proposition 65	: This product does not contain a substance listed by California Prop) 65
Canadian Regulations:		
WHMIS Classification	: D2B	
WHMIS Ingredient Disc	losure List	
CAS-No. 12001-26-2		
DSL	: Listed.	
National Inventories:		
Australia AICS	: Not determined.	
China IECS	: Listed.	
Europe EINECS	: Not determined.	
Japan ENCS	: Not determined.	
Korea KECI	: Not determined.	
Philippines PICCS	: Listed.	
	16. OTHER INFORMATION	



MATERIAL SAFETY DATA SHEET

IRIDESCENT RED PC

Version Number 1.0 Revision Date 09/19/2002 Page 6 of 6 Print Date 11/6/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.