

MATERIAL SAFETY DATA SHEET

FDA WHITE

Version Number 1.0 Revision Date 09/19/2002 Page 1 of 6 Print Date 11/6/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number		CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	FDA WHITE
Product code	:	CC10023404
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to over
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

FDA WHITE

sion Date 09/19/2002	Page 2 Print Date 11/6/2		
	4. FIRST AID MEASURES		
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases o doubt, seek medical advice.		
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.		
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.		
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.		
	5. FIRE-FIGHTING MEASURES		
Flash point	: Not applicable		
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. 		
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None 		
	6. ACCIDENTAL RELEASE MEASURES		
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.		
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.		
	7. HANDLING AND STORAGE		
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.		
Storage	: Keep containers dry and tightly closed to avoid moisture absorption		



MATERIAL SAFETY DATA SHEET

FDA WHITE

sion Date 09/19/2002				Print	Page 3 Date 11/6/2
	a	nd contamination. Keep	in a dry, cool place.		
8. I	EXPOSURE	CONTROLS / PERSO	NAL PROTECTIO	N	
Respiratory protection	: N	lo personal respiratory pr	otective equipment i	normally	required.
Eye/Face Protection	: Safety glasses with side-shields.				
Hand protection	: Protective gloves.				
Skin and body protection	: Long sleeved clothing.				
Additional Protective Measures	: Safety shoes.				
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)					
Components	Value	Exposure time	Exposure	type	List:
Titanium dioxide	10 mg/m3	Time Weighted Avera (TWA):	ge Dust		ACGIH
Titanium dioxide	15 mg/m3	PEL:	Total du	ıst.	OSHA Z
	9. PHYSIC	CAL AND CHEMICAL	PROPERTIES		
Form	: Solic	l E	vaporation rate		applicable.
Appearance	: Solic : Pelle	l E sts S	vaporation rate pecific Gravity	: Not	determined
Appearance Color	: Solic : Pelle : WHI	l E ets S TE B	vaporation rate pecific Gravity ulk density	: Not : Not	determined established
Appearance Color Odor	: Solic : Pelle : WHI : Very	l E ets S TE E faint V	vaporation rate pecific Gravity ulk density apor pressure	: Not : Not : Not	determined established applicable
Color Odor Melting point/range	: Solid : Pelle : WHI : Very : Note	l E ets S TE E faint V determined V	vaporation rate pecific Gravity ulk density 'apor pressure 'apor density	: Not : Not : Not : Not	determined established applicable applicable
Appearance Color Odor Melting point/range Boiling Point:	: Solid : Pelle : WHI : Very : Not o : Not i	l E ets S TE E faint V determined V applicable p	vaporation rate pecific Gravity ulk density apor pressure	: Not : Not : Not : Not	determined established applicable
Appearance Color Odor Melting point/range	: Solid : Pelle : WHI : Very : Note	l E ets S TE E faint V determined V applicable p	vaporation rate pecific Gravity ulk density 'apor pressure 'apor density	: Not : Not : Not : Not	determined established applicable applicable
Appearance Color Odor Melting point/range Boiling Point:	: Solic : Pelle : WHI : Very : Not : Not : Insol	l E ets S TE E faint V determined V applicable p	vaporation rate pecific Gravity ulk density apor pressure apor density H	: Not : Not : Not : Not	determined established applicable applicable
Appearance Color Odor Melting point/range Boiling Point:	: Solid : Pelle : WHI : Very : Not : Not : Insol	l E ets S ITE E faint V determined V applicable p luble	vaporation rate pecific Gravity ulk density apor pressure apor density H	: Not : Not : Not : Not	determined established applicable applicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Solid : Pelle : WHI : Very : Not (: Not (: Insol 10. S : S	I E ets S TE E 7 faint V determined V applicable p luble STABILITY AND REA	vaporation rate pecific Gravity ulk density apor pressure apor density H	: Not : Not : Not : Not	determined established applicable applicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	: Solic : Pelle : WHI : Very : Not a : Insol 10. S : S n : V : K	I E ets S TE E faint V determined V applicable p luble STABILITY AND REA table.	vaporation rate pecific Gravity ulk density 'apor pressure 'apor density H CTIVITY	: Not : Not : Not : Not	determined established applicable applicable applicable



MATERIAL SAFETY DATA SHEET

FDA WHITE

Version Number 1.0 Revision Date 09/19/2002 Page 4 of 6 Print Date 11/6/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.			
	12. ECOLOGIO	CAL INFORMATION	1			
Persistence and degrada		iodegradable.				
Environmental Toxicity		: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Bioaccumulation Poten		: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Additional advice	: No data avail	lable.				
	13. DISPOSAL	CONSIDERATIONS				
Product Contaminated packagin	g : Recycling is has the respo and disposal	 Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal. 				
	14. TRANSPO	ORT INFORMATION				
U.S. DOT Classification	n : Not regulated	l for transportation.				
ICAO/IATA	: Not regulated	l for transportation.				
IMO / IMDG	: Not regulated	l for transportation.				
	15. REGULAT	ORY INFORMATION	N			

MATERIAL SAFETY DATA SHEET



FDA WHITE						
Version Number 1.0 Revision Date 09/19/2002		Page 5 of 6 Print Date 11/6/2011				
US Regulations:						
OSHA Status	:	Classified as hazardous based on components.				
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.				
US. EPA CERCLA Hazardous	US. EPA CERCLA Hazardous Substances (40 CFR 302)					
Not applicable						
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.				
Canadian Regulations:						
WHMIS Classification	:	D2B				
DSL	:	Listed.				
National Inventories:						
Australia AICS	:	Listed.				
China IECS	:	Listed.				
Europe EINECS	:	Not determined.				
Japan ENCS	:	Listed.				
Korea KECI	:	Listed.				
Philippines PICCS	:	Listed.				
		16. OTHER INFORMATION				

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

MATERIAL SAFETY DATA SHEET

FDA WHITE

Version Number 1.0 Revision Date 09/19/2002



Page 6 of 6 Print Date 11/6/2011