

MATERIAL SAFETY DATA SHEET

BROWN

Version Number 1.0 Revision Date 09/19/2002 Page 1 of 5 Print Date 11/6/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	BROWN
Product code	:	CC10023418
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Iron oxide	1309-37-1	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

BROWN

sion Date 09/19/2002	Print Date 11/6/2
	4. FIRST AID MEASURES
	7. FIRST AID WILASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases o doubt, seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
F 1	
Flammable Limits	· Not applicable
Upper explosion limit Lower explosion limit	Not applicableNot applicable
Autoignition temperature	: Not relevant
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

BROWN

sion Date 09/19/2002			Print I	Page 3 /Date 11/6		
and contamination. Keep in a dry, cool place.						
8. E	XPOSURE	CONTROLS / PERSONAL	PROTECTION			
Respiratory protection	: N	o personal respiratory protec	tive equipment normally r	equired.		
Eye/Face Protection	: Safety glasses with side-shields.					
Hand protection	: Protective gloves.					
Skin and body protection	: L	: Long sleeved clothing.				
Additional Protective Measures	: Safety shoes.					
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.					
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.					
Components Iron oxide	Value 5 mg/m3	Exposure time Time Weighted Average (TWA):	Exposure type Dust and fume. as Fe	List: ACGIH		
		$(\mathbf{I} \mathbf{W} \mathbf{A})$:				
	9. PHYSIC	CAL AND CHEMICAL PR	OPERTIES			
Form	: Solic : Pelle			applicable.		
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: BRO : Very : Not o : Not a : Insol	WN Bulk faint Vapo determined Vapo applicable pH uble	density : Not r pressure : Not r density : Not : Not	determined established applicable applicable applicable		
Appearance Color Odor Melting point/range Boiling Point:	: BRO : Very : Not o : Not a : Insol	WN Bulk faint Vapo determined Vapo applicable pH	density : Not r pressure : Not r density : Not : Not	determined established applicable applicable		
Appearance Color Odor Melting point/range Boiling Point:	: BRO : Very : Not c : Not a : Insol	WN Bulk faint Vapo determined Vapo applicable pH uble	density : Not r pressure : Not r density : Not : Not	determined established applicable applicable		
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: BRO : Very : Not a : Not a : Insol 10. S : S	WN Bulk faint Vapo determined Vapo applicable pH uble	density : Not r pressure : Not r density : Not : Not	determined established applicable applicable		
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	: BRO : Very : Not a : Not a : Insol 10. S : S n : W : K	WN Bulk faint Vapo determined Vapo applicable pH uble STABILITY AND REACTI table.	density : Not r pressure : Not r density : Not : Not VITY nts and open flame. To a	determined established applicable applicable		
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	: BRO : Very : Not a : Not a : Insol 10. S : S	WN Bulk faint Vapo determined Vapo applicable pH uble STABILITY AND REACTI table. Vill not occur.	density : Not r pressure : Not r density : Not : Not VITY nts and open flame. To a t.	determined established applicable applicable		



MATERIAL SAFETY DATA SHEET

BROWN

Version Number 1.0 Revision Date 09/19/2002

Page 4 of 5 Print Date 11/6/2011

products

(NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

~ . ~	~*		— 22				
CAS-No.		ical Name	Effect	Target Organ			
1309-37-1	Iron oxide		Systemic effects	Respiratory system.			
	12	2. ECOLOGIC	AL INFORMATION				
Persistence and degradal	oility :	Not readily bi	odegradable.				
Environmental Toxicity		: Chemicals are not readily available as they are bound within the matrix of the polymer.					
Bioaccumulation Potential		Chemicals are not readily available as they are bound within the matrix of the polymer.					
Additional advice		: No data available.					
	13	3. DISPOSAL	CONSIDERATIONS				
Product Contaminated packaging		 Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. 					
		and local regu	lations.	icable federal, state/provincial			
	1	4. TRANSPOL	RT INFORMATION				
U.S. DOT Classification	:	Not regulated	for transportation.				
ICAO/IATA	:	Not regulated	for transportation.				
IMO / IMDG	:	Not regulated	for transportation.				
	15	. REGULATO	RY INFORMATION				
US Regulations:							
05 Regulations.							



MATERIAL SAFETY DATA SHEET

BROWN

Version Number 1.0 Revision Date 09/19/2002		Page 5 of 5 Print Date 11/6/2011		
OSHA Status	:	Classified as hazardous based on components.		
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.		
US. EPA CERCLA Hazardous Substances (40 CFR 302)				
Not applicable				
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.		
Canadian Regulations:				
WHMIS Classification	:	Not controlled.		
DSL	:	Listed.		
National Inventories:				
Australia AICS	:	Listed.		
China IECS	:	Listed.		
Europe EINECS	:	Not determined.		
Japan ENCS	:	Listed.		
Korea KECI	:	Listed.		
Philippines PICCS	:	Listed.		
		16. OTHER INFORMATION		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.