

MATERIAL SAFETY DATA SHEET

10086370 TAN STREAK

Version Number 1.0 Revision Date 09/17/2002 Page 1 of 6 Print Date 11/6/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	10086370 TAN STREAK
Product code	:	CC10023419
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact			
Acute exposure				
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to ever 			
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.			
Chronic exposure	: Refer to Section 11 for Toxicological Information.			
Medical Conditions Aggravated by Exposure:	: None known.			



MATERIAL SAFETY DATA SHEET

10086370 TAN STREAK

Version Number 1.0 Revision Date 09/17/2002 Page 2 of 6 Print Date 11/6/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases of doubt, seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	: : : :	Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

10086370 TAN STREAK

Version Number 1.0 Revision Date 09/17/2002 Page 3 of 6 Print Date 11/6/2011

8. I	EXPOSURE	CONTROLS / PE	RSONAL	PROTECTION		
Respiratory protection	: N	lo personal respirato	ory protecti	ve equipment no	rmally r	equired.
Eye/Face Protection	: S	Safety glasses with side-shields.				
Hand protection	: P	rotective gloves.				
Skin and body protection	: L	ong sleeved clothing	g.			
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations		Iandle in accordance Vash hands before bi				afety practice.
Engineering measures		leat only in areas wi ppropriate exhaust v			ilation.	Provide
Exposure limit(s)						
Components	Value	Exposure ti	me	Exposure ty	me	List:
Titanium dioxide	10 mg/m3	Time Weighted A (TWA):		Dust.	pe	ACGIH
Titanium dioxide	15 mg/m3	PEL:		Total dust	t.	OSHA Z1
	9. PHYSIC	CAL AND CHEMI	CAL PRO	PERTIES		
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Not o	ets I / faint determined applicable	Specifi Bulk d Vapor	Specific Gravity: Not ofBulk density: Not ofVapor pressure: Not ofVapor density: Not of		applicable. determined established applicable applicable applicable
	10. 8	STABILITY AND I	REACTIV	ITY		
Stability	: S	table.				
Hazardous Polymerizatio	n : V	Vill not occur.				
Conditions to avoid		Leep away from oxid ecomposition, do no			e. To a	void thermal
Conditions to avoid	u	1 /				



MATERIAL SAFETY DATA SHEET

10086370 TAN STREAK

Version Number 1.0 Revision Date 09/17/2002 Page 4 of 6 Print Date 11/6/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

	12. ECOLOGI	CAL INFORMATION	N		
Persistence and degrada	bility : Not readily b	biodegradable.			
Environmental Toxicity	: Chemicals ar of the polym		as they are bound within the matrix		
Bioaccumulation Potent	ial : Chemicals ar of the polym		as they are bound within the matrix		
Additional advice	: No data avai	lable.			
	13. DISPOSAL	CONSIDERATIONS	5		
Product Contaminated packagin	g : Recycling is has the response	ycling is preferred to di waste material has the in a, transportation and dis deral, state/provincial a preferred when possible onsibility for proper was in accordance with app	ct can be recycled. Where sposal or incineration. The responsibility for proper waste posal in accordance with and local regulations. e. The generator of waste materia ste classification, transportation licable federal, state/provincial		
	14. TRANSPO	ORT INFORMATION			
U.S. DOT Classification	n : Not regulated	d for transportation.			
ICAO/IATA	: Not regulated	: Not regulated for transportation.			
IMO / IMDG	: Not regulated	d for transportation.			
	15. REGULAT	ORY INFORMATIO	N		

4/6



MATERIAL SAFETY DATA SHEET

10086370 TAN STREAK

vision Date 09/17/2002				Page 5 c Print Date <i>11/6/20</i>
US Regulations:				
OSHA Status	: Classifi	ied as hazardous l	based on components.	
TSCA Status	: All con exempt		roduct are listed on the	e TSCA inventory or are
US. EPA CERCLA Hazardo	us Substances (4	40 CFR 302)		
Chemical Name	CAS-No.	% in Product	RQ for component	RQ for Mixture/Product
Chromium (III) oxide	1308-38-9	0.1500	010 lbs	6,667 LB
Canadian Regulations: WHMIS Classificatio DSL	on : D2B : Listed.			
WHMIS Classification				
WHMIS Classification				
WHMIS Classification DSL National Inventories:	: Listed.			
WHMIS Classification DSL National Inventories: Australia AICS	: Listed. : Listed. : Listed.	termined.		
WHMIS Classification DSL National Inventories: Australia AICS China IECS	: Listed. : Listed. : Listed. : Not det			
WHMIS Classification DSL National Inventories: Australia AICS China IECS Europe EINECS	 Listed. Listed. Listed. Not det Not det 	termined.		
WHMIS Classification DSL National Inventories: Australia AICS China IECS Europe EINECS Japan ENCS	 Listed. Listed. Listed. Listed. Not det Not det Not det 	ermined. ermined.		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



MATERIAL SAFETY DATA SHEET

10086370 TAN STREAK

Version Number 1.0 Revision Date 09/17/2002 Page 6 of 6 Print Date 11/6/2011