MATERIAL SAFETY DATA SHEET COOL GREY - PANTONE 6C

Version Number 1.1 Revision Date 02/03/2004

Page 1 of 6 Print Date 11/13/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	COOL GREY - PANTONE 6C
Product code	:	CC10023468
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET COOL GREY - PANTONE 6C

Version Number 1.1 Revision Date 02/03/2004 Page 2 of 6 Print Date 11/13/2011

	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all case doubt seek medical advice.	s of
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.	3
Eyes	: Rinse immediately with plenty of water, also under the eyelids, fo least 15 minutes. If eye irritation persists, seek medical attention.	r at
Skin	: Wash off with soap and plenty of water. If skin irritation persists medical attention.	seel
	5. FIRE-FIGHTING MEASURES	
Flash point	: Not applicable	
Flammable Limits		
Upper explosion limit	: Not applicable	
Lower explosion limit	: Not applicable	
Autoignition temperature	: Not applicable	
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foamnone.	
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positi pressure mode should be worn to prevent inhalation of airborne contaminants.	ve
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.	i
	. ACCIDENTAL RELEASE MEASURES	_
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should be allowed to enter drains, water courses or the soil.	not
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material plastic, cardboard or metal containers for disposal. Refer to Sectio of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge Hea only in areas with appropriate exhaust ventilation.	t
Storage	: Keep containers dry and tightly closed to avoid moisture absorption	m

2/6

PolyOne.

MATERIAL SAFETY DATA SHEET COOL GREY - PANTONE 6C

Version Number 1.1 Revision Date 02/03/2004 Page 3 of 6 Print Date 11/13/2011

8. E	XPOSURE	CONTROLS / PERSO	NAL I	PROTECTION	
Respiratory protection	: N	: No personal respiratory protective equipment normally required.			
Eye/Face Protection	: S	afety glasses with side-s	hields.		
Hand protection	: P	: Protective gloves.			
Skin and body protection	: L	: Long sleeved clothing.			
Additional Protective Measures	: Safety shoes.				
General Hygiene Considerations		: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)					
Components	Value	Exposure time		Exposure type	List:
Titanium dioxide	10 mg/m3	Time Weighted Aver (TWA):	age		ACGIH
	15 mg/m3	PEL:		Total dust.	OSHA Z1
				DEDTHEC	
	9. 11130	CAL AND CHEMICAI	J PKU	FERTIES	
Form	: Solic				ot applicable
Appearance	: Pelle		-	•	ot determined
Color Odor	: GRE		Bulk de		ot established
Melting point/range	•				ot applicable ot applicable
Boiling Point:			• арош оН	2	ot applicable
Water solubility	: Insol				or approved
	10. 5	STABILITY AND REA	CTIV	ITY	
Stability	: S	table.			
Hazardous Polymerization	n : V	Vill not occur.			
Conditions to avoid		Keep away from oxidizing	00	s and open flame. To	avoid thermal

olyOne.

MATERIAL SAFETY DATA SHEET COOL GREY - PANTONE 6C

Version Number 1.1 Revision Date 02/03/2004

Page 4 of 6 Print Date 11/13/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Target Organ					
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.			
	12. ECOLOGIO	CAL INFORMATION	[
Persistence and degrada	bility : Not readily bi	odegradable.				
Environmental Toxicity		: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Bioaccumulation Potent		: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Additional advice	: No data availa	able				
	13. DISPOSAL	CONSIDERATIONS				
Product	possible recyc generator of v classification, applicable fec	cling is preferred to dis vaste material has the r transportation and dis leral, state/provincial a	-			
Contaminated packagin	has the respon and disposal i	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
	14. TRANSPO	RT INFORMATION				
U.S. DOT Classification	n : Not regulated	for transportation.				
ICAO/IATA (air)	: Refer to speci	ific regulation.				
IMO / IMDG (maritime	e) : Refer to speci	fic regulation.				
	15. REGULATO	DRY INFORMATION	1			

PolyOne.

MATERIAL SAFETY DATA SHEET COOL GREY - PANTONE 6C

rsion Number 1.1 vision Date 02/03/2004		Page 5 of Print Date 11/13/201
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
SARA Title III Section 302 Ext	rem	ely Hazardous Substance
Not applicable		
SARA Title III Section 313 Tox	kic C	Chemicals:
Not applicable Canadian Regulations:		
National Pollutant Relea	se Iı	nventory (NPRI)
WHMIS Classification	:	D2B
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Listed
Philippines PICCS	:	Listed
		16. OTHER INFORMATION



MATERIAL SAFETY DATA SHEET COOL GREY - PANTONE 6C

Version Number 1.1 Revision Date 02/03/2004 Page 6 of 6 Print Date 11/13/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.