

MATERIAL SAFETY DATA SHEET

PEIGE

Version Number 1.0 Revision Date 09/23/2002 Page 1 of 6 Print Date 11/6/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PEIGE
Product code	:	CC10023474
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Mica	12001-26-2	10 - 30
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to ever
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

PEIGE

sion Date 09/23/2002	Print Date 11/6/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases of doubt, seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits	
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Autoignition temperature	: Not relevant
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting	: Fullface self-contained breathing apparatus (SCBA) used in positive
Procedures	pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

PEIGE

ion Number 1.0 sion Date 09/23/2002			Print	Page 3 Date 11/6/
	aı	nd contamination. Keep in a c	lry, cool place.	
8. F	EXPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: N	o personal respiratory protect	ive equipment normally	required.
Eye/Face Protection	: S	afety glasses with side-shields	3.	
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations		andle in accordance with good Vash hands before breaks and		safety practic
Engineering measures		eat only in areas with approprion of the second sec		Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Mica	3 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH
Mica	20 mppcf	PEL:	Total dust.	OSHA
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):	Dust.	ACGIH
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z
	9. PHYSIC	CAL AND CHEMICAL PRO	OPERTIES	
Form	: Solid	l Evapo	oration rate : No	t applicable.
Appearance	: Pelle	ts Specif	fic Gravity : No	t determined
Color	: TAN	Bulk	lensity : No	t established
Odor	: Very	faint Vapor	pressure : No	t applicable
Melting point/range	: Not o	letermined Vapor	density : No	t applicable
Boiling Point:	: Not a	applicable pH	: No	t applicable
Water solubility	: Insol	uble		
	10. 8	TABILITY AND REACTIV	VITY	
Stability	: S	table.		
Henry James Delaure enimeties	n : W	Vill not occur.		
Hazardous Polymerization				



MATERIAL SAFETY DATA SHEET

PEIGE

ion Number 1.0 sion Date 09/23/2	2002			Page 4 Print Date 11/6/2
Incompatible Mater	rials	: Incompatible	with strong acids and o	oxidizing agents.
Hazardous decomp products	osition			oxide (CO), oxides of nitrogen nd smoke are all possible.
	11	. TOXICOLOG	ICAL INFORMATIO	ON
health data for the i	ndividual com	ponents which co	omprise the mixture.	are effects listed are based on exit
CAS-No.	Ch	emical Name	Effect	Target Organ
12001-26-2	Mica		Systemic effects	Respiratory system.
13463-67-7	Titanium	dioxide	Systemic effects	Respiratory system.
		12. ECOLOGIO	CAL INFORMATION	I
Persistence and deg Environmental Tox	-	Not readily biChemicals are of the polyme	e not readily available a	s they are bound within the matri
Bioaccumulation P	otential	: Chemicals are of the polyme		s they are bound within the matri
Additional advice		: No data avail	able.	
		13. DISPOSAL	CONSIDERATIONS	5
Product		possible, recy generator of v classification,	cling is preferred to dis waste material has the r	ct can be recycled. Where sposal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations.
Contaminated pack	aging	: Recycling is p	preferred when possible	e. The generator of waste materia

14. TRANSPORT INFORMATION

U.S. DOT Classification	:	Refer to specific regulation.
ICAO/IATA	:	Refer to specific regulation.



MATERIAL SAFETY DATA SHEET

PFI	GF

sion Number 1.0 ision Date 09/23/2002	Page Print Date 11/	
IMO / IMDG	: Refer to specific regulation.	
	15. REGULATORY INFORMATION	
US Regulations:		
OSHA Status	: Classified as hazardous based on components.	
TSCA Status	: All components of this product are listed on the TSCA inventory or exempt.	are
US. EPA CERCLA Hazardous	Substances (40 CFR 302)	
Not applicable		
California Proposition 65	: This product does not contain a substance listed by California Prop	65
Canadian Regulations: WHMIS Classification	: D2B	
WHMIS Ingredient Dis		
CAS-No.		
12001-26-2		
DSL	: Listed.	
National Inventories:		
Australia AICS	: Listed.	
China IECS	: Listed.	
Europe EINECS	: Not determined.	
Japan ENCS	: Not determined.	
Korea KECI	: Listed.	
Philippines PICCS	: Listed.	
	16. OTHER INFORMATION	



MATERIAL SAFETY DATA SHEET

PEIGE

Version Number 1.0 Revision Date 09/23/2002 Page 6 of 6 Print Date 11/6/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.