

MATERIAL SAFETY DATA SHEET

WHITE

Version Number 1.0 Revision Date 09/19/2002 Page 1 of 6 Print Date 11/6/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name Product code Chemical Name CAS-No. Product Use	: : : :	WHITE CC10023495 Mixture Mixture Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to ever 		
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		



MATERIAL SAFETY DATA SHEET

WHITE

sion Date 09/19/2002	Print Date 11/6/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases of doubt, seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

WHITE

			· · · · · · ·		
	a	nd contamination. Keep	in a dry, cool place.		
8. E	XPOSURE	CONTROLS / PERSO	NAL PROTECTION		
Respiratory protection	: N	lo personal respiratory pr	otective equipment norr	nally required.	
Eye/Face Protection	: S	afety glasses with side-sh	nields.		
Hand protection	: P	Protective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations		: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures		leat only in areas with ap ppropriate exhaust ventil		ation. Provide	
Exposure limit(s)					
Components	Value	Exposure time	Exposure typ		
Titanium dioxide	10 mg/m3Time Weighted Average (TWA):Dust.ACGIH				
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z1	
	9. PHYSI	CAL AND CHEMICAL	PROPERTIES		
Form	: Solid	4 F	Evaporation rate :	Not applicable.	
Appearance	: Pelle		pecific Gravity :	Not determined	
Color	: WH		Sulk density :	Not established	
Odor	: Very				
Melting point/range			apor pressure : apor density :	Not applicable Not applicable	
Boiling Point:			· ·	Not applicable	
Water solubility	: Not applicable pH : Not applicable : Insoluble				
water solubility	. 11150	luble			
	10. \$	STABILITY AND REA	CTIVITY		
Stability	: S	table.			
II I D. I	1 : V	Vill not occur.			
Hazardous Polymerization	T	Ceen away from oxidizing	g agents and open flame.	To avoid thermal	
Conditions to avoid		ecomposition, do not ove	rheat.		



MATERIAL SAFETY DATA SHEET

WHITE

Version Number 1.0 Revision Date 09/19/2002 Page 4 of 6 Print Date 11/6/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

12. ECOLOGICAL INFORMATION 12. ECOLOGICAL INFORMATION Persistence and degradability : Not readily biodegradable. Environmental Toxicity : Chemicals are not readily available as they are bound within the mat of the polymer. Bioaccumulation Potential : Chemicals are not readily available as they are bound within the mat of the polymer. Additional advice : No data available. 13. DISPOSAL CONSIDERATIONS Product : Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. U.S. DOT Classification : Not regulated for transportation. U.S. DOT Classification : Not regulated for transportation.	CAS-No. 13463-67-7	Chemical Name Titanium dioxide	Effect Systemic effects	Target OrganRespiratory system.		
Persistence and degradability : Not readily biodegradable. Environmental Toxicity : Chemicals are not readily available as they are bound within the mat of the polymer. Bioaccumulation Potential : Chemicals are not readily available as they are bound within the mat of the polymer. Additional advice : No data available. 13. DISPOSAL CONSIDERATIONS Product : Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. U.S. DOT Classification : Not regulated for transportation. U.S. DOT Classification : Not regulated for transportation. U.MO / IMDG : Not regulated for transportation.	13403 07 7	Thumum dioxide	Systemic crieets	Respiratory system.		
Environmental Toxicity : Chemicals are not readily available as they are bound within the mat of the polymer. Bioaccumulation Potential : Chemicals are not readily available as they are bound within the mat of the polymer. Additional advice : No data available. 13. DISPOSAL CONSIDERATIONS Product : Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. U.S. DOT Classification : Not regulated for transportation. U.S. DOT Classification : Not regulated for transportation. IXAO/IATA : Not regulated for transportation.		12. ECOLOGIO	CAL INFORMATION	1		
of the polymer. Bioaccumulation Potential : Chemicals are not readily available as they are bound within the mat of the polymer. Additional advice : No data available. I3. DISPOSAL CONSIDERATIONS Product : Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. U.S. DOT Classification : Not regulated for transportation. U.S. DOT Classification : Not regulated for transportation. MO / IMDG : Not regulated for transportation.	Persistence and degrad	ability : Not readily bi	iodegradable.			
Additional advice : No data available. I3. DISPOSAL CONSIDERATIONS Product : Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. U.S. DOT Classification : Not regulated for transportation. U.S. DOT Classification : Not regulated for transportation. U.A. TRANSPORT INFORMATION : Not regulated for transportation.	Environmental Toxicit			is they are bound within the matrix		
13. DISPOSAL CONSIDERATIONS Product : Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. U.S. DOT Classification : Not regulated for transportation. U.S. DOT Classification : Not regulated for transportation. U.MO / IMDG : Not regulated for transportation.	Bioaccumulation Poter			is they are bound within the matrix		
Product : Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Like most the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. U.S. DOT Classification : Not regulated for transportation. ICAO/IATA : Not regulated for transportation. IMO / IMDG : Not regulated for transportation.	Additional advice	: No data availa	able.			
possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. 14. TRANSPORT INFORMATION U.S. DOT Classification : Not regulated for transportation. ICAO/IATA : Not regulated for transportation. IMO / IMDG : Not regulated for transportation.		13. DISPOSAL	CONSIDERATIONS	5		
U.S. DOT Classification : Not regulated for transportation. ICAO/IATA : Not regulated for transportation. IMO / IMDG : Not regulated for transportation.	Product Contaminated packagin	possible, recy generator of v classification, applicable fec ng : Recycling is p has the respon and disposal i	 possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial 			
ICAO/IATA : Not regulated for transportation. IMO / IMDG : Not regulated for transportation.		14. TRANSPO	RT INFORMATION			
IMO / IMDG : Not regulated for transportation.	U.S. DOT Classificatio	on : Not regulated	for transportation.			
	ICAO/IATA	: Not regulated	for transportation.			
15. REGULATORY INFORMATION	IMO / IMDG	: Not regulated	for transportation.			
		15. REGULATO	DRY INFORMATION	Ň		

MATERIAL SAFETY DATA SHEET



NHITE				
Version Number 1.0 Revision Date 09/19/2002		Page 5 of 6 Print Date 11/6/2011		
US Regulations:				
OSHA Status	:	Classified as hazardous based on components.		
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.		
US. EPA CERCLA Hazardous S	Sub	stances (40 CFR 302)		
Not applicable				
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.		
Canadian Regulations:				
WHMIS Classification	:	D2B		
DSL	:	Listed.		
National Inventories:				
Australia AICS	:	Not determined.		
China IECS	:	Listed.		
Europe EINECS	:	Not determined.		
Japan ENCS	:	Not determined.		
Korea KECI	:	Not determined.		
Philippines PICCS	:	Listed.		
		16. OTHER INFORMATION		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

MATERIAL SAFETY DATA SHEET

WHITE

Version Number 1.0 Revision Date 09/19/2002



Page 6 of 6 Print Date 11/6/2011