

MATERIAL SAFETY DATA SHEET

### PG 23842 PEARL BU PP AS

Version Number 1.0 Revision Date 09/28/2002 Page 1 of 6 Print Date 11/6/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PG 23842 PEARL BU PP AS
Product code	:	CC10023842
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	5 - 10
Mica	12001-26-2	10 - 30

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eves</li> </ul>
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

### PG 23842 PEARL BU PP AS

Version Number 1.0 Revision Date 09/28/2002 Page 2 of 6 Print Date 11/6/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases of doubt, seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion	: : : : : : : : : : : : : : : : : : : :	Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
Hazards		
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage		Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

### PG 23842 PEARL BU PP AS

Version Number 1.0 Revision Date 09/28/2002 Page 3 of 6 Print Date 11/6/2011

	a	nd contamination. Keep in a c	lry, cool place.				
8. I	EXPOSURE	CONTROLS / PERSONAL	PROTECTION				
Respiratory protection	: N	o personal respiratory protect	ive equipment normally	required.			
Eye/Face Protection	: S	Safety glasses with side-shields.					
Hand protection	: P	rotective gloves.					
Skin and body protection	: L	Long sleeved clothing.					
Additional Protective Measures	: S	afety shoes.					
General Hygiene Considerations		Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.					
Engineering measures		eat only in areas with appropr		Provide			
	aj	ppropriate exhaust ventilation	at machinery.				
Exposure limit(s)		ppropriate exhaust ventilation	at machinery.				
Exposure limit(s) Components	aj Value	ppropriate exhaust ventilation Exposure time	at machinery. Exposure type	List:			
				List: ACGIH			
Components	Value 3 mg/m3	Exposure time Time Weighted Average	Exposure type				
Components Mica	Value	Exposure time Time Weighted Average (TWA): PEL: Time Weighted Average	Exposure type Total dust.	ACGIH			
Components Mica Mica	Value 3 mg/m3 20 mppcf	Exposure time Time Weighted Average (TWA): PEL:	Exposure type Total dust. Total dust.	ACGIH OSHA			
Components Mica Mica Titanium dioxide	Value 3 mg/m3 20 mppcf 10 mg/m3	Exposure time Time Weighted Average (TWA): PEL: Time Weighted Average (TWA):	Exposure type Total dust. Total dust. Dust.	ACGIH OSHA ACGIH			
Components Mica Mica Titanium dioxide	Value 3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3	Exposure time Time Weighted Average (TWA): PEL: Time Weighted Average (TWA):	Exposure type Total dust. Total dust. Dust. Total dust.	ACGIH OSHA ACGIH			
Components Mica Mica Titanium dioxide Titanium dioxide	Value 3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC	Exposure time Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PR(	Exposure type Total dust. Total dust. Dust. Total dust. DPERTIES	ACGIH OSHA ACGIH OSHA Z1			
Components Mica Mica Titanium dioxide Titanium dioxide	Value 3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solic	Exposure time Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PR(	Exposure type         Total dust.         Total dust.         Dust.         Total dust.         Dependent of the second s	ACGIH OSHA ACGIH OSHA Z1			
Components Mica Mica Titanium dioxide Titanium dioxide Form Appearance	Value 3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solic : Pelle	Exposure time Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PR( L Evapo ts Specifi	Exposure type         Total dust.         Total dust.         Dust.         Total dust.         OPERTIES         oration rate       : Notic Gravity         ic Gravity       : Notic Gravity	ACGIH OSHA ACGIH OSHA Z1			
Components Mica Mica Titanium dioxide Titanium dioxide Form Appearance Color	Value 3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solic : Pelle : BLU	Exposure time Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO L Evaports E Bulk of the time	Exposure type         Total dust.         Total dust.         Dust.         Total dust.         OPERTIES         oration rate       : Notic Gravity         ic Gravity       : Notic Gravity         ic of a vity       : Notic Gravity	ACGIH OSHA ACGIH OSHA Z1 t applicable. t determined t established			
Components Mica Mica Titanium dioxide Titanium dioxide Form Appearance Color Odor	Value 3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solic : Pelle : BLU : Very	Exposure time Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRON I Evaports E Bulk of faint Vapor	Exposure type         Total dust.         Total dust.         Dust.         Total dust.         OPERTIES         oration rate       : Notice in the second s	ACGIH OSHA ACGIH OSHA Z1 t applicable. t determined t established t applicable			
Mica Mica Titanium dioxide	Value 3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solic : Pelle : BLU : Very : Not of	Exposure time Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRON I Evaports E Bulk of faint Vapor	Exposure type         Total dust.         Total dust.         Dust.         Total dust.         OPERTIES         oration rate       : Not         cratin rate       : Not         oration rate       : Not         pressure       : Not         oration rate       : Not         ic Gravity       : Not         oration rate       : Not         ic Gravity       : Not         oration rate       : Not         ic Gravity       : Not	ACGIH OSHA ACGIH OSHA Z1 t applicable. t determined t established			

# 10. STABILITY AND REACTIVITY

Stability	:	Stable.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.



MATERIAL SAFETY DATA SHEET

### PG 23842 PEARL BU PP AS

Version Number 1.0 Revision Date 09/28/2002

Page 4 of 6 Print Date 11/6/2011

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
12001-26-2	Mica	Systemic effects	Respiratory system.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.

4/6



### MATERIAL SAFETY DATA SHEET

## PG 23842 PEARL BU PP AS

sion Date 09/28/2002		Print Date 11/6/2		
IMO / IMDG	:	Refer to specific regulation.		
15. REGULATORY INFORMATION				
US Regulations:				
OSHA Status	:	Classified as hazardous based on components.		
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.		
US. EPA CERCLA Hazardous	s Sub	stances (40 CFR 302)		
Not applicable				
California Proposition 65	:	This product does not contain a substance listed by California Prop 65		
Canadian Regulations:				
WHMIS Classification	:	D2B		
WHMIS Ingredient Dis	closu	are List		
CAS-No. 12001-26-2				
DSL	:	Listed.		
National Inventories:				
Australia AICS	:	Not determined.		
China IECS	:	Listed.		
Europe EINECS	:	Not determined.		
Japan ENCS	:	Not determined.		
Korea KECI	:	Not determined.		
Philippines PICCS	:	Listed.		
		16. OTHER INFORMATION		
		5/6		



MATERIAL SAFETY DATA SHEET

### PG 23842 PEARL BU PP AS

Version Number 1.0 Revision Date 09/28/2002 Page 6 of 6 Print Date 11/6/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.