

MATERIAL SAFETY DATA SHEET

## 055OR21 DF HMF EVA CC

Version Number 1.0 Revision Date 11/26/2002 Page 1 of 6 Print Date 11/7/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	055OR21 DF HMF EVA CC
Product code	:	CC10024054
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5
Calcium carbonate	1317-65-3	10 - 30

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



MATERIAL SAFETY DATA SHEET

# 055OR21 DF HMF EVA CC

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, Water spray, dry powder, foam.</li> </ul>
Special Fire Fighting Procedures Unusual Fire/Explosion	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>None</li> </ul>
Hazards	
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.



MATERIAL SAFETY DATA SHEET

## 0550R21 DF HMF EVA CC

Version Number 1.0 Revision Date 11/26/2002

Page 3 of 6 Print Date 11/7/2011

Keep containers dry and tightly closed to avoid moisture absorption Storage : and contamination. Keep in a dry, cool place. 8. EXPOSURE CONTROLS / PERSONAL PROTECTION Respiratory protection No personal respiratory protective equipment normally required. : Eye/Face Protection Safety glasses with side-shields. : Hand protection Protective gloves. : Skin and body protection : Long sleeved clothing. Additional Protective Safety shoes. : Measures General Hygiene Handle in accordance with good industrial hygiene and safety practice. : Considerations Wash hands before breaks and at the end of workday. Heat only in areas with appropriate exhaust ventilation. Provide Engineering measures : appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	10 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH
Calcium carbonate	5 mg/m3	PEL:	Respirable dust.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):	Dust.	ACGIH
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z1

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

- Form Appearance Color Odor Melting point/range Boiling Point: Water solubility
- : Solid : Pellets : ORANGE : Very faint : Not determined : Not applicable : Insoluble
- Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pН
- Not applicable. : Not determined : Not established : : Not applicable : Not applicable
- : Not applicable

#### **10. STABILITY AND REACTIVITY**

Stability

Stable. :

:

Hazardous Polymerization

Will not occur.

3/6



MATERIAL SAFETY DATA SHEET

## 055OR21 DF HMF EVA CC

ion Number 1.0 sion Date 11/26/2	002			Page 4 Print Date 11/7/2
Conditions to avoid			rom oxidizing agents an on, do not overheat.	d open flame. To avoid thermal
Incompatible Mater	ials	: Incompatible	with strong acids and o	oxidizing agents.
Hazardous decompo products	osition			oxide (CO), oxides of nitrogen nd smoke are all possible.
		11. TOXICOLOG	GICAL INFORMATIO	DN
health data for the in Toxicity Overview	ndividual co	omponents which c	omprise the mixture.	ure effects listed are based on ex
				have the following characteristi
CAS-No.		hemical Name	Effect	Target Organ
13463-67-7		m dioxide	Systemic effects	Respiratory system.
1317-65-3	Calciu	m carbonate	Irritant Systemic effects	Eyes, Skin. Eyes, Skin, Respiratory syster
			Systemic effects	Eyes, Skii, Respiratory system
		12. ECOLOGIO	CAL INFORMATION	1
Persistence and deg Environmental Toxi				s they are bound within the matri
Bioaccumulation Po	otential	: Chemicals ar of the polyme	•	s they are bound within the matri
Additional advice		: No data avail	able.	
		13. DISPOSAL	CONSIDERATIONS	5
Product		possible, recy generator of classification	cling is preferred to dis waste material has the r	ct can be recycled. Where sposal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations.
	aging	has the respo	nsibility for proper was	e. The generator of waste materia te classification, transportation licable federal, state/provincial
Contaminated packa		and disposal and local reg		
Contaminated packa		and local reg		
Contaminated packa		and local reg	ulations.	



## MATERIAL SAFETY DATA SHEET

# 055OR21 DF HMF EVA CC

sion Number 1.0 ision Date 11/26/2002		Page 5 Print Date 11/7/2
U.S. DOT Classification	:	Refer to specific regulation.
ICAO/IATA	:	Refer to specific regulation.
IMO / IMDG	:	Refer to specific regulation.
	15	. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardou	is Subs	stances (40 CFR 302)
Not applicable		
California Proposition		This product does not contain a substance listed by California Prop 65
California Proposition 65 Canadian Regulations:	ι :	This product does not contain a substance listed by California Prop 65
65		This product does not contain a substance listed by California Prop 65
65 Canadian Regulations:	n :	D2A
65 Canadian Regulations: WHMIS Classification	n :	D2A
65 Canadian Regulations: WHMIS Classification WHMIS Ingredient Dis CAS-No.	n :	D2A
65 Canadian Regulations: WHMIS Classification WHMIS Ingredient Dis CAS-No. 150-13-0	n :	D2A re List All of the components of this product are listed on the Canadian Inventories or are exempt. However, at least one component of this product is on the Canadian Non-Domestic Substances List (NDSL).
65 Canadian Regulations: WHMIS Classification WHMIS Ingredient Dis CAS-No. 150-13-0 DSL	n :	D2A re List All of the components of this product are listed on the Canadian Inventories or are exempt. However, at least one component of this product is on the Canadian Non-Domestic Substances List (NDSL).
65 Canadian Regulations: WHMIS Classification WHMIS Ingredient Dis <u>CAS-No.</u> 150-13-0 DSL National Inventories:	n : sclosu	D2A re List All of the components of this product are listed on the Canadian Inventories or are exempt. However, at least one component of this product is on the Canadian Non-Domestic Substances List (NDSL). Quantity use in Canada is restricted by regulations.
65 Canadian Regulations: WHMIS Classification WHMIS Ingredient Dis CAS-No. 150-13-0 DSL National Inventories: Australia AICS	n : sclosu	re List All of the components of this product are listed on the Canadian Inventories or are exempt. However, at least one component of this product is on the Canadian Non-Domestic Substances List (NDSL). Quantity use in Canada is restricted by regulations. Listed.



#### MATERIAL SAFETY DATA SHEET

## 055OR21 DF HMF EVA CC

Version Number 1.0 Revision Date 11/26/2002 Page 6 of 6 Print Date 11/7/2011

Korea KECI : Listed.

Philippines PICCS : Listed.

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.