

MATERIAL SAFETY DATA SHEET

FROSTY PEARL WHITE (SAN)

Version Number 1.0 Revision Date 10/04/2002 Page 1 of 5 Print Date 11/6/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE		
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	FROSTY PEARL WHITE (SAN)
Product code	:	CC10024071
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact	
Acute exposure		
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. 	
Skin	: Experience shows no unusual dermatitis hazard from routine handling.	
Chronic exposure	: Refer to Section 11 for Toxicological Information.	
Medical Conditions Aggravated by Exposure:	: None known.	



MATERIAL SAFETY DATA SHEET

FROSTY PEARL WHITE (SAN)

Version Number 1.0 Revision Date 10/04/2002 Page 2 of 5 Print Date 11/6/2011

	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all ca doubt, seek medical advice.	ses of
Ingestion	: Do not induce vomiting without medical advice. When sympton persist, or in all cases of doubt, seek medical advice.	ns
Eyes	Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.	
Skin	: Wash off with soap and plenty of water. If skin irritation persist medical attention.	s seek
	5. FIRE-FIGHTING MEASURES	
Flash point	: Not applicable	
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. 	
Special Fire Fighting Procedures Unusual Fire/Explosion	 Fullface self-contained breathing apparatus (SCBA) used in pos pressure mode should be worn to prevent inhalation of airborne contaminants. None 	itive
Hazards		
	ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product shoul be allowed to enter drains, water courses or the soil.	d not
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all materia plastic, cardboard or metal containers for disposal. Refer to Sect of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge. H only in areas with appropriate exhaust ventilation.	leat
Storage	: Keep containers dry and tightly closed to avoid moisture absorption	ion



MATERIAL SAFETY DATA SHEET

FROSTY PEARL WHITE (SAN)

Version Number 1.0 Revision Date 10/04/2002 Page 3 of 5 Print Date 11/6/2011

	and contamination	. Keep in a dry, cool place.			
8. EXP	OSURE CONTROLS / H	PERSONAL PROTECTION			
Respiratory protection	: No personal respir	No personal respiratory protective equipment normally required.			
Eye/Face Protection	: Safety glasses with	Safety glasses with side-shields.			
Hand protection	: Protective gloves.	Protective gloves.			
Skin and body protection	: Long sleeved cloth	Long sleeved clothing.			
Additional Protective Measures	: Safety shoes.	Safety shoes.			
General Hygiene Considerations		Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures		Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)					
9.	PHYSICAL AND CHEM	MICAL PROPERTIES			
Form Appearance Color Odor Melting point/range Boiling Point:	 Solid Pellets WHITE Very faint Not determined Not applicable 	MICAL PROPERTIESEvaporation rate Specific Gravity: Not applicable.Bulk density: Not determinedBulk density: Not establishedVapor pressure Vapor density pH: Not applicablevapor density pH: Not applicable			
Form Appearance Color Odor Melting point/range Boiling Point:	: Solid : Pellets : WHITE : Very faint : Not determined	Evaporation rate: Not applicable.Specific Gravity: Not determinedBulk density: Not establishedVapor pressure: Not applicableVapor density: Not applicable			
Form Appearance Color Odor Melting point/range Boiling Point:	 Solid Pellets WHITE Very faint Not determined Not applicable 	Evaporation rate: Not applicable.Specific Gravity: Not determinedBulk density: Not establishedVapor pressure: Not applicableVapor density: Not applicablepH: Not applicable			
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	 Solid Pellets WHITE Very faint Not determined Not applicable Insoluble 	Evaporation rate: Not applicable.Specific Gravity: Not determinedBulk density: Not establishedVapor pressure: Not applicableVapor density: Not applicablepH: Not applicable			
Form Appearance Color Odor Melting point/range	 Solid Pellets WHITE Very faint Not determined Not applicable Insoluble 10. STABILITY AN	Evaporation rate: Not applicable.Specific Gravity: Not determinedBulk density: Not establishedVapor pressure: Not applicableVapor density: Not applicablepH: Not applicable			
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	 Solid Pellets WHITE Very faint Not determined Not applicable Insoluble 10. STABILITY AN Stable. Will not occur. 	Evaporation rate : Not applicable. Specific Gravity : Not determined Bulk density : Not established Vapor pressure : Not applicable Vapor density : Not applicable pH : Not applicable D REACTIVITY xidizing agents and open flame. To avoid thermal			
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	 Solid Pellets WHITE Very faint Not determined Not applicable Insoluble 10. STABILITY AN Stable. Will not occur. Keep away from o decomposition, do 	Evaporation rate : Not applicable. Specific Gravity : Not determined Bulk density : Not established Vapor pressure : Not applicable Vapor density : Not applicable pH : Not applicable D REACTIVITY xidizing agents and open flame. To avoid thermal			
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	 Solid Pellets WHITE Very faint Not determined Not applicable Insoluble 10. STABILITY AN Stable. Will not occur. Keep away from o decomposition, do Incompatible with Carbon dioxide (C 	Evaporation rate : Not applicable. Specific Gravity : Not determined Bulk density : Not established Vapor pressure : Not applicable Vapor density : Not applicable pH : Not applicable D REACTIVITY			



MATERIAL SAFETY DATA SHEET

FROSTY PEARL WHITE (SAN)

Version Number 1.0 Revision Date 10/04/2002 Page 4 of 5 Print Date 11/6/2011

There are no known hazardous components above regulatory thresholds in this product.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA	: Refer to specific regulation.
IMO / IMDG	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: All components of this product are listed on the TSCA inventory or are exempt.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	
	4/5



MATERIAL SAFETY DATA SHEET

FROSTY PEARL WHITE (SAN)

 Version Number 1.0
 Page 5 of 5

 Revision Date 10/04/2002
 Print Date 11/6/2011

 California Proposition
 : This product does not contain a substance listed by California Prop 65.

 65

Canadian Regulations:

	WHMIS Classification		Not controlled.
	DSL	:	Listed.
Natior	al Inventories:		
	Australia AICS	:	Listed.
	China IECS	:	Listed.
	Europe EINECS	:	Not determined.
	Japan ENCS	:	Not determined.
	Korea KECI	:	Listed.
	Philippines PICCS	:	Listed.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.