

MATERIAL SAFETY DATA SHEET

## PG 24232 RD PE

Version Number 1.0 Revision Date 10/08/2002 Page 1 of 6 Print Date 11/6/2011

## 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902	
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).	
Product name	:	PG 24232 RD PE	
Product code	:	CC10024232	
Chemical Name	:	Mixture	
CAS-No.	:	Mixture	
Product Use	:	Industrial Applications	

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
D&C red No. 9	5160-02-1	1 - 5
Titanium dioxide	13463-67-7	5 - 10
Mica	12001-26-2	10 - 30

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

## POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	<ul><li>Resin particles, like other inert materials, can be mechanically irritating.</li><li>May be harmful if swallowed.</li></ul>
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.







G 24232 RD PE	
sion Number 1.0 vision Date 10/08/2002	Page 2 o Print Date 11/6/20
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases of doubt, seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, Water spray, dry powder, foam.</li> </ul>
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.

MATERIAL SAFETY DATA SHEET

# PG 24232 RD PE



Page 3 of 6 Version Number 1.0 Print Date 11/6/2011 Revision Date 10/08/2002 Keep containers dry and tightly closed to avoid moisture absorption Storage : and contamination. Keep in a dry, cool place. 8. EXPOSURE CONTROLS / PERSONAL PROTECTION Respiratory protection No personal respiratory protective equipment normally required. : Eye/Face Protection Safety glasses with side-shields. : Hand protection Protective gloves. : Skin and body protection Long sleeved clothing. : Additional Protective Safety shoes. : Measures General Hygiene Handle in accordance with good industrial hygiene and safety practice. : Considerations Wash hands before breaks and at the end of workday.

Heat only in areas with appropriate exhaust ventilation. Provide Engineering measures : appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
D&C red No. 9	0.5 mg/m3	Time Weighted Average	as Ba	ACGIH
		(TWA):		
D&C red No. 9	0.5 mg/m3	PEL:	as Ba	OSHA Z1
Mica	3 mg/m3	Time Weighted Average	Total dust.	ACGIH
		(TWA):		
Mica	20 mppcf	PEL:	Total dust.	OSHA
Titanium dioxide	10 mg/m3	Time Weighted Average	Dust.	ACGIH
		(TWA):		
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z1

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

- Form Appearance Color Odor Melting point/range Boiling Point: Water solubility
- : Pellets : RED : Very faint : Not determined : Not applicable : Insoluble

: Solid

- Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH
- : Not applicable. Not determined Not established : : Not applicable : Not applicable : Not applicable

:

#### **10. STABILITY AND REACTIVITY**

Stability

: Stable.



## MATERIAL SAFETY DATA SHEET

# PG 24232 RD PE

Version Number 1.0 Revision Date 10/08/2002		Page 4 of 6 Print Date 11/6/2011
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
5160-02-1	D&C red No. 9	Irritant	Eyes, Skin.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
12001-26-2	Mica	Systemic effects	Respiratory system.

Not readily biodegradable.
Chemicals are not readily available as they are bound within the matri of the polymer.
Chemicals are not readily available as they are bound within the matri of the polymer.
No data available.
13. DISPOSAL CONSIDERATIONS
Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
14. TRANSPORT INFORMATION



## MATERIAL SAFETY DATA SHEET

# PG 24232 RD PE

			Print Date 11,	/6/2
U.S. DOT Classification	: Refer to specif	ic regulation.		
ICAO/IATA	: Refer to specif	-		
IMO / IMDG	: Refer to specif	-		
	-	RY INFORMATI	ON	
US Regulations:				
OSHA Status	: Classified as ha	azardous based on o	components.	
TSCA Status			e listed on the TSCA inventory o	r are
US. EPA CERCLA Hazardo	us Substances (40 CFR	. 302)		
Not applicable				
California Proposition 65	n : WARNING! 7 California to ca		ns a chemical known in the State	e of
_	California to ca		ns a chemical known in the State	e of
65	California to ca Foxic Chemicals:		ns a chemical known in the State Weight % 01.21	e of
65 SARA Title III Section 313 T Chemical Nar	California to ca Foxic Chemicals:	ause cancer.	Weight %	e of
65 SARA Title III Section 313 T Chemical Nar BARIUM CO	California to ca Foxic Chemicals: ne MPOUNDS	ause cancer.	Weight %	e of
65 SARA Title III Section 313 T Chemical Nar BARIUM CO Canadian Regulations:	California to ca Foxic Chemicals: ne MPOUNDS n : D2B	ause cancer.	Weight %	e of
65 SARA Title III Section 313 T Chemical Nar BARIUM CO Canadian Regulations: WHMIS Classification	California to ca Foxic Chemicals: ne MPOUNDS n : D2B	ause cancer.	Weight %	e of
65 SARA Title III Section 313 T Chemical Nar BARIUM CO Canadian Regulations: WHMIS Classificatio WHMIS Ingredient D CAS-No. 5160-02-1	California to ca Foxic Chemicals: ne MPOUNDS n : D2B	ause cancer.	Weight %	e of
65 SARA Title III Section 313 T Chemical Nar BARIUM CO Canadian Regulations: WHMIS Classification WHMIS Ingredient D CAS-No. 5160-02-1 12001-26-2	California to ca Foxic Chemicals: ne MPOUNDS n : D2B isclosure List	ause cancer.	Weight %	e of



## MATERIAL SAFETY DATA SHEET

## PG 24232 RD PE

Version Number 1.0 Revision Date 10/08/2002		Page 6 of 6 Print Date <i>11/6/2011</i>	
China IECS	: Listed.		
Europe EINECS	: Not determined.		
Japan ENCS	: Not determined.		
Korea KECI	: Listed.		
Philippines PICCS	: Listed.		
16. OTHER INFORMATION			

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.