

MATERIAL SAFETY DATA SHEET

TROPIC LIGHT BEIGE CC

Version Number 1.0 Revision Date 10/08/2002 Page 1 of 6 Print Date 11/6/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone:CHEMTRECnumberor accident).		CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	TROPIC LIGHT BEIGE CC
Product code	:	CC10024311
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Iron oxide	1309-37-1	1 - 5
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact				
Acute exposure					
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.				
Ingestion	: May be harmful if swallowed.				
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.				
Skin	: Experience shows no unusual dermatitis hazard from routine handling.				
Chronic exposure	: Refer to Section 11 for Toxicological Information.				



MATERIAL SAFETY DATA SHEET

TROPIC LIGHT BEIGE CC

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases of doubt, seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.



MATERIAL SAFETY DATA SHEET

TROPIC LIGHT BEIGE CC

Version Number 1.0 Revision Date 10/08/2002 Page 3 of 6 Print Date 11/6/2011

Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.		
8. EXP	OSUF	RE CONTROLS / PERSONAL PROTECTION		
Respiratory protection	:	No personal respiratory protective equipment normally required.		
Eye/Face Protection	:	Safety glasses with side-shields.		
Hand protection	:	Protective gloves.		
Skin and body protection	:	Long sleeved clothing.		
Additional Protective Measures	:	Safety shoes.		
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.		
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Iron oxide	5 mg/m3	Time Weighted Average	Dust and fume. as Fe	ACGIH
		(TWA):		
Titanium dioxide	10 mg/m3	Time Weighted Average	Dust.	ACGIH
		(TWA):		
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z1

9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	 Solid Pellets TAN Very faint Not determined Not applicable Insoluble 	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH	 Not applicable. Not determined Not established Not applicable Not applicable Not applicable
Stability	10. STABILITY AN : Stable.	D REACTIVITY	
Hazardous Polymerization Conditions to avoid	Will not occur.Keep away from o	xidizing agents and open f	lame. To avoid thermal



MATERIAL SAFETY DATA SHEET

TROPIC LIGHT BEIGE CC

Incompatible Material Hazardous decomposit products		-	n, do not overheat.		
Hazardous decomposit		.			
		Incompatible	with strong acids and o	oxidizing agents.	
	Hazardous decomposition products:Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.				
	11.7	OXICOLOG	ICAL INFORMATIO	ON	
This mixture has not b health data for the indi				ure effects listed are based on exis	
<u>Toxicity Overview</u> This product contains	the following	components w	hich in their pure form	have the following characteristic	
CAS-No.	Chem	ical Name	Effect	Target Organ	
1309-37-1	Iron oxide		Systemic effects	Respiratory system.	
13463-67-7	Titanium di	oxide	Systemic effects	Respiratory system.	
	12	. ECOLOGIC	AL INFORMATION	I	
Persistence and degrad Environmental Toxicit	-	Not readily bi	-	s they are bound within the matrix	
Bioaccumulation Poter	-	of the polyme	r.	is they are bound within the matrix	
	intiur .		of the polymer.		
Additional advice	No data availa	able.			
	13	3. DISPOSAL	CONSIDERATIONS	5	
Product	:	possible, recy generator of w classification,	cling is preferred to dis vaste material has the r	ct can be recycled. Where sposal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations.	
Contaminated packaging		: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
	1	4. TRANSPOI	RT INFORMATION		
U.S. DOT Classification	on :	Refer to speci	fic regulation.		
ICAO/IATA	:	Refer to speci	fic regulation.		



MATERIAL SAFETY DATA SHEET

TROPIC LIGHT BEIGE CC

Version Number 1.0 Revision Date 10/08/2002 Page 5 of 6 Print Date 11/6/2011

IMO / IMDG	: Refer to sp	ecific regulation.			
	15. REGULA	TORY INFORMATIO	DN		
US Regulations:					
OSHA Status	: Classified a	as hazardous based on c	components.		
TSCA Status	: All comporexempt.	: All components of this product are listed on the TSCA inventory or are exempt.			
US. EPA CERCLA Haza	ardous Substances (40 G	CFR 302)			
Not applicat	le				
California Propos 65	-	ct does not contain a sul	ostance listed by Califor	nia Prop 65.	
SARA Title III Section 3				-	
Chemical ZINC CO	Name MPOUNDS	CAS-No. 68187-51-9	Weight % 00.93	-	
Canadian Regulations:				1	
WHMIS Classifi	cation : D2B				
WHMIS Ingredie	nt Disclosure List				
CAS-No 1309-37-					
DSL	: Listed.				
National Inventories:					
Australia AICS	: Listed.				
China IECS	: Listed.				
Europe EINECS	: Not determ	ined.			
Japan ENCS	: Not determ	ined.			



MATERIAL SAFETY DATA SHEET

TROPIC LIGHT BEIGE CC

Version Number 1.0 Revision Date 10/08/2002 Page 6 of 6 Print Date 11/6/2011

Korea KECI : Listed.

Philippines PICCS : Listed.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.