

MATERIAL SAFETY DATA SHEET

BLACK

Version Number 1.0 Revision Date 10/04/2002 Page 1 of 6 Print Date 11/6/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY : Product Stewardship (770) 271-5902 TELEPHONE		Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	BLACK
Product code	:	CC10024328
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Carbon black	1333-86-4	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. 		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		



MATERIAL SAFETY DATA SHEET

BLACK

sion Date 10/04/2002	Print Date 11/6/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases or doubt, seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
-	
Flammable Limits	
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Autoignition temperature	: Not relevant
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting	: Fullface self-contained breathing apparatus (SCBA) used in positive
Procedures	pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

BLACK

sion Number 1.0 ision Date 10/04/2002			Print I	Page 3 Date 11/6/2
	a	nd contamination. Keep in a c	ry, cool place.	
8. EX	XPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: N	lo personal respiratory protect	ve equipment normally r	required.
Eye/Face Protection	: S	afety glasses with side-shields		
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations		landle in accordance with good Vash hands before breaks and a		afety practice
Engineering measures		leat only in areas with appropr ppropriate exhaust ventilation		Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Carbon black	3.5 mg/m3	Time Weighted Average (TWA):	Total dust. as carbon black	ACGIH
Carbon black	$25 ma/m^2$	PEL:		0.0771.074
Carbon black	3.5 mg/m3	PEL:	Total dust. as carbon black	OSHA Z1
		CAL AND CHEMICAL PRO	black	OSHA ZI
	9. PHYSIC	CAL AND CHEMICAL PRO	black DPERTIES	
Form	9. PHYSIC : Solic	CAL AND CHEMICAL PRO	black DPERTIES ration rate : Not	applicable.
Form Appearance	9. PHYSIC : Solic : Pelle	CAL AND CHEMICAL PRO d Evapo ets Specif	black DPERTIES ration rate : Not ic Gravity : Not	applicable. determined
Form	9. PHYSIC : Solic : Pelle : BLA	CAL AND CHEMICAL PRO t Evapo ets Specif CK Bulk c	black OPERTIES ration rate : Not ic Gravity : Not lensity : Not	applicable. determined established
Form Appearance Color	9. PHYSIC : Solic : Pelle : BLA : Very	CAL AND CHEMICAL PRO d Evapo ets Specif ACK Bulk of r faint Vapor	black DPERTIES ration rate : Not ic Gravity : Not lensity : Not pressure : Not	applicable. determined established applicable
Form Appearance Color Odor Melting point/range	9. PHYSIC : Solic : Pelle : BLA : Very : Not o	CAL AND CHEMICAL PRO E Evapo ets Specif CK Bulk d r faint Vapor determined Vapor	black DPERTIES ration rate : Not ic Gravity : Not lensity : Not pressure : Not density : Not	applicable. determined established
Form Appearance Color Odor	9. PHYSIC : Solic : Pelle : BLA : Very : Not o	CAL AND CHEMICAL PRO Exapo Example CK Specific CK Bulk of r faint Vapor determined Vapor applicable pH	black DPERTIES ration rate : Not ic Gravity : Not lensity : Not pressure : Not density : Not	applicable. determined established applicable applicable
Form Appearance Color Odor Melting point/range Boiling Point:	9. PHYSIC : Solic : Pelle : BLA : Very : Not a : Insol	CAL AND CHEMICAL PRO Exapo Example CK Specific CK Bulk of r faint Vapor determined Vapor applicable pH	black DPERTIES ration rate : Not ic Gravity : Not lensity : Not pressure : Not density : Not ! N	applicable. determined established applicable applicable
Form Appearance Color Odor Melting point/range Boiling Point:	9. PHYSIC : Solic : Pelle : BLA : Very : Not c : Insol 10. S	CAL AND CHEMICAL PRO d Evapo ets Specifi CK Bulk d 7 faint Vapor determined Vapor applicable pH luble	black DPERTIES ration rate : Not ic Gravity : Not lensity : Not pressure : Not density : Not ! N	applicable. determined established applicable applicable
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	9. PHYSIC : Solic : Pelle : BLA : Very : Not c : Not a : Insol 10. S : S	CAL AND CHEMICAL PRO E Evapo ets Specif CK Bulk c 7 faint Vapor determined Vapor applicable pH luble STABILITY AND REACTIV	black DPERTIES ration rate : Not ic Gravity : Not lensity : Not pressure : Not density : Not ! N	applicable. determined established applicable applicable
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	9. PHYSIC : Solic : Pelle : BLA : Very : Not a : Insol 10. S : S : W : K	CAL AND CHEMICAL PRO d Evapo ets Specific CK Bulk of r faint Vapor determined Vapor applicable pH luble STABILITY AND REACTIVE table.	black DPERTIES ration rate : Not ic Gravity : Not lensity : Not gressure : Not density : Not : Not //ITY	applicable. determined established applicable applicable



MATERIAL SAFETY DATA SHEET

BLACK

Version Number 1.0 Revision Date 10/04/2002 Page 4 of 6 Print Date 11/6/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.

LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1333-86-4	Carbon black	Oral LD50	> 15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit

Carcinogenicity:

This product contains the following components which in their pure form have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1333-86-4	Carbon black	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.



MATERIAL SAFETY DATA SHEET

BLACK

sion Date 10/04/2002	Print Date 11/6/
	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matr of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matr of the polymer.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product Contaminated packaging	 Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material is a state material in the state material in the state material is preferred when possible.
	has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA	: Refer to specific regulation.
IMO / IMDG	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on the TSCA inventory or a exempt.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	



MATERIAL SAFETY DATA SHEET

BLACK

Version Number 1.0 Revision Date 10/04/2002		Page 6 of Print Date 11/6/201	
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.	
Canadian Regulations:			
WHMIS Classification	:	D2A	
WHMIS Ingredient Disclo	osu	re List	
CAS-No. 1333-86-4]		
DSL	:	Listed.	
National Inventories:			
Australia AICS	:	Listed.	
China IECS	:	Listed.	
Europe EINECS	:	Not determined.	
Japan ENCS	:	Listed.	
Korea KECI	:	Listed.	
Philippines PICCS	:	Listed.	
		16. OTHER INFORMATION	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.