

MATERIAL SAFETY DATA SHEET

63 WIRE - LIGHT BLUE

Version Number 1.2 Revision Date 07/30/2004 Page 1 of 6 Print Date 11/15/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	63 WIRE - LIGHT BLUE
Product code	:	CC10024883
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

]	Routes of Exposure:	: Inhalation, Ingestion, Skin contact
1	Acute exposure	
	Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eves.
	Skin	: Experience shows no unusual dermatitis hazard from routine handling.
]	Chronic exposure Medical Conditions Aggravated by Exposure:	Refer to Section 11 for Toxicological Information.None known.



MATERIAL SAFETY DATA SHEET 63 WIRE - LIGHT BLUE

Version Number 1.2 Revision Date 07/30/2004 Page 2 of 6 Print Date 11/15/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits		
Upper explosion limit	•	Not applicable
sower explosion limit		Not applicable
Autoignition temperature	÷	Not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

2/6



MATERIAL SAFETY DATA SHEET 63 WIRE - LIGHT BLUE

Version Number 1.2 Revision Date 07/30/2004 Page 3 of 6 Print Date 11/15/2011

8 1	XPOSURE	CONTROLS / PERSON	IAL PRO	TECTION	
Respiratory protection		o personal respiratory pro			equired
Eye/Face Protection	: Sa	afety glasses with side-shi	ields.		
Hand protection	: Pr	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: Sa	: Safety shoes.			
General Hygiene Considerations		: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures		eat only in areas with app ppropriate exhaust ventilat			Provide
Exposure limit(s)					
Components	Value	Exposure time		Exposure type	List:
Titanium dioxide	10 mg/m3	Time Weighted Averag (TWA):		T	ACGIH
	15 mg/m3	PEL:		Total dust.	OSHA Z1
	9. PHYSIC	CAL AND CHEMICAL	PROPER	TIES	
	C 1' 1	IletsSpecifiLUEBulk dcry faintVaporot determinedVapouot applicablepH		rate · Not	applicable
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Not c	ts Sp E Bu faint Va letermined Va upplicable pH	pecific Gra ulk density apor press apour dens	vity: : Not v : Not ure : Not sity : Not	determined established applicable applicable applicable
Appearance Color Odor Melting point/range Boiling Point:	: Pelle : BLU : Very : Not c : Not a : Insol	ts Sp E Bu faint Va letermined Va upplicable pH	pecific Gra ulk density apor press apour dens H	vity: : Not v : Not ure : Not sity : Not	established applicable applicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Pelle : BLU : Very : Not c : Not a : Insol	ts Sp E Bu faint Va letermined Va upplicable pH uble	pecific Gra ulk density apor press apour dens H	vity: : Not v : Not ure : Not sity : Not	established applicable applicable
Appearance Color Odor Melting point/range Boiling Point:	: Pelle : BLU : Very : Not c : Not a : Insol 10. S : St	ts Sp E Bu faint Va letermined Va upplicable pH uble TABILITY AND REAC	pecific Gra ulk density apor press apour dens H	vity: : Not v : Not ure : Not sity : Not	established applicable applicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	: Pelle : BLU : Very : Not c : Not a : Insol 10. S : St n : W : K	ts Sp E Bu faint Va letermined Va upplicable pH uble TABILITY AND REAC	apor pressi apor pressi apour dens H	vity: : Not vire : Not sity : Not : Not	established applicable applicable



(CO), oxides of nitrogen

MATERIAL SAFETY DATA SHEET 63 WIRE - LIGHT BLUE

Version Number 1.2

Revision Date 07/30/2004

Page 4 of 6 Print Date 11/15/2011

Hazardous decomposition	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitro
products		(NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ			
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.			
	12. ECOLOGI	CAL INFORMATION	1			
Persistence and degrada	ability : Not readily b	iodegradable.				
Environmental Toxicity		: Chemicals are not readily available as they are bound within the polymer matrix.				
Bioaccumulation Poten		: Chemicals are not readily available as they are bound within the polymer matrix.				
Additional advice	: No data avail	able				
	13. DISPOSAL	CONSIDERATIONS	}			
Product Contaminated packagin	g : Recycling is has the respo and disposal	 Like most thermoplastic plastics the product can be recycled. Wher possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. 				
	14. TRANSPO	RT INFORMATION				
U.S. DOT Classificatio	n : Not regulated	l for transportation.				
ICAO/IATA (air)	: Refer to spec	: Refer to specific regulation.				
IMO / IMDG (maritime	e) : Refer to spec	ific regulation.				
	15. REGULAT	ORY INFORMATION	N			



MATERIAL SAFETY DATA SHEET 63 WIRE - LIGHT BLUE

rsion Number 1.2 vision Date 07/30/2004		Page 5 o Print Date 11/15/20
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
SARA Title III Section 302 Ext	rem	ely Hazardous Substance
Not applicable		
SARA Title III Section 313 Tox	tic C	Themicals:
Not applicable Canadian Regulations:		
National Pollutant Releas	se Ir	nventory (NPRI)
Not applicable		
WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
National Inventories: Australia AICS	:	Listed
	:	Listed
Australia AICS	: :	
Australia AICS China IECS	:	Listed
Australia AICS China IECS Europe EINECS	:	Listed
Australia AICS China IECS Europe EINECS Japan ENCS	: : :	Listed Listed Listed



MATERIAL SAFETY DATA SHEET 63 WIRE - LIGHT BLUE

Version Number 1.2 Revision Date 07/30/2004

Page 6 of 6 Print Date 11/15/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.