

MATERIAL SAFETY DATA SHEET

GREEN 1500

Version Number 1.0 Revision Date 10/23/2002 Page 1 of 6 Print Date 11/6/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone:CHEMTREC 1-8numberor accident).		CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GREEN 1500
Product code	:	CC10025024
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

GREEN 1500

ion Number 1.0 sion Date 10/23/2002	Page 2 Print Date 11/6/2
	4. FIRST AID MEASURES
Inhalation	 Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases o doubt, seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

GREEN 1500

sion Date 10/23/2002				Print	Page 3 Date 11/6/
	a	nd contamination. Kee	ep in a d	ry, cool place.	
8. 1	XPOSURE	CONTROLS / PERS	ONAL	PROTECTION	
Respiratory protection	: N	lo personal respiratory	protecti	ve equipment normally i	required.
Eye/Face Protection	: Safety glasses with side-shields.				
Hand protection	: Protective gloves.				
Skin and body protection	: Long sleeved clothing.				
Additional Protective Measures	: Safety shoes.				
General Hygiene Considerations		landle in accordance wi Vash hands before brea		industrial hygiene and s at the end of workday.	afety practic
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)					
Components	Value	Exposure time		Exposure type	List:
Titanium dioxide	10 mg/m3	Time Weighted Ave (TWA):	erage	Dust.	ACGIH
Titanium dioxide	15 mg/m3	PEL:		Total dust.	OSHA ZI
<u> </u>					
	9. PHYSIC	CAL AND CHEMICA	AL PRO	PERTIES	
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Solic : Pelle : GRE : Very : Not o	l EN faint determined applicable	Evapor Specifi Bulk d Vapor	ration rate : Not ic Gravity : Not ensity : Not pressure : Not density : Not	applicable. determined established applicable applicable applicable
Appearance Color Odor Melting point/range Boiling Point:	: Solic : Pelle : GRE : Very : Not c : Not a : Insol	l EN faint determined applicable	Evapor Specifi Bulk d Vapor Vapor pH	ration rate : Not ic Gravity : Not ensity : Not pressure : Not density : Not : Not	determined established applicable applicable
Appearance Color Odor Melting point/range Boiling Point:	: Solic : Pelle : GRE : Very : Not c : Not a : Insol 10. S	l ets EEN 7 faint determined applicable luble	Evapor Specifi Bulk d Vapor Vapor pH	ration rate : Not ic Gravity : Not ensity : Not pressure : Not density : Not : Not	determined established applicable applicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Solid : Pelle : GRE : Very : Not d : Not a : Insol 10. S : S	l Ets EN faint determined applicable luble STABILITY AND RE	Evapor Specifi Bulk d Vapor Vapor pH	ration rate : Not ic Gravity : Not ensity : Not pressure : Not density : Not : Not	determined established applicable applicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	: Solic : Pelle : GRE : Very : Not a : Insol 10. S : S n : W : K	l Ets EN faint determined applicable luble STABILITY AND RE table.	Evapor Specifi Bulk d Vapor pH ACTIV	ration rate : Not ic Gravity : Not ensity : Not pressure : Not density : Not : Not TTY	determined established applicable applicable applicable



MATERIAL SAFETY DATA SHEET

GREEN 1500

Version Number 1.0 Revision Date 10/23/2002 Page 4 of 6 Print Date 11/6/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

	12. ECOLOGI	CAL INFORMATION	N				
Persistence and degrada	bility : Not readily b	iodegradable.					
Environmental Toxicity		: Chemicals are not readily available as they are bound within the matrix of the polymer.					
Bioaccumulation Potent		: Chemicals are not readily available as they are bound within the matrix of the polymer.					
Additional advice	: No data avail	: No data available.					
	13. DISPOSAL	CONSIDERATIONS	5				
Product Contaminated packaging	g : Recycling is has the respo and disposal	 Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. 					
	14. TRANSPO	PRT INFORMATION					
U.S. DOT Classification	n : Refer to spec	ific regulation.					
ICAO/IATA	: Refer to spec	ific regulation.					
IMO / IMDG	: Refer to spec	fic regulation.					
	15. REGULAT	ORY INFORMATION	N				

4/6

MATERIAL SAFETY DATA SHEET



GREEN 1500		
Version Number 1.0 Revision Date 10/23/2002		Page 5 of 6 Print Date 11/6/2011
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.
US. EPA CERCLA Hazardous S	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
05		
Canadian Regulations:		
WHMIS Classification	:	D2B
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Listed.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

MATERIAL SAFETY DATA SHEET

GREEN 1500

Version Number 1.0 Revision Date 10/23/2002



Page 6 of 6 Print Date 11/6/2011