

MATERIAL SAFETY DATA SHEET

OYSTER TAUPE

Version Number 1.1 Revision Date 02/04/2004

Page 1 of 6 Print Date *11/13/2011*

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	OYSTER TAUPE
Product code	:	CC10025026
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to ever
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET OYSTER TAUPE

Version Number 1.1 Revision Date 02/04/2004 Page 2 of 6 Print Date 11/13/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures Unusual Fire/Explosion	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
Hazards	(NOx), other hazardous materials, and smoke are all possible.
	5. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET OYSTER TAUPE

Version Number 1.1 Revision Date 02/04/2004 Page 3 of 6 Print Date 11/13/2011

piratory protects with side-shields es. othing. dance with good fore breaks and a	d industrial hygiene and at the end of workday. riate exhaust ventilation	safety practice.
vith side-shields es. othing. dance with good fore breaks and as with appropr aust ventilation ure time hted Average	d industrial hygiene and at the end of workday. riate exhaust ventilation at machinery.	safety practice. . Provide
es. othing. dance with good ore breaks and a as with appropr aust ventilation <u>ure time</u> hted Average	d industrial hygiene and at the end of workday. riate exhaust ventilation at machinery. Exposure type	. Provide
othing. dance with good fore breaks and s as with appropr aust ventilation ure time hted Average	at the end of workday. riate exhaust ventilation at machinery. Exposure type	. Provide
dance with good fore breaks and a eas with appropr aust ventilation ure time hted Average	at the end of workday. riate exhaust ventilation at machinery. Exposure type	. Provide
Fore breaks and a sas with appropriate the same set of the sam	at the end of workday. riate exhaust ventilation at machinery. Exposure type	. Provide
Fore breaks and a sas with appropriate the same set of the sam	at the end of workday. riate exhaust ventilation at machinery. Exposure type	. Provide
aust ventilation ure time hted Average	at machinery. Exposure type	List:
hted Average		
hted Average		
hted Average		
	Total dust.	
EL:		OSHA Z1
EMICAL PRO	OPERTIES	
Specif Bulk c Vapor	fic Gravity: : No lensity : No pressure : No ur density : No	ot applicable ot determined ot established ot applicable ot applicable ot applicable
AND REACTIV	VITY	
n oxidizing ager do not overheat	nts and open flame. To	avoid thermal



MATERIAL SAFETY DATA SHEET

OYSTER TAUPE

Version Number 1.1 Revision Date 02/04/2004

Page 4 of 6 Print Date 11/13/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ		
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.		
	12. ECOLOGI	CAL INFORMATION	1		
Persistence and degrada	ability : Not readily b	iodegradable.			
Environmental Toxicity		: Chemicals are not readily available as they are bound within the matrix of the polymer.			
Bioaccumulation Poten		Chemicals are not readily available as they are bound within the matter of the polymer.			
Additional advice	: No data avail	lable			
	13. DISPOSAL	CONSIDERATIONS	6		
Product Contaminated packagin	g : Recycling is has the respo	ermoplastic plastics the product can be recycled. Where yoling is preferred to disposal or incineration. The waste material has the responsibility for proper waste h, transportation and disposal in accordance with ederal, state/provincial and local regulations. preferred when possible. The generator of waste materia onsibility for proper waste classification, transportation in accordance with applicable federal, state/provincial gulations.			
	14. TRANSPO	RT INFORMATION			
U.S. DOT Classificatio	n : Not regulated	l for transportation.			
ICAO/IATA (air)	: Refer to spec	ific regulation.			
IMO / IMDG (maritime	e) : Refer to spec	ific regulation.			
	15. REGULAT	ORY INFORMATION	Ň		



MATERIAL SAFETY DATA SHEET OYSTER TAUPE

				Page 5 of
sion Number 1.1 vision Date 02/04/2004			Print Date	
US Regulations:				
OSHA Status	: Classified as hazard	lous based on compone	ents.	
TSCA Status	: All components of Inventory.	this product are listed of	on or exempt from	the TSCA
US. EPA CERCLA Hazardous	Substances (40 CFR 302)		
Not applicable				
California Proposition	: This product does n	ot contain a substance	listed by Californi	Prop 65
California Proposition 65	: This product does h	ot contain a substance	listed by Camorina	a Prop 65.
SARA Title III Section 302 Ext	tremely Hazardous Substa	ance		
Not applicable				
SARA Title III Section 313 To:	xic Chemicals:			
	Ale Chemieuis.	CASN	X V. 1.4.0/	
Chemical Name ZINC COMPOUNDS		CAS-No. 68187-51-9	Weight % 0.94	
Canadian Regulations:				
Canadian Regulations: National Pollutant Relea	ase Inventory (NPRI)			
-				
National Pollutant Relea	: D2B	this product are on the SL) or are exempt.	canadian Domest	tic
National Pollutant Relea	: D2B : All components of		canadian Domest	tic
National Pollutant Relea WHMIS Classification DSL	: D2B : All components of		Canadian Domest	tic
National Pollutant Relea WHMIS Classification DSL National Inventories:	 D2B All components of Substances List (DS) 		Canadian Domest	tic
National Pollutant Relea WHMIS Classification DSL National Inventories: Australia AICS	 : D2B : All components of Substances List (DS) : Listed 		e Canadian Domest	tic
National Pollutant Relea WHMIS Classification DSL National Inventories: Australia AICS China IECS	 : D2B : All components of Substances List (DS) : Listed : Listed 		Canadian Domest	tic
National Pollutant Relea WHMIS Classification DSL National Inventories: Australia AICS China IECS Europe EINECS	 : D2B : All components of Substances List (DS) : Listed : Listed : Listed : Listed 		Canadian Domest	tic
National Pollutant Relea WHMIS Classification DSL National Inventories: Australia AICS China IECS Europe EINECS Japan ENCS	 : D2B : All components of Substances List (DS) : Listed : Listed : Listed : Listed : Not determined 		Canadian Domest	tic



MATERIAL SAFETY DATA SHEET

OYSTER TAUPE

Version Number 1.1 Revision Date 02/04/2004 Page 6 of 6 Print Date 11/13/2011

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.