

MATERIAL SAFETY DATA SHEET

PG 25170 GY PP SL

Version Number 1.0 Revision Date 10/23/2002 Page 1 of 6 Print Date 11/6/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PG 25170 GY PP SL
Product code	:	CC10025170
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Mica	12001-26-2	10 - 30
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



MATERIAL SAFETY DATA SHEET

PG 25170 GY PP SL

sion Date 10/23/2002	Print Date 11/6/2
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases of doubt, seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.



PG 25170 GY PP SL



Version Number 1.0 Revision Date 10/23/2002

Page 3 of 6 Print Date 11/6/2011

Keep containers dry and tightly closed to avoid moisture absorption Storage : and contamination. Keep in a dry, cool place. 8. EXPOSURE CONTROLS / PERSONAL PROTECTION Respiratory protection No personal respiratory protective equipment normally required. : Eye/Face Protection Safety glasses with side-shields. : Hand protection Protective gloves. : Skin and body protection : Long sleeved clothing. Additional Protective Safety shoes. : Measures General Hygiene Handle in accordance with good industrial hygiene and safety practice. : Considerations Wash hands before breaks and at the end of workday.

Heat only in areas with appropriate exhaust ventilation. Provide Engineering measures : appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Mica	3 mg/m3	Time Weighted Average	Total dust.	ACGIH
	- 6 -	(TWA):		
Mica	20 mppcf	PEL:	Total dust.	OSHA
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):	Dust.	ACGIH
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z1

9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance Color Odor Melting point/range **Boiling Point:** Water solubility

: Solid : Pellets : GREY : Very faint : Not determined : Not applicable : Insoluble

Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pН

Not applicable. : Not determined : Not established : Not applicable : Not applicable :

Not applicable :

10. STABILITY AND REACTIVITY

Stability

: Stable.

:

Hazardous Polymerization

Will not occur.



MATERIAL SAFETY DATA SHEET

PG 25170 GY PP SL

Version Number 1.0 Revision Date 10/23/2002		Page 4 of 6 Print Date 11/6/2011
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
12001-26-2	Mica	Systemic effects	Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product Contaminated packaging	 Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation
	and disposal in accordance with applicable federal, state/provincial and local regulations.
U.S. DOT Classification	: Refer to specific regulation.



MATERIAL SAFETY DATA SHEET

PG 25170 GY PP SL

sion Date 10/23/20	02				Print Date 11/6/2
ICAO/IATA	:	Refer to s	pecific regulati	on.	
IMO / IMDG	:	Refer to s	pecific regulati	on.	
	15	. REGULA	ATORY INFO	RMATION	
US Regulations:					
OSHA Status	:	Classified	l as hazardous l	based on components.	
TSCA Status	:	All compo exempt.	onents of this p	roduct are listed on the	TSCA inventory or are
US. EPA CERCLA H	Iazardous Subs	stances (40	CFR 302)		
Chemical Nan	ne CAS-N	lo.	% in Product	RQ for component	RQ for Mixture/Product
Chromium (III oxide	1308-3	8-9	0.1102	010 lbs	9,074 LB
California Pro 65	position :	This prod	uct does not co	ntain a substance listed	d by California Prop 65
65 Canadian Regulation	5:	-	uct does not co	ntain a substance listed	d by California Prop 65
65 Canadian Regulation WHMIS Clas	s: sification :	D2B	uct does not co	ntain a substance listed	d by California Prop 65
65 Canadian Regulation WHMIS Clas WHMIS Ingre	s: sification : dient Disclosu	D2B	uct does not co	ntain a substance liste	d by California Prop 65
65 Canadian Regulation WHMIS Clas WHMIS Ingre	s: sification : dient Disclosu	D2B	uct does not co	ntain a substance listed	d by California Prop 65
65 Canadian Regulation WHMIS Clas WHMIS Ingre CAS- 1200 DSL	s: sification : dient Disclosu	D2B re List	uct does not co	ntain a substance listed	d by California Prop 65
65 Canadian Regulation WHMIS Clas WHMIS Ingre CAS- 1200 DSL	s: sification : dient Disclosu <u>No. 1-26-2</u> :	D2B re List		ntain a substance listed	d by California Prop 65
65 Canadian Regulation WHMIS Clas WHMIS Ingre CAS 1200 DSL National Inventories:	s: sification : dient Disclosu <u>No. 1-26-2</u> :	D2B re List Listed.		ntain a substance listed	d by California Prop 65
65 Canadian Regulation WHMIS Clas WHMIS Ingre CAS 1200 DSL National Inventories: Australia AIC	s: sification : dient Disclosu: <u>No. 1-26-2</u> : S :	D2B re List Listed. Not detern	mined.	ntain a substance listed	d by California Prop 65
65 Canadian Regulation WHMIS Clas WHMIS Ingre CAS 1200 DSL National Inventories: Australia AIC China IECS	s: sification : dient Disclosu: <u>No. 1-26-2</u> : S :	D2B re List Listed. Not detern Listed.	mined.	ntain a substance listed	d by California Prop 65

MATERIAL SAFETY DATA SHEET

PG 25170 GY PP SL

Version Number 1.0 Revision Date 10/23/2002

> **Philippines PICCS** : Listed.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



Page 6 of 6 Print Date 11/6/2011