

### MATERIAL SAFETY DATA SHEET

# DARK AMBER

Version Number 1.0 Revision Date 11/01/2002 Page 1 of 6 Print Date 11/6/2011

# 1. PRODUCT AND COMPANY IDENTIFICATION

### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	DARK AMBER
Product code	:	CC10025182
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Carbon black	1333-86-4	0.1 - 1

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

# POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



# MATERIAL SAFETY DATA SHEET

# DARK AMBER

ion Number 1.0 sion Date 11/01/2002	Page 2 Print Date 11/6/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, Water spray, dry powder, foam.</li> </ul>
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>None</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



# MATERIAL SAFETY DATA SHEET

# DARK AMBER

ision Date 11/01/2002			Print I	Page 3 Date 11/6/2	
and contamination. Keep in a dry, cool place.					
8. E2	XPOSURE	<b>CONTROLS / PERSONAL</b>	PROTECTION		
Respiratory protection	: N	lo personal respiratory protec	tive equipment normally r	required.	
Eye/Face Protection	: Safety glasses with side-shields.				
Hand protection	: Protective gloves.				
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations		landle in accordance with goo Vash hands before breaks and		afety practice	
Engineering measures		leat only in areas with approp ppropriate exhaust ventilatior		Provide	
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
*	3.5 mg/m3	Time Weighted Average	Total dust. as carbon	ACGIH	
		(TWA):	black		
Carbon black	3.5 mg/m3	(TWA): PEL:	black Total dust. as carbon black	OSHA Z1	
Carbon black			Total dust. as carbon black	OSHA Z1	
	9. PHYSIC	PEL: CAL AND CHEMICAL PR	Total dust. as carbon black OPERTIES		
Form	9. PHYSIC : Solid	PEL: CAL AND CHEMICAL PR	Total dust. as carbon black OPERTIES oration rate : Not	applicable.	
Form Appearance	9. PHYSIC	PEL: CAL AND CHEMICAL PR d Evap ets Speci	Total dust. as carbon black         OPERTIES         oration rate       : Not fic Gravity         : Not	determined	
Form	9. PHYSIC : Solic : Pelle	PEL: CAL AND CHEMICAL PR d Evap ets Speci NGE Bulk	Total dust. as carbon black         OPERTIES         oration rate       : Not fic Gravity         ic Gravity       : Not density	applicable. determined established	
Form Appearance Color Odor	9. PHYSIC : Solic : Pelle : ORA : Very	PEL: CAL AND CHEMICAL PR I Evap ets Speci NGE Bulk r faint Vapo	Total dust. as carbon black         OPERTIES         oration rate       : Not fic Gravity         fic Gravity       : Not density         r pressure       : Not	applicable. determined established applicable	
Form Appearance Color	9. PHYSIC : Solid : Pelle : ORA : Very : Not d	PEL: CAL AND CHEMICAL PR I Evap ets Speci NGE Bulk r faint Vapo	Total dust. as carbon black         OPERTIES         oration rate       : Not fic Gravity         fic Gravity       : Not density         r pressure       : Not r density         r density       : Not	applicable. determined established	
Form Appearance Color Odor Melting point/range	9. PHYSIC : Solid : Pelle : ORA : Very : Not d	PEL: CAL AND CHEMICAL PR I Evap- ets Speci- NGE Bulk faint Vapo determined Vapo applicable pH	Total dust. as carbon black         OPERTIES         oration rate       : Not fic Gravity         fic Gravity       : Not density         r pressure       : Not r density         r density       : Not	applicable. determined established applicable applicable	
Form Appearance Color Odor Melting point/range Boiling Point:	9. PHYSIC : Solic : Pelle : ORA : Very : Not c : Not c : Insol	PEL: CAL AND CHEMICAL PR I Evap- ets Speci- NGE Bulk faint Vapo determined Vapo applicable pH	Total dust. as carbon black         OPERTIES         oration rate       : Not fic Gravity         fic Gravity       : Not density         r pressure       : Not r density         ic density       : Not is	applicable. determined established applicable applicable	
Form Appearance Color Odor Melting point/range Boiling Point:	9. PHYSIC : Solid : Pelle : ORA : Very : Not a : Insol 10. S	PEL: CAL AND CHEMICAL PR E Evap ets Speci NGE Bulk r faint Vapo determined Vapo applicable pH luble	Total dust. as carbon black         OPERTIES         oration rate       : Not fic Gravity         fic Gravity       : Not density         r pressure       : Not r density         ic density       : Not is	applicable. determined established applicable applicable	
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	9. PHYSIC : Solid : Pelle : ORA : Very : Not a : Insol 10. S : S	PEL: CAL AND CHEMICAL PR I Evap ts Speci NGE Bulk faint Vapo determined Vapo applicable pH luble STABILITY AND REACTI	Total dust. as carbon black         OPERTIES         oration rate       : Not fic Gravity         fic Gravity       : Not density         r pressure       : Not r density         ic density       : Not is	applicable. determined established applicable applicable	
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	9. PHYSIC : Solid : Pelle : ORA : Very : Not d : Not d : Insol 10. S : S : W : W : K	PEL: CAL AND CHEMICAL PR I Evap ets Speci NGE Bulk r faint Vapo determined Vapo applicable pH luble STABILITY AND REACTI table.	Total dust. as carbon black         OPERTIES         oration rate       : Not fic Gravity         fic Gravity       : Not density         or pressure       : Not r density         r density       : Not         vir density       : Not         vir density       : Not         with the state of the s	applicable. determined established applicable applicable	



MATERIAL SAFETY DATA SHEET

# DARK AMBER

Version Number 1.0 Revision Date 11/01/2002 Page 4 of 6 Print Date 11/6/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

## 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

**Toxicity Overview** 

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.

### LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1333-86-4	Carbon black	Oral LD50	>15,400 mg/kg	rat
		Dermal LD50	> 3  gm/kg	rabbit

Carcinogenicity:

This product contains the following components which in their pure form have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1333-86-4	Carbon black	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

### Additional Health Hazard Information:

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.



# MATERIAL SAFETY DATA SHEET

# DARK AMBER

sion Number 1.0 ision Date 11/01/2002	Page 5 Print Date 11/6/
	12. ECOLOGICAL INFORMATION
	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product Contaminated packaging	<ul> <li>Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.</li> <li>Recycling is preferred when possible. The generator of waste material is a state material in the generator of waste material is preferred when possible.</li> </ul>
	has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA	: Refer to specific regulation.
IMO / IMDG	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on the TSCA inventory or an exempt.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	



### MATERIAL SAFETY DATA SHEET

# DARK AMBER

Version Number 1.0 Revision Date 11/01/2002		Page 6 of 6 Print Date <i>11/6/2011</i>
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
Canadian Regulations:		
WHMIS Classification	:	D2A
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Not determined.
China IECS	:	Not determined.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Not determined.
Philippines PICCS	:	Not determined.
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.