

MATERIAL SAFETY DATA SHEET

513559JEMB REFLEX BLUE

Version Number 1.0 Revision Date 10/29/2002 Page 1 of 6 Print Date 11/6/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	513559JEMB REFLEX BLUE
Product code	:	CC10025720
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact	
Acute exposure		
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. 	
Skin	: Experience shows no unusual dermatitis hazard from routine handling.	
Chronic exposure	: Refer to Section 11 for Toxicological Information.	
Medical Conditions Aggravated by Exposure:	: None known.	



MATERIAL SAFETY DATA SHEET

513559JEMB REFLEX BLUE

Version Number 1.0 Revision Date 10/29/2002 Page 2 of 6 Print Date 11/6/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	::	Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. A(CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage		Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

513559JEMB REFLEX BLUE

Version Number 1.0 Revision Date 10/29/2002 Page 3 of 6 Print Date 11/6/2011

8. F	XPOSURE	CONTROLS / PE	RSONAL	PROTECTION		
Respiratory protection					nally r	equired.
Eye/Face Protection		No personal respiratory protective equipment normally required. Safety glasses with side-shields.				
Hand protection		Protective gloves.	side sineras			
Skin and body protection		-				
• 1		long sleeved clothin	ig.			
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations		Iandle in accordanc Vash hands before l				afety practice.
Engineering measures		Ieat only in areas w ppropriate exhaust			tion.	Provide
Exposure limit(s)						
Components	Value	Exposure t	ime	Exposure type	e	List:
Titanium dioxide	10 mg/m3	Time Weighted (TWA)	Average	Dust.		ACGIH
Titanium dioxide	15 mg/m3	PEL:		Total dust.		OSHA Z1
	9. PHYSI	CAL AND CHEM	ICAL PRO	PERTIES		
Form	: Solid	4	Evapor	ration rate :	Not	applicable.
Appearance	: Pelle			c Gravity :		determined
Color	: BLU		Bulk d			established
Odor	: Very	/ faint		pressure :	Not	applicable
Melting point/range	: Not	determined	Vapor	density :	Not	applicable
Boiling Point:		applicable	pН	:	Not	applicable
Water solubility	: Inso	luble				
	10. 5	STABILITY AND	REACTIV	TTY		
Stability	: S	table.				
Hazardous Polymerization	n : V	Vill not occur.				
Conditions to avoid		Keep away from oxi ecomposition, do n			To a	void thermal



MATERIAL SAFETY DATA SHEET

513559JEMB REFLEX BLUE

Version Number 1.0 Revision Date 10/29/2002 Page 4 of 6 Print Date 11/6/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

	12. ECOLOGIO	CAL INFORMATION	1					
Persistence and degrada	bility : Not readily b	iodegradable.						
Environmental Toxicity		: Chemicals are not readily available as they are bound within the matrix of the polymer.						
Bioaccumulation Potent		: Chemicals are not readily available as they are bound within the matrix of the polymer.						
Additional advice	: No data avail	able.						
	13. DISPOSAL	CONSIDERATIONS	9					
Product Contaminated packaging	generator of v classification applicable fee g : Recycling is p has the respon and disposal	 Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal. 						
	14. TRANSPO	RT INFORMATION						
U.S. DOT Classification	Refer to spec	ific regulation.						
ICAO/IATA	: Refer to spec	: Refer to specific regulation.						
IMO / IMDG	: Refer to spec	ific regulation.						
	15. REGULATO	ORY INFORMATION	N					



MATERIAL SAFETY DATA SHEET

513559JEMB REFLEX BLUE

ersion Number 1.0 evision Date 10/29/2002		Page 5 of 6 Print Date 11/6/2013
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
Not applicable		
	:	This product does not contain a substance listed by California Prop 65.
65		
Canadian Regulations:		
WHMIS Classification	:	D2B
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Listed.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



MATERIAL SAFETY DATA SHEET

513559JEMB REFLEX BLUE

Version Number 1.0 Revision Date 10/29/2002 Page 6 of 6 Print Date 11/6/2011