

MATERIAL SAFETY DATA SHEET

WHITE #59

Version Number 1.1 Revision Date 02/04/2004 Page 1 of 5 Print Date 11/13/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	WHITE #59
Product code	:	CC10025802
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET WHITE #59

Version Number 1.1 Revision Date 02/04/2004 Page 2 of 5 Print Date 11/13/2011

		4. FIRST AID MEASURES	
Inhalation		Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.	
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.	
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.	
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seel medical attention.	
		5. FIRE-FIGHTING MEASURES	
Flash point	:	Not applicable	
Flammable Limits			
Upper explosion limit		Not applicable	
Lower explosion limit	:	Not applicable	
Autoignition temperature	:	Not applicable	
Suitable extinguishing media	:	Carbon dioxide blanket, water spray, dry powder, foamnone.	
Special Fire Fighting Procedures	:	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.	
Unusual Fire/Explosion		Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen	
Hazards	•	(NOx), other hazardous materials, and smoke are all possible.	
	6. A(CCIDENTAL RELEASE MEASURES	
Personal precautions	:	Wear appropriate personal protection during cleanup, such as	
		impervious gloves, boots and coveralls.	
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.	
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.	
		7. HANDLING AND STORAGE	
Handling	:	Take measures to prevent the build up of electrostatic charge Heat only in areas with appropriate exhaust ventilation.	
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption	



MATERIAL SAFETY DATA SHEET WHITE #59

Version Number 1.1 Revision Date 02/04/2004 Page 3 of 5 Print Date 11/13/2011

	OSURE CONTRO	LS / PERSONAL PROTECTION			
Respiratory protection	: No personal respiratory protective equipment normally required.				
Eye/Face Protection	: Safety glasse	Safety glasses with side-shields.			
Hand protection	: Protective glo	Protective gloves.			
Skin and body protection	: Long sleeved	Long sleeved clothing.			
Additional Protective Measures	: Safety shoes.	Safety shoes.			
General Hygiene Considerations		Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)					
	_	regulatory thresholds in this product.			
Form	· Solid	Evanoration rate · Not applicable			
Form	: Solid · Pellets	Evaporation rate : Not applicable Specific Gravity: : Not determined			
Appearance	: Pellets	Specific Gravity: : Not determined			
Appearance Color	: Pellets : WHITE	Specific Gravity:: Not determinedBulk density: Not established			
Appearance Color Odor	: Pellets : WHITE : Very faint	Specific Gravity::Not determinedBulk density:Not establishedVapor pressure:Not applicable			
Appearance Color Odor Melting point/range	PelletsWHITEVery faintNot determined	Specific Gravity::Not determinedBulk density:Not establishedVapor pressure:Not applicableVapour density:Not applicable			
Appearance Color Odor Melting point/range Boiling Point:	PelletsWHITEVery faintNot determinedNot applicable	Specific Gravity::Not determinedBulk density:Not establishedVapor pressure:Not applicable			
Appearance Color Odor Melting point/range	PelletsWHITEVery faintNot determined	Specific Gravity::Not determinedBulk density:Not establishedVapor pressure:Not applicableVapour density:Not applicable			
Appearance Color Odor Melting point/range Boiling Point:	 Pellets WHITE Very faint Not determined Not applicable Insoluble 	Specific Gravity::Not determinedBulk density:Not establishedVapor pressure:Not applicableVapour density:Not applicable			
Appearance Color Odor Melting point/range Boiling Point:	 Pellets WHITE Very faint Not determined Not applicable Insoluble 	Specific Gravity::Not determinedBulk density:Not establishedVapor pressure:Not applicableVapour density:Not applicablepH:Not applicable			
Appearance Color Odor Melting point/range Boiling Point: Water solubility	 Pellets WHITE Very faint Not determined Not applicable Insoluble 10. STABILITY	Specific Gravity: : Not determined Bulk density : Not established Vapor pressure : Not applicable Vapour density : Not applicable pH : Not applicable Y AND REACTIVITY			
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	 Pellets WHITE Very faint Not determined Not applicable Insoluble 10. STABILITY Stable. Will not occursive Keep away find 	Specific Gravity: : Not determined Bulk density : Not established Vapor pressure : Not applicable Vapour density : Not applicable pH : Not applicable Y AND REACTIVITY			
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	 Pellets WHITE Very faint Not determined Not applicable Insoluble 10. STABILITY Stable. Will not occur Keep away for decomposition 	Specific Gravity: : Not determined Bulk density : Not established Vapor pressure : Not applicable Vapour density : Not applicable pH : Not applicable Y AND REACTIVITY			



MATERIAL SAFETY DATA SHEET WHITE #59

Version Number 1.1 Revision Date 02/04/2004 Page 4 of 5 Print Date 11/13/2011

There are no known hazardous components above regulatory thresholds in this product.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	



MATERIAL SAFETY DATA SHEET WHITE #59

Version Number 1.1 Revision Date 02/04/2004			Print Date	Page 5 of 5 11/13/2011
11evision Dale 02/04/2004			T fint Date	11/13/2011
California Proposition 65	:	This product does not contain a substance listed	by Californi	a Prop 65.
SARA Title III Section 302 Extr	em	ely Hazardous Substance		
Not applicable				
SARA Title III Section 313 Tox	ic (Chemicals:		
Not applicable Canadian Regulations:				
National Pollutant Releas	se I	nventory (NPRI)		
WHMIS Classification	:	Not controlled.		
DSL	:	All components of this product are on the Cana Substances List (DSL) or are exempt.	adian Domest	ic
National Inventories:				
Australia AICS	:	Listed		
China IECS	:	Listed		
Europe EINECS	:	Not determined		
Japan ENCS	:	Not determined		
Korea KECI	:	Listed		
Philippines PICCS	:	Listed		
		16. OTHER INFORMATION		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.