

#### MATERIAL SAFETY DATA SHEET

# GREEN

Version Number 1.0 Revision Date 11/11/2002 Page 1 of 6 Print Date 11/6/2011

## 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GREEN
Product code	:	CC10026108
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

## POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



# MATERIAL SAFETY DATA SHEET

# GREEN

sion Date 11/11/2002	Print Date 11/6/2
	4. FIRST AID MEASURES
	4. FIK51 AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, Water spray, dry powder, foam.</li> </ul>
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>None</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



# MATERIAL SAFETY DATA SHEET

# GREEN

sion Date 11/11/2002				Print Date 11/6/2	
	aı	nd contamination. Keep i	n a dry, cool place.		
8. E	XPOSURE	CONTROLS / PERSON	AL PROTECTION		
Respiratory protection	: N	o personal respiratory pro	tective equipment no	ormally required.	
Eye/Face Protection	: S	Safety glasses with side-shields.			
Hand protection	: P	Protective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	Safety shoes.			
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)					
Components	Value	Europure time	Europauro t	ype List:	
Components Titanium dioxide	10 mg/m3	Exposure time Time Weighted Averag (TWA):	Exposure t ge Dust.	ACGIH	
	15 / 2		Total dus	t. OSHA Z1	
Titanium dioxide	15 mg/m3	PEL:	1 otul dus	obiiii Ei	
Titanium dioxide		PEL: CAL AND CHEMICAL			
	9. PHYSIC	CAL AND CHEMICAL	PROPERTIES		
Form	9. PHYSIC : Solid	CAL AND CHEMICAL	PROPERTIES	: Not applicable.	
Form Appearance	9. PHYSIC : Solic : Pelle	C <mark>AL AND CHEMICAL</mark> I E <sup>.</sup> Its S <sub>I</sub>	PROPERTIES vaporation rate pecific Gravity	: Not applicable. : Not determined	
Form	9. PHYSIC : Solic : Pelle : GRE	CAL AND CHEMICAL I E <sup>-</sup> ots S <sub>I</sub> EN B	PROPERTIES vaporation rate pecific Gravity ulk density	<ul> <li>Not applicable.</li> <li>Not determined</li> <li>Not established</li> </ul>	
Form Appearance Color Odor	9. PHYSIC : Solic : Pelle : GRE : Very	CAL AND CHEMICAL I E <sup>-</sup> tts Sj EN B <sup>-</sup> faint V	PROPERTIES vaporation rate becific Gravity ulk density apor pressure	<ul> <li>Not applicable.</li> <li>Not determined</li> <li>Not established</li> <li>Not applicable</li> </ul>	
Form Appearance Color Odor Melting point/range	9. PHYSIC : Solic : Pelle : GRE : Very : Not o	CAL AND CHEMICAL I E <sup>2</sup> its Sp EN B <sup>2</sup> faint V determined V	PROPERTIES vaporation rate becific Gravity ulk density apor pressure apor density	<ul> <li>Not applicable.</li> <li>Not determined</li> <li>Not established</li> <li>Not applicable</li> <li>Not applicable</li> </ul>	
Form Appearance Color Odor	9. PHYSIC : Solic : Pelle : GRE : Very : Not o	CAL AND CHEMICAL I Er Sts Sp EN B faint V determined V applicable pl	PROPERTIES vaporation rate becific Gravity ulk density apor pressure apor density	<ul> <li>Not applicable.</li> <li>Not determined</li> <li>Not established</li> <li>Not applicable</li> </ul>	
Form Appearance Color Odor Melting point/range Boiling Point:	9. PHYSIC : Solic : Pelle : GRE : Very : Not c : Not c : Insol	CAL AND CHEMICAL I Er Sts Sp EN B faint V determined V applicable pl	PROPERTIES vaporation rate becific Gravity ulk density apor pressure apor density H	<ul> <li>Not applicable.</li> <li>Not determined</li> <li>Not established</li> <li>Not applicable</li> <li>Not applicable</li> </ul>	
Form Appearance Color Odor Melting point/range Boiling Point:	9. PHYSIC : Solic : Pelle : GRE : Very : Not c : Not a : Insol 10. S	CAL AND CHEMICAL I E- ts Sj EN B faint V determined V applicable pl uble	PROPERTIES vaporation rate becific Gravity ulk density apor pressure apor density H	<ul> <li>Not applicable.</li> <li>Not determined</li> <li>Not established</li> <li>Not applicable</li> <li>Not applicable</li> </ul>	
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	9. PHYSIC : Solid : Pelle : GRE : Very : Not d : Not a : Insol 10. S : S	CAL AND CHEMICAL I E <sup>r</sup> its Si EN B <sup>r</sup> faint V determined V applicable pl uble STABILITY AND REAC	PROPERTIES vaporation rate becific Gravity ulk density apor pressure apor density H	<ul> <li>Not applicable.</li> <li>Not determined</li> <li>Not established</li> <li>Not applicable</li> <li>Not applicable</li> </ul>	
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	9. PHYSIC : Solid : Pelle : GRE : Very : Not a : Not a : Insol 10. S n : W : K	CAL AND CHEMICAL         I       E         I       E         its       Sj         EN       B         r faint       V         determined       V         applicable       pl         uble       STABILITY AND REAC         table.       E	PROPERTIES vaporation rate becific Gravity ulk density apor pressure apor density H	<ul> <li>Not applicable.</li> <li>Not determined</li> <li>Not established</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> </ul>	



## MATERIAL SAFETY DATA SHEET

# GREEN

Version Number 1.0 Revision Date 11/11/2002 Page 4 of 6 Print Date 11/6/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

#### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No. 13463-67-7	Chemical Name Titanium dioxide	Effect Systemic effects	Target OrganRespiratory system.			
15105 07 7		bysteinie enteets	respiratory system.			
	12. ECOLOGIO	CAL INFORMATION	1			
Persistence and degrada	bility : Not readily b	iodegradable.				
Environmental Toxicity		<ul> <li>Chemicals are not readily available as they are bound within the matrix of the polymer.</li> <li>Chemicals are not readily available as they are bound within the matrix of the polymer.</li> </ul>				
Bioaccumulation Potent						
Additional advice	: No data avail	able.				
	13. DISPOSAL	CONSIDERATIONS	5			
Product Contaminated packagin	generator of v generator of v classification applicable fea g : Recycling is p has the respon and disposal	<ul> <li>Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.</li> <li>Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal.</li> </ul>				
	14. TRANSPO	<b>RT INFORMATION</b>				
U.S. DOT Classification	n : Refer to spec	ific regulation.				
ICAO/IATA	: Refer to spec	ific regulation.				
IMO / IMDG	: Refer to spec	ific regulation.				
	15. REGULATO	ORY INFORMATION	N			

4/6

#### MATERIAL SAFETY DATA SHEET



GREEN					
Version Number 1.0 Revision Date 11/11/2002		Page 5 of 6 Print Date <i>11/6/2011</i>			
US Regulations:					
OSHA Status	:	Classified as hazardous based on components.			
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.			
US. EPA CERCLA Hazardous Substances (40 CFR 302)					
Not applicable					
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.			
Canadian Regulations:					
WHMIS Classification	:	D2B			
DSL	:	All of the components of this product are listed on the Canadian Inventories or are exempt. However, at least one component of this product is on the Canadian Non-Domestic Substances List (NDSL). Quantity use in Canada is restricted by regulations.			
National Inventories:					
Australia AICS	:	Listed.			
China IECS	:	Not determined.			
Europe EINECS	:	Not determined.			
Japan ENCS	:	Not determined.			
Korea KECI	:	Not determined.			
Philippines PICCS	:	Listed.			

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

# MATERIAL SAFETY DATA SHEET

# GREEN

Version Number 1.0 Revision Date 11/11/2002



Page 6 of 6 Print Date 11/6/2011