

MATERIAL SAFETY DATA SHEET

BLUE

Version Number 1.0 Revision Date 11/15/2002 Page 1 of 6 Print Date 11/6/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	BLUE
Product code	:	CC10026204
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Zinc stearate	557-05-1	1 - 5
Calcium carbonate	1317-65-3	10 - 30
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	Resin particles, like other inert materials, can be mechanically irritating.May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



MATERIAL SAFETY DATA SHEET

BLUE

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
Hazaius	
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 3 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.

MATERIAL SAFETY DATA SHEET



BLUE

			Print	Date 11/6/2
Storage		eep containers dry and tightly ad contamination. Keep in a c		e absorption
8. E	XPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: N	o personal respiratory protect	ive equipment normally	required.
Eye/Face Protection	: Sa	afety glasses with side-shields	5.	
Hand protection	: Pr	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: Sa	afety shoes.		
General Hygiene Considerations		andle in accordance with good ash hands before breaks and		afety practice
Engineering measures		eat only in areas with appropropropriate exhaust ventilation		Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	10 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH
	5 m a/m 2	PEL:	D 1 1 1	
Calcium carbonate	5 mg/m3		Respirable dust.	
	15 mg/m3	PEL:	Total dust.	OSHA Z1
Titanium dioxide	15 mg/m3 10 mg/m3	PEL: Time Weighted Average (TWA):	Total dust. Dust.	OSHA Z1 ACGIH
Titanium dioxide Titanium dioxide	15 mg/m3 10 mg/m3 15 mg/m3	PEL: Time Weighted Average (TWA): PEL:	Total dust. Dust. Total dust.	OSHA Z1 ACGIH OSHA Z1
Titanium dioxide	15 mg/m3 10 mg/m3 15 mg/m3 5 mg/m3	PEL: Time Weighted Average (TWA): PEL: PEL:	Total dust. Dust. Total dust. Respirable fraction.	OSHA Z1 ACGIH OSHA Z1 OSHA Z1
Titanium dioxide Titanium dioxide	15 mg/m3 10 mg/m3 15 mg/m3	PEL: Time Weighted Average (TWA): PEL:	Total dust. Dust. Total dust.	OSHA Z1 ACGIH OSHA Z1 OSHA Z1
Titanium dioxide Titanium dioxide Zinc stearate	15 mg/m3 10 mg/m3 15 mg/m3 5 mg/m3 15 mg/m3 10 mg/m3	PEL: Time Weighted Average (TWA): PEL: PEL: PEL: Time Weighted Average	Total dust. Dust. Total dust. Respirable fraction. Total dust. as stearates	OSHA Z1 ACGIH OSHA Z1 OSHA Z1 OSHA Z1
Titanium dioxide Titanium dioxide Zinc stearate Zinc stearate	15 mg/m3 10 mg/m3 15 mg/m3 5 mg/m3 15 mg/m3 10 mg/m3 9. PHYSIC	PEL: Time Weighted Average (TWA): PEL: PEL: PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PRO	Total dust. Dust. Total dust. Respirable fraction. Total dust. as stearates	OSHA Z1 ACGIH OSHA Z1 OSHA Z1 ACGIH
Titanium dioxide Titanium dioxide Zinc stearate Zinc stearate Form	15 mg/m3 10 mg/m3 15 mg/m3 5 mg/m3 15 mg/m3 10 mg/m3 9. PHYSIC : Solid	PEL: Time Weighted Average (TWA): PEL: PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PRO	Total dust. Dust. Total dust. Respirable fraction. Total dust. as stearates OPERTIES Pration rate : Not	OSHA Z1 ACGIH OSHA Z1 OSHA Z1 OSHA Z1 ACGIH
Titanium dioxide Titanium dioxide Zinc stearate Zinc stearate Form Appearance	15 mg/m3 10 mg/m3 15 mg/m3 5 mg/m3 15 mg/m3 10 mg/m3 9. PHYSIC : Solid : Peller	PEL: Time Weighted Average (TWA): PEL: PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PRO Evapor ts Specifi	Total dust. Dust. Total dust. Respirable fraction. Total dust. as stearates OPERTIES Oration rate : Not fic Gravity : Not	OSHA Z1 ACGIH OSHA Z1 OSHA Z1 ACGIH applicable.
Titanium dioxide Titanium dioxide Zinc stearate Zinc stearate Form	15 mg/m3 10 mg/m3 15 mg/m3 5 mg/m3 15 mg/m3 10 mg/m3 9. PHYSIC : Solid	PEL: Time Weighted Average (TWA): PEL: PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PRO Evaports E Bulk of the second se	Total dust. Dust. Total dust. Respirable fraction. Total dust. as stearates OPERTIES oration rate : Not fic Gravity : Not density : Not	OSHA Z1 ACGIH OSHA Z1 OSHA Z1 ACGIH applicable.
Titanium dioxide Titanium dioxide Zinc stearate Zinc stearate Form Appearance Color	15 mg/m3 10 mg/m3 15 mg/m3 5 mg/m3 15 mg/m3 10 mg/m3 9. PHYSIC : Solid : Pelle : BLU : Very	PEL: Time Weighted Average (TWA): PEL: PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PRO Evaports Specifi E Bulk of faint Vapor	Total dust. Dust. Total dust. Respirable fraction. Total dust. as stearates OPERTIES oration rate : Not fic Gravity : Not ensity : Not oressure : Not	OSHA Z1 ACGIH OSHA Z1 OSHA Z1 OSHA Z1 ACGIH applicable. determined established
Titanium dioxide Titanium dioxide Zinc stearate Zinc stearate Form Appearance Color Odor	15 mg/m3 10 mg/m3 15 mg/m3 5 mg/m3 15 mg/m3 10 mg/m3 9. PHYSIC : Solid : Pellet : BLU : Very : Not d	PEL: Time Weighted Average (TWA): PEL: PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PRO E Bulk of faint Vapor letermined Vapor pplicable pH	Total dust. Dust. Total dust. Respirable fraction. Total dust. as stearates OPERTIES oration rate : Not fic Gravity : Not ensity : Not oration rate : Not in Gravity : Not in Structure : Not in Structure : Not in Generity : Not in Structure : Not	OSHA Z1 OSHA Z1 OSHA Z1 ACGIH ACGIH

BLUE

MATERIAL SAFETY DATA SHEET



Version Number 1.0 Page 4 of 6 Revision Date 11/15/2002 Print Date 11/6/2011 Stability : Stable. Hazardous Polymerization : Will not occur. Conditions to avoid : Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat. : Incompatible with strong acids and oxidizing agents. Incompatible Materials : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen Hazardous decomposition (NOx), other hazardous materials, and smoke are all possible. products

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
557-05-1	Zinc stearate	Systemic effects	Eyes, Skin, Respiratory system.
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
557-05-1	Zinc stearate	Oral LD50	> 10 gm/kg	rat

12. ECOLOGICAL INFORMATION

Persistence and degradability	: Not readily biodegradable.	
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.	
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.	
Additional advice	: No data available.	
	13. DISPOSAL CONSIDERATIONS	
Product	: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste	



MATERIAL SAFETY DATA SHEET

	classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA	: Refer to specific regulation.
IMO / IMDG	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSC Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	
California Proposition 65	: This product does not contain a substance listed by California Prop 6
SARA Title III Section 313 To	xic Chemicals:
Chemical Name	
ZINC COMPO	UNDS 557-05-1 01.50
Canadian Regulations:	
WHMIS Classification	: D2A
WHMIS Ingredient Dis	closure List

MATERIAL SAFETY DATA SHEET



BLUE		
Version Number 1.0 Revision Date 11/15/2002		Page 6 of 6 Print Date <i>11/6/2011</i>
557-05-1		
DSL	:	All of the components of this product are listed on the Canadian Inventories or are exempt. However, at least one component of this product is on the Canadian Non-Domestic Substances List (NDSL). Quantity use in Canada is restricted by regulations.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Not determined.
Philippines PICCS	:	Not determined.
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.