

MATERIAL SAFETY DATA SHEET

GREY

Version Number 1.0 Revision Date 11/19/2002 Page 1 of 6 Print Date 11/6/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

| NON-EMERGENCY TELEPHONE | : | Product Stewardship (770) 271-5902 |
|-------------------------------|---|--|
| Emergency telephone number | : | CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |
| Product name | : | GREY |
| Product code | : | CC10026322 |
| Chemical Name | : | Mixture |
| CAS-No. | : | Mixture |
| Product Use | : | Industrial Applications |

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

| Components | CAS-No. | Weight % |
|-------------------|------------|----------|
| Silica, amorphous | 7631-86-9 | 1 - 5 |
| Titanium dioxide | 13463-67-7 | 5 - 10 |

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

| Routes of Exposure: | : Inhalation, Ingestion, Skin contact |
|---------------------------------|---|
| Acute exposure | |
| Inhalation Ingestion Eyes | Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to |
| Skin | eyes.Experience shows no unusual dermatitis hazard from routine handling. |
| Chronic exposure | : Refer to Section 11 for Toxicological Information. |



MATERIAL SAFETY DATA SHEET

GREY

| Medical Conditions Aggravated by Exposure: | : None known. |
|--|--|
| | 4. FIRST AID MEASURES |
| Inhalation | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice. |
| Ingestion | : Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice. |
| Eyes | : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention. |
| Skin | : Wash off with soap and plenty of water. If skin irritation persists see medical attention. |
| | 5. FIRE-FIGHTING MEASURES |
| Flash point | : Not applicable |
| Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards | Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None |
| | 6. ACCIDENTAL RELEASE MEASURES |
| Personal precautions | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. |
| Environmental precautions | : Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil. |
| Methods for cleaning up | : Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods. |
| | 7. HANDLING AND STORAGE |
| Handling | : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. |

MATERIAL SAFETY DATA SHEET



GREY Version Number 1.0 Page 3 of 6 Print Date 11/6/2011 Revision Date 11/19/2002 Storage Keep containers dry and tightly closed to avoid moisture absorption : and contamination. Keep in a dry, cool place. 8. EXPOSURE CONTROLS / PERSONAL PROTECTION Respiratory protection No personal respiratory protective equipment normally required. : Eye/Face Protection Safety glasses with side-shields. : Protective gloves. Hand protection : Skin and body protection : Long sleeved clothing. Additional Protective Safety shoes. : Measures General Hygiene Handle in accordance with good industrial hygiene and safety practice. : Considerations Wash hands before breaks and at the end of workday. Heat only in areas with appropriate exhaust ventilation. Provide Engineering measures : appropriate exhaust ventilation at machinery. Exposure limit(s) Components Value Exposure time Exposure type List: 20 mppcf Silica, amorphous PEL: Total dust. **OSHA** Silica, amorphous 20 mppcf PEL: Total dust. Z3 Titanium dioxide 10 mg/m3 Time Weighted Average Dust. ACGIH (TWA): Titanium dioxide PEL: Total dust. OSHA Z1 15 mg/m3 9. PHYSICAL AND CHEMICAL PROPERTIES

| Form | : Solid | Evaporation rate | : Not applicable. |
|--------------------------|--------------------|----------------------------|------------------------|
| Appearance | : Pellets | Specific Gravity | : Not determined |
| Color | : GREY | Bulk density | : Not established |
| Odor | : Very faint | Vapor pressure | : Not applicable |
| Melting point/range | : Not determined | Vapor density | : Not applicable |
| Boiling Point: | : Not applicable | pH | : Not applicable |
| Water solubility | : Insoluble | | |
| | 10. STABILITY AN | D DEACTIVITY | |
| | IU, STADILITT AN | DREACHVIII | |
| Stability | : Stable. | | |
| | | | |
| Hazardous Polymerization | : Will not occur. | | |
| Conditions to avoid | · Kaan away from a | xidizing agents and open f | lama To avoid thermal |
| | . KCCD away nom 0 | AIGIZING agoins and open n | anne. To avoiu unermai |



MATERIAL SAFETY DATA SHEET

| | 002 | | Print Date 11/6/2 | |
|---|--|--|--|--|
| | decomposi | tion, do not overheat. | | |
| Incompatible Materials : Incompatible with strong acids and oxidizing agents. | | | | |
| Hazardous decompo products | | | noxide (CO), oxides of nitrogen and smoke are all possible. | |
| | 11. TOXICOLO | OGICAL INFORMAT | TION | |
| | t been evaluated as a whole adividual components which | | osure effects listed are based on exis | |
| | as the following components | s which in their pure for | m have the following characteristic | |
| CAS-No. | Chemical Name | Effect | Target Organ | |
| 7631-86-9 | Silica, amorphous | Irritant | Eyes, Respiratory system. | |
| 13463-67-7 | Titanium dioxide | Systemic effects | Respiratory system. | |
| | 12 FCOLOG | GICAL INFORMATIO |)N | |
| Bioaccumulation Po Additional advice | tential : Chemicals of the poly : No data av | of the polymer. : No data available. | | |
| | 13. DISPOSA | AL CONSIDERATION | NS | |
| Product Contaminated packa | possible, re generator o classification applicable ging : Recycling has the resp and dispose | ecycling is preferred to of waste material has the on, transportation and d federal, state/provincial is preferred when possil ponsibility for proper w al in accordance with ap | duct can be recycled. Where disposal or incineration. The e responsibility for proper waste lisposal in accordance with and local regulations. ble. The generator of waste materia faste classification, transportation oplicable federal, state/provincial | |
| | and local re | 8 | | |
| | | | N | |
| | | PORT INFORMATIO | N | |
| U.S. DOT Classifica | 14. TRANSF | | N | |



MATERIAL SAFETY DATA SHEET

GREY

| sion Number 1.0 ision Date 11/19/2002 | | Page 5 Print Date 11/6/2 |
|---|---|-----------------------------|
| IMO / IMDG | : Refer to specific regulation. | |
| | 15. REGULATORY INFORMATION | |
| US Regulations: | | |
| OSHA Status | : Classified as hazardous based on components. | |
| TSCA Status | : All components of this product are listed on or Inventory. | r exempt from the TSCA |
| US. EPA CERCLA Hazardou | Substances (40 CFR 302) | |
| Not applicable | | |
| California Proposition 65 | : This product does not contain a substance liste | ed by California Prop 65 |
| Canadian Regulations: WHMIS Classification | : D2B | |
| WHMIS Ingredient Di | elosure List | |
| CAS-No. 7631-86-9 | | |
| DSL | : All components of this product are on the Car Substances List (DSL) or are exempt. | nadian Domestic |
| National Inventories: | | |
| Australia AICS | : Listed. | |
| | | |
| China IECS | : Listed. | |
| China IECS Europe EINECS | : Listed.: Not determined. | |
| | | |
| Europe EINECS | : Not determined. | |



MATERIAL SAFETY DATA SHEET

GREY

Version Number 1.0 Revision Date 11/19/2002 Page 6 of 6 Print Date 11/6/2011

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.