

MATERIAL SAFETY DATA SHEET

WHITE PRECOLOR

Version Number 1.0 Revision Date 11/19/2002 Page 1 of 6 Print Date 11/6/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	WHITE PRECOLOR
Product code	:	CC10026324
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed.
Eyes	 Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



MATERIAL SAFETY DATA SHEET

WHITE PRECOLOR

sion Date 11/19/2002	Print Date 11/6/2
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit	Not applicableNot applicable
Autoignition temperature Suitable extinguishing media	Not relevantCarbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.



WHITE PRECOLOR



sion Number 1.0 ision Date 11/19/2002		Page 3 c Print Date 11/6/20
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.
8. EXI	POSUI	RE CONTROLS / PERSONAL PROTECTION
Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields.
Hand protection	:	Protective gloves.
Skin and body protection	:	Long sleeved clothing.
Additional Protective Measures	:	Safety shoes.
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.
Exposure limit(s)		

Components	Value	Exposure time	Exposure type	List:
Silica, amorphous	20 mppcf	PEL:	Total dust.	OSHA
Silica, amorphous	20 mppcf	PEL:	Total dust.	Z3
Titanium dioxide	10 mg/m3	Time Weighted Average	Dust.	ACGIH
	_	(TWA):		
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z1

Evaporation rate: Not applicable.Specific Gravity: Not determined

: Not established

Not applicableNot applicableNot applicableNot applicable

Bulk density

Vapor density

Vapor pressure

Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	 Solid Pellets GREY Very faint Not determined Not applicable Insoluble 	Evaporation Specific Grav Bulk density Vapor pressu Vapor densit pH
Stability	10. STABILITY AN : Stable.	D REACTIVITY

Hazardous Polymerization	:	Will not occur.	
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal	l



MATERIAL SAFETY DATA SHEET

WHITE PRECOLOR

sion Number 1.0 rision Date 11/19/20	02		Page 4 o Print Date 11/6/20	
	decomposi	ition, do not overheat.		
Incompatible Materia	ls : Incompati	ble with strong acids and	oxidizing agents.	
Hazardous decomposi products			noxide (CO), oxides of nitrogen and smoke are all possible.	
	11. TOXICOL	OGICAL INFORMATI	ION	
	been evaluated as a whole lividual components whicl		sure effects listed are based on exis	
Toxicity Overview This product contains	s the following component	s which in their pure for	n have the following characteristics	
CAS-No.	Chemical Name	Effect	Target Organ	
7631-86-9	Silica, amorphous	Irritant	Eyes, Respiratory system.	
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.	
	12. ECOLO(GICAL INFORMATIO	N	
Persistence and degra Environmental Toxici Bioaccumulation Pote	ity : Chemicals of the poly ential : Chemicals	ymer. s are not readily available	as they are bound within the matrix as they are bound within the matrix	
Additional advice	of the poly : No data av			
	13. DISPOS	AL CONSIDERATION	S	
Product	: Like most possible, r generator o classificati	thermoplastics the produce cycling is preferred to d of waste material has the	uct can be recycled. Where isposal or incineration. The responsibility for proper waste sposal in accordance with	
Contaminated packag	has the res and dispos	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
	14. TRANSI	PORT INFORMATION	1	
U.S. DOT Classificat	ion : Refer to sp	pecific regulation.		
ICAO/IATA	: Refer to sp	pecific regulation.		



MATERIAL SAFETY DATA SHEET

WHITE PRECOLOR

sion Number 1.0 ision Date 11/19/2002	Page 5 Print Date 11/6/2
IMO / IMDG	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	
California Proposition 65	: WARNING! This product contains a chemical known to the State of California to cause cancer.
Canadian Regulations:	
WHMIS Classification	: D2B
WHMIS Ingredient Disc	osure List
CAS-No. 7631-86-9	
DSL	: All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:	
Australia AICS	: Listed.
China IECS	: Listed.
Europe EINECS	: Not determined.
Japan ENCS	: Listed.
Korea KECI	: Listed.



MATERIAL SAFETY DATA SHEET

WHITE PRECOLOR

Version Number 1.0 Revision Date 11/19/2002 Page 6 of 6 Print Date 11/6/2011

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.