

MATERIAL SAFETY DATA SHEET

WOW WHITE

Version Number 1.0 Revision Date 11/11/2002 Page 1 of 6 Print Date 11/6/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	WOW WHITE
Product code	:	CC10026386
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed.
Eyes	 Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.





ion Number 1.0 sion Date 11/11/2002	Page 2 Print Date 11/6/2
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat

MATERIAL SAFETY DATA SHEET





VOW WHITE					
ersion Number 1.0 evision Date 11/11/2002			Print	Page 3 of Date 11/6/201	
Storage		Leep containers dry and tightly nd contamination. Keep in a d		e absorption	
8. 1	EXPOSURE	CONTROLS / PERSONAL	PROTECTION		
Respiratory protection	: N	lo personal respiratory protectiv	ve equipment normally r	required.	
Eye/Face Protection	: S	afety glasses with side-shields.			
Hand protection	: P	rotective gloves.			
Skin and body protection :		Long sleeved clothing.			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations		Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				Provide	
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Silica, amorphous	20 mppcf	PEL:	Total dust.	OSHA	
Silica, amorphous	20 mppcf	PEL:	Total dust.	Z3	
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):	Dust.	ACGIH	
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z1	

Form	: Solid	Evaporation rate	: Not applicable.
Appearance	: Pellets	Specific Gravity	: Not determined
Color	: WHITE	Bulk density	: Not established
Odor	: Very faint	Vapor pressure	: Not applicable
Melting point/range	: Not determined	Vapor density	: Not applicable
Boiling Point:	: Not applicable	pH	: Not applicable
Water solubility	: Insoluble		
	10. STABILITY AN	DEACTIVITY	
	IU, STADILITT AN		
Stability	: Stable.		
Hazardous Polymerization	: Will not occur.		
razardous r oryinerization	. will not occur.		
Conditions to avoid	: Keep away from c	oxidizing agents and open f	lame. To avoid therma

3/6



MATERIAL SAFETY DATA SHEET

sion Number 1.0 Page 4 ision Date 11/11/2002 Print Date 11/6/2					
		decomposition,	do not overheat.		
Incompatible Mater	ials	: Incompatible with strong acids and oxidizing agents.			
Hazardous decompo products	osition			noxide (CO), oxides of nitrogen and smoke are all possible.	
	1	11. TOXICOLOGI	CAL INFORMAT	TION	
health data for the in		ated as a whole for h mponents which con		osure effects listed are based on ex-	
<u>Toxicity Overview</u> This product contain	ns the follow	ving components whi	ich in their pure for	m have the following characteristic	
CAS-No.		hemical Name	Effect	Target Organ	
7631-86-9		amorphous	Irritant	Eyes, Respiratory system.	
13463-67-7	Titaniu	m dioxide	Systemic effects	Respiratory system.	
Bioaccumulation Pc	otential	of the polymer.		e as they are bound within the matri	
Bioaccumulation Po Additional advice	otential	Chemicals are r of the polymer.No data availab	not readily available	e as they are bound within the matri NS	
		 Chemicals are r of the polymer. No data availab 13. DISPOSAL C Like most therr possible, recycl generator of wa classification, t applicable fede Recycling is pro- has the respons 	not readily available ole. CONSIDERATION noplastics the proc ling is preferred to a ste material has the ransportation and d ral, state/provincial eferred when possil ibility for proper w accordance with ap		
Additional advice		 Chemicals are r of the polymer. No data availab 13. DISPOSAL C Like most therr possible, recycl generator of wa classification, t applicable fede Recycling is pro- has the respons and disposal in and local regula 	not readily available ole. CONSIDERATION noplastics the proc ling is preferred to a ste material has the ransportation and d ral, state/provincial eferred when possil ibility for proper w accordance with ap	NS duct can be recycled. Where disposal or incineration. The e responsibility for proper waste lisposal in accordance with l and local regulations. ble. The generator of waste materia raste classification, transportation oplicable federal, state/provincial	
Additional advice	aging	 Chemicals are r of the polymer. No data availab 13. DISPOSAL C Like most therr possible, recycl generator of wa classification, t applicable fede Recycling is pro- has the respons and disposal in and local regula 	not readily available ole. CONSIDERATION noplastics the proc ling is preferred to a sate material has the ransportation and d ral, state/provincial eferred when possil ibility for proper w accordance with ap ations. T INFORMATIO	NS duct can be recycled. Where disposal or incineration. The e responsibility for proper waste lisposal in accordance with l and local regulations. ble. The generator of waste materia raste classification, transportation oplicable federal, state/provincial	



MATERIAL SAFETY DATA SHEET

WOW WHITE

sion Number 1.0 rision Date 11/11/2002		Page 5 of 6 Print Date 11/6/2011	
IMO / IMDG	:	Refer to specific regulation.	
	15	. REGULATORY INFORMATION	
US Regulations:			
OSHA Status	:	Classified as hazardous based on components.	
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.	
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)	
Not applicable			
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.	
Canadian Regulations:			
WHMIS Classification	:	D2B	
WHMIS Ingredient Disclosure List			
CAS-No. 7631-86-9			
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.	
National Inventories:			
Australia AICS	:	Listed.	
China IECS	:	Listed.	
Europe EINECS	:	Not determined.	
Japan ENCS	:	Listed.	
Korea KECI	:	Listed.	
Philippines PICCS	:	Listed.	



MATERIAL SAFETY DATA SHEET

WOW WHITE

Version Number 1.0 Revision Date 11/11/2002 Page 6 of 6 Print Date 11/6/2011

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.