

MATERIAL SAFETY DATA SHEET

RED

Version Number 1.0 Revision Date 11/25/2002 Page 1 of 6 Print Date 11/7/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name Product code Chemical Name CAS-No. Product Use	: : : :	RED CC10026664 Mixture Mixture Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Iron oxide	1309-37-1	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

RED

sion Date 11/25/2002	Print Date 11/7/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	C A COIDENTAL DELEACE MEACUDEC
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

RED

sion Date 11/25/2002			Print I	Date 11/7/2
	aı	nd contamination. Keep in a	dry, cool place.	
8. H	XPOSURE	CONTROLS / PERSONAI	PROTECTION	
Respiratory protection	: N	o personal respiratory protec	tive equipment normally r	equired.
Eye/Face Protection	: S	afety glasses with side-shield	S.	
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: Safety shoes.			
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures		eat only in areas with approp ppropriate exhaust ventilatior		Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Iron oxide	5 mg/m3	Time Weighted Average (TWA):	Dust and fume. as Fe	ACGIH
	9. PHYSIC	CAL AND CHEMICAL PR	OPERTIES	
Form Appearance Color Odor Melting point/range	: Not a	IletsSpecific Gravity: NotEDBulk density: Notery faintVapor pressure: Notot determinedVapor density: Not		applicable. determined established applicable applicable applicable
Boiling Point: Water solubility	: Insol	uble		
		uble	VITY	
	10. 8		VITY	
Water solubility	10. S	STABILITY AND REACTI	VITY	
Water solubility Stability	<u>10.5</u> : S n : W : K	TABILITY AND REACTI	ents and open flame. To a	void thermal
Water solubility Stability Hazardous Polymerization	10. S : S n : W : K do	STABILITY AND REACTI table. /ill not occur. /eep away from oxidizing age	ents and open flame. To a	void thermal



MATERIAL SAFETY DATA SHEET

RED

Version Number 1.0 Revision Date 11/25/2002

Page 4 of 6 Print Date 11/7/2011

products

(NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

	Chemical Name	Effect	Target Organ			
D-37-1 Iron oxide		Systemic effects	Respiratory system.			
	12. ECOLOGIC	CAL INFORMATION				
sistence and degradability	: Not readily bi	odegradable.				
vironmental Toxicity		: Chemicals are not readily available as they are bound within the matrix of the polymer.				
baccumulation Potential		Chemicals are not readily available as they are bound within the matrix of the polymer.				
ditional advice	: No data availa	: No data available.				
	13. DISPOSAL	CONSIDERATIONS				
oduct	possible, recyc generator of w classification,	cling is preferred to dis vaste material has the re	et can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations.			
ntaminated packaging	has the respon and disposal in	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
	14. TRANSPOR	RT INFORMATION				
S. DOT Classification	: Refer to speci	fic regulation.				
ΑΟ/ΙΑΤΑ	: Refer to speci	fic regulation.				
O / IMDG	: Refer to speci	fic regulation.				
	15. REGULATO	ORY INFORMATION	[
Dec lettere						
Regulations:						
AO/IATA	: Refer to speci	fic regulation.	[



MATERIAL SAFETY DATA SHEET

RED

Version Number 1.0 Revision Date 11/25/2002	Page 5 of 6 Print Date <i>11/7/2011</i>
OSHA Status :	Classified as hazardous based on components.
TSCA Status :	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous Sub	stances (40 CFR 302)
Not applicable	
California Proposition : 65	This product does not contain a substance listed by California Prop 65.
Canadian Regulations:	
WHMIS Classification :	Not controlled.
DSL :	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:	
Australia AICS :	Listed.
China IECS :	Listed.
Europe EINECS :	Not determined.
Japan ENCS :	Listed.
Korea KECI :	Listed.
Philippines PICCS :	Listed.
	16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

MATERIAL SAFETY DATA SHEET

RED

Version Number 1.0 Revision Date 11/25/2002



Page 6 of 6 Print Date 11/7/2011