

MATERIAL SAFETY DATA SHEET

RED

Version Number 1.0 Revision Date 12/03/2002 Page 1 of 6 Print Date 11/7/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name Product code Chemical Name CAS-No. Product Use	: : :	RED CC10027081 Mixture Mixture Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact			
Acute exposure				
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. 			
Skin	: Experience shows no unusual dermatitis hazard from routine handling.			
Chronic exposure	: Refer to Section 11 for Toxicological Information.			
Medical Conditions Aggravated by Exposure:	: None known.			



MATERIAL SAFETY DATA SHEET

RED

sion Date 12/03/2002	Print Date 11/7/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits	
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Autoignition temperature	: Not relevant
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne
Unusual Fire/Explosion Hazards	contaminants. : None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

RED

	nt Date 11/7/2					
	aı	nd contamination. Keep in a	dry, cool place.			
8. E	XPOSURE	CONTROLS / PERSONA	L PROTECTION			
Respiratory protection	: No personal respiratory protective equipment normally required.					
Eye/Face Protection	: S	: Safety glasses with side-shields.				
Hand protection	: P	: Protective gloves.				
Skin and body protection	: L	Long sleeved clothing.				
Additional Protective Measures	: S	Safety shoes.				
General Hygiene Considerations		: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)						
Components	Value	Exposure time	Exposure type	List:		
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):	Dust.	ACGIH		
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z1		
	9. PHYSI(CAL AND CHEMICAL PR	ROPERTIES			
Form	: Solid			lot applicable.		
Appearance	: Pelle		Specific Gravity : Not determined			
Color	: RED			lot established		
Odor	: Very		Vapor pressure : Not applicable			
Melting point/range				lot applicable		
Boiling Point:	: Not a	applicable pH	: N	lot applicable		
Water solubility						
	10. 5	STABILITY AND REACT	IVITY			
Stability	: S	table.				
Hazardous Polymerization	ı : W	Vill not occur.				
Conditions to avoid		eep away from oxidizing ag ecomposition, do not overhe		o avoid thermal		



MATERIAL SAFETY DATA SHEET

RED

Version Number 1.0 Revision Date 12/03/2002

Page 4 of 6 Print Date 11/7/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ		
13463-67-7	Titanium dioxide	Systemic effects Respiratory system.			
	12. ECOLOGIO	CAL INFORMATION	1		
Persistence and degrada	ability : Not readily b	iodegradable.			
Environmental Toxicity : Chemicals are not readily available as they are bound within the of the polymer.					
Bioaccumulation Poten		: Chemicals are not readily available as they are bound within the matrix of the polymer.			
Additional advice	: No data avail	able.			
	13. DISPOSAL	CONSIDERATIONS	5		
Product Contaminated packagir	possible, recy generator of v classification, applicable fec g : Recycling is p has the respon and disposal i	 Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal. 			
	14. TRANSPO	RT INFORMATION			
U.S. DOT Classificatio	n : Refer to speci	ific regulation.			
ICAO/IATA	: Refer to speci	ific regulation.	gulation.		
IMO / IMDG	: Refer to speci	ific regulation.			
	15. REGULATO	DRY INFORMATION	N		

4/6

MATERIAL SAFETY DATA SHEET



252					
RED					
Version Number 1.0 Revision Date 12/03/2002				Print D	Page 5 of 6 ate 11/7/2011
US Regulations:					
OSHA Status	:	Classified as hazar	dous based on co	mponents.	
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.			
US. EPA CERCLA Hazardous S	Subs	stances (40 CFR 302	2)		
Not applicable					
California Proposition 65 SARA Title III Section 313 Tox	: ic C	-	not contain a subs	stance listed by Califor	nia Prop 65.
		nemicals.			_
Chemical Name		~	CAS-No.	Weight %	
ZINC COMPOU ZINC COMPOU			Proprietary 73398-89-7	06.61 00.09	
Canadian Regulations:					1
WHMIS Classification	:	D2B			
DSL	:	All components of Substances List (D		on the Canadian Dom ot.	estic
National Inventories:					
Australia AICS	:	Listed.			
China IECS	:	Not determined.			
Europe EINECS	:	Not determined.			
Japan ENCS	:	Not determined.			
Korea KECI	:	Not determined.			
Philippines PICCS	:	Listed.			

16. OTHER INFORMATION



MATERIAL SAFETY DATA SHEET

RED

Version Number 1.0 Revision Date 12/03/2002 Page 6 of 6 Print Date 11/7/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.