

MATERIAL SAFETY DATA SHEET

MINT GREEN #4

Version Number 1.0 Revision Date 12/02/2002 Page 1 of 6 Print Date 11/7/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

| NON-EMERGENCY TELEPHONE | : | Product Stewardship (770) 271-5902 |
|-------------------------------|---|--|
| Emergency telephone number | : | CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |
| Product name | : | MINT GREEN #4 |
| Product code | : | CC10027158 |
| Chemical Name | : | Mixture |
| CAS-No. | : | Mixture |
| Product Use | : | Industrial Applications |

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

| Components | CAS-No. | Weight % |
|------------------|------------|----------|
| Titanium dioxide | 13463-67-7 | 1 - 5 |

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

| Routes of Exposure: | : Inhalation, Ingestion, Skin contact |
|---|---|
| Acute exposure | |
| Inhalation Ingestion Eyes | Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. |
| Skin | : Experience shows no unusual dermatitis hazard from routine handling. |
| Chronic exposure | : Refer to Section 11 for Toxicological Information. |
| Medical Conditions Aggravated by Exposure: | : None known. |



MATERIAL SAFETY DATA SHEET

MINT GREEN #4

| ion Number 1.0 sion Date 12/02/2002 | Page 2 Print Date 11/7/2 |
|--|--|
| | |
| | 4. FIRST AID MEASURES |
| Inhalation | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice. |
| Ingestion | : Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice. |
| Eyes | : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention. |
| Skin | : Wash off with soap and plenty of water. If skin irritation persists see medical attention. |
| | 5. FIRE-FIGHTING MEASURES |
| Flash point | : Not applicable |
| Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media | Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. |
| Special Fire Fighting Procedures Unusual Fire/Explosion | Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None |
| Hazards | |
| | 6. ACCIDENTAL RELEASE MEASURES |
| Personal precautions | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. |
| Environmental precautions | : Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil. |
| Methods for cleaning up | : Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods. |
| | 7. HANDLING AND STORAGE |
| Handling | : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. |
| Storage | : Keep containers dry and tightly closed to avoid moisture absorption |



MATERIAL SAFETY DATA SHEET

MINT GREEN #4

| RE CO No p Safe Prote Long Safe Hand Was Heat appr | ety glasses with sid tective gloves. ng sleeved clothing ety shoes. ndle in accordance sh hands before bro at only in areas with ropriate exhaust ve <u>Exposure tim</u> Time Weighted A (TWA): PEL: | ESONAL P by protectiv de-shields. with good i eaks and at h appropria entilation at | PROTECTION ve equipment normally r industrial hygiene and sa t the end of workday. ate exhaust ventilation. | afety practic Provide List: ACGIH |
|---|--|--|---|--|
| No p Safe Prote Long Safe Hand Was Heat appr | personal respirator ety glasses with sid tective gloves. ag sleeved clothing ety shoes. adle in accordance sh hands before brack at only in areas with ropriate exhaust ve <u>Exposure tim</u> Time Weighted A (TWA): PEL: | y protectiv le-shields. with good i eaks and at h appropria entilation at | re equipment normally r industrial hygiene and sa t the end of workday. ate exhaust ventilation. t machinery. Exposure type Dust. | afety practic Provide List: ACGIH |
| Safe Prote Long Safe Hand Was Heat appr | ety glasses with sid tective gloves. ng sleeved clothing ety shoes. ndle in accordance sh hands before bro at only in areas with ropriate exhaust ve <u>Exposure tim</u> Time Weighted A (TWA): PEL: | de-shields. | industrial hygiene and set the end of workday. ate exhaust ventilation. t machinery. Exposure type Dust. | afety practic Provide List: ACGIH |
| Prote Long Safe Hand Was Heat appr | tective gloves. ng sleeved clothing ety shoes. ndle in accordance sh hands before broch at only in areas with ropriate exhaust very <u>Exposure tim</u> Time Weighted A (TWA): PEL: | with good i eaks and at h appropria entilation at | t the end of workday. ate exhaust ventilation. t machinery. Exposure type Dust. | Provide List: ACGIH |
| Long Safe Hand Was Heat appr | ng sleeved clothing ety shoes. ndle in accordance sh hands before bra at only in areas with ropriate exhaust ve <u>Exposure tim</u> Time Weighted A (TWA): PEL: | with good i eaks and at h appropria entilation at | t the end of workday. ate exhaust ventilation. t machinery. Exposure type Dust. | Provide List: ACGIH |
| Safe Hand Was Heat appr | ety shoes. ndle in accordance of sh hands before broch at only in areas with ropriate exhaust ver <u>Exposure time</u> Time Weighted A (TWA): PEL: | with good i eaks and at h appropria entilation at | t the end of workday. ate exhaust ventilation. t machinery. Exposure type Dust. | Provide List: ACGIH |
| Hand Was Heat appr n3 n3 | ndle in accordance of sh hands before bro at only in areas with ropriate exhaust ve <u>Exposure tim</u> Time Weighted A (TWA): PEL: | eaks and at h appropria entilation at | t the end of workday. ate exhaust ventilation. t machinery. Exposure type Dust. | Provide List: ACGIH |
| Was Heat appr n3 n3 | sh hands before bro at only in areas with ropriate exhaust ve <u>Exposure tim</u> Time Weighted A (TWA): PEL: | eaks and at h appropria entilation at | t the end of workday. ate exhaust ventilation. t machinery. Exposure type Dust. | Provide |
| appr n3 n3 | Exposure tim Time Weighted A (TWA): PEL: | entilation at | t machinery. Exposure type Dust. | List: ACGIH |
| n3 n3 | Time Weighted A (TWA): PEL: | | Dust. | ACGIH |
| n3 n3 | Time Weighted A (TWA): PEL: | | Dust. | ACGIH |
| n3 n3 | Time Weighted A (TWA): PEL: | | Dust. | ACGIH |
| n3 | (TWA): PEL: | verage | | |
| | | | Total dust. | OSHA Z |
| SICA | | | | |
| JICA. | AL AND CHEMIC | CAL PROI | PERTIES | |
| -1:1 | | E | tion anto . Not | |
| olid ellets | | Evaporation rate Specific Gravity | | applicable. determined |
| GREEN | | | | established |
| : Very faint | | Vapor pressure : Not applicable | | |
| : Not determined | | Vapor density : Not applicable | | |
| : Not applicable | | pH : Not applicable | | |
| : Insoluble | | | | |
| 0. ST A | ABILITY AND R | REACTIVI | ITY | |
| | | | | |
| Will | ll not occur. | | | |
| | | | s and open flame. To a | void therma |
| Inco | | | | |
| 1 | Stal Wil Kee | Stable. Will not occur. Keep away from oxidi | Stable. Will not occur. Keep away from oxidizing agent decomposition, do not overheat. | Will not occur. Keep away from oxidizing agents and open flame. To a decomposition, do not overheat. |



MATERIAL SAFETY DATA SHEET

MINT GREEN #4

Version Number 1.0 Revision Date 12/02/2002 Page 4 of 6 Print Date 11/7/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

| 13463-67-7 | Titanium dioxide | Systemic effects | Respiratory system. | | | |
|----------------------------------|--|--|---------------------|--|--|--|
| | 12. ECOLOGI | CAL INFORMATION | N | | | |
| Persistence and degrad | ability : Not readily b | iodegradable. | | | | |
| Environmental Toxicit | | Chemicals are not readily available as they are bound within the matrix of the polymer. Chemicals are not readily available as they are bound within the matrix of the polymer. | | | | |
| Bioaccumulation Poter | | | | | | |
| Additional advice | : No data avail | lable. | | | | |
| | 13. DISPOSAL | CONSIDERATIONS | 5 | | | |
| Product Contaminated packagin | ng : Recycling is has the respo and disposal | Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal. | | | | |
| | 14. TRANSPO | ORT INFORMATION | | | | |
| U.S. DOT Classificatio | on : Refer to spec | Refer to specific regulation.Refer to specific regulation. | | | | |
| ICAO/IATA | : Refer to spec | | | | | |
| IMO / IMDG | : Refer to spec | ific regulation. | | | | |
| | 15. REGULAT | ORY INFORMATION | N | | | |
| | | | | | | |

4/6

MATERIAL SAFETY DATA SHEET



MINT GREEN #4 Version Number 1.0 Page 5 of 6 Print Date 11/7/2011 Revision Date 12/02/2002 US Regulations: **OSHA Status** : Classified as hazardous based on components. **TSCA Status** All components of this product are listed on or exempt from the TSCA : Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable California Proposition : This product does not contain a substance listed by California Prop 65. 65 Canadian Regulations: WHMIS Classification : D2B DSL All of the components of this product are listed on the Canadian : Inventories or are exempt. However, at least one component of this product is on the Canadian Non-Domestic Substances List (NDSL). Quantity use in Canada is restricted by regulations. National Inventories: Australia AICS : Listed. China IECS Listed. Europe EINECS Not determined. : Japan ENCS Not determined. : Korea KECI Listed. · **Philippines PICCS** : Listed.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

MATERIAL SAFETY DATA SHEET

MINT GREEN #4

Version Number 1.0 Revision Date 12/02/2002



Page 6 of 6 Print Date 11/7/2011