

MATERIAL SAFETY DATA SHEET

RED

Version Number 1.0 Revision Date 12/02/2002 Page 1 of 6 Print Date 11/7/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name Product code Chemical Name CAS-No. Product Use	: : : :	RED CC10027255 Mixture Mixture Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Calcium carbonate	1317-65-3	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

RED

sion Date 12/02/2002	Print Date 11/7/2		
	4. FIRST AID MEASURES		
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.		
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.		
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.		
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.		
	5. FIRE-FIGHTING MEASURES		
Flash point	: Not applicable		
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None 		
Hazards	C A COIDENTAL DELEACE MEACUDEC		
	6. ACCIDENTAL RELEASE MEASURES		
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.		
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.		
	7. HANDLING AND STORAGE		
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.		
Storage	: Keep containers dry and tightly closed to avoid moisture absorption		



MATERIAL SAFETY DATA SHEET

RED

ion Number 1.0 sion Date 12/02/2002				Print	Page 3 Date 11/7/2
	aı	nd contamination. Keep	in a d	ry, cool place.	
8. E	XPOSURE	CONTROLS / PERSO	NAL	PROTECTION	
Respiratory protection	: N	lo personal respiratory pr	otecti	ve equipment normally	required.
Eye/Face Protection	: Safety glasses with side-shields.				
Hand protection	: Protective gloves.				
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: Safety shoes.				
General Hygiene Considerations		andle in accordance with Vash hands before breaks			afety practice
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)					
Components	Value	Exposure time		Exposure type	List:
Calcium carbonate	10 mg/m3	Time Weighted Avera (TWA):	ige	Total dust.	ACGIH
Calcium carbonate	5 mg/m3	PEL:		Respirable dust.	OSHA Z1
15 mg/m		PEL:		Total dust.	OSHA Z1
	9. PHYSIC	CAL AND CHEMICAL	, PRC	PERTIES	
Form	: Solid	I E	Evapor	ration rate : Not	applicable.
Appearance	: Pelle	ets S		ic Gravity : Not	determined
Color	: RED				established
Odor	: Very				applicable
Melting point/range			-		applicable
Boiling Point:			Н	: Not	applicable
Water solubility	: Insol	uble			
	10. S	STABILITY AND REA	CTIV	ITY	
Stability	: S	table.			
Hazardous Polymerization	ı : W	Vill not occur.			
Conditions to avoid		eep away from oxidizing ecomposition, do not ove			woid thermal
Incompatible Materials	: Ir	ncompatible with strong	acids a	and oxidizing agents.	



MATERIAL SAFETY DATA SHEET

DED

RED			
ersion Number 1.0 evision Date 12/02/2002			Page 4 of 6 Print Date 11/7/2011
Hazardous decomposition products		dioxide (CO2), carbon mon other hazardous materials, a	oxide (CO), oxides of nitrogen and smoke are all possible.
	11. TOXICO	LOGICAL INFORMATI	ON
health data for the indivi	idual components wh	ich comprise the mixture.	sure effects listed are based on existing n have the following characteristics:
CAS-No.	Chemical Nam	e Effect	Target Organ
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.
	12. ECOL0	OGICAL INFORMATIO	N
Persistence and degrada Environmental Toxicity			as they are bound within the matrix
Bioaccumulation Potent	ial : Chemica of the po		as they are bound within the matrix
Additional advice	: No data	available.	
	13. DISPO	SAL CONSIDERATION	S
Product Contaminated packaging	possible generato classific applicab g : Recyclin	or of waste material has the ation, transportation and dis ole federal, state/provincial a ng is preferred when possibl	isposal or incineration. The responsibility for proper waste sposal in accordance with and local regulations. e. The generator of waste material
	and disp and loca	osal in accordance with app l regulations.	ste classification, transportation plicable federal, state/provincial
	14. TRAN	SPORT INFORMATION	I
U.S. DOT Classification	n : Refer to	specific regulation.	
ICAO/IATA	: Refer to	specific regulation.	
IMO / IMDG	: Refer to	specific regulation.	



MATERIAL SAFETY DATA SHEET

RED

sion Date 12/02/2002		Print Date 11/7/20	
	15	5. REGULATORY INFORMATION	
US Regulations:			
OSHA Status	:	Classified as hazardous based on components.	
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.	
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)	
Not applicable			
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.	
Canadian Regulations:			
WHMIS Classification	:	D2A	
DSL		All of the components of this product are listed on the Canadian Inventories or are exempt. However, at least one component of this product is on the Canadian Non-Domestic Substances List (NDSL) Quantity use in Canada is restricted by regulations.	
National Inventories:			
Australia AICS	:	Listed.	
China IECS	:	Listed.	
Europe EINECS	:	Not determined.	
Japan ENCS	:	Not determined.	
Korea KECI	:	Listed.	
Philippines PICCS	:	Listed.	
		16. OTHER INFORMATION	



MATERIAL SAFETY DATA SHEET

RED

Version Number 1.0 Revision Date 12/02/2002 Page 6 of 6 Print Date 11/7/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.