

MATERIAL SAFETY DATA SHEET

# PG 27316 GN PE

Version Number 1.0 Revision Date 11/27/2002 Page 1 of 6 Print Date 11/7/2011

# 1. PRODUCT AND COMPANY IDENTIFICATION

### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PG 27316 GN PE
Product code	:	CC10027316
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

## POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

# PG 27316 GN PE

Version Number 1.0 Page 2 of 6 Revision Date 11/27/2002 Print Date 11/7/2011 **4. FIRST AID MEASURES** Inhalation Move to fresh air in case of accidental inhalation of fumes from ÷ overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice. Ingestion Do not induce vomiting without medical advice. When symptoms : persist or in all cases of doubt seek medical advice. Eyes Rinse immediately with plenty of water, also under the eyelids, for at : least 15 minutes. If eye irritation persists, seek medical attention. Skin Wash off with soap and plenty of water. If skin irritation persists seek : medical attention. **5. FIRE-FIGHTING MEASURES** Flash point Not applicable : Flammable Limits Upper explosion limit Not applicable : Lower explosion limit Not applicable : Autoignition temperature Not relevant : Carbon dioxide blanket, Water spray, dry powder, foam. Suitable extinguishing media : Special Fire Fighting Fullface self-contained breathing apparatus (SCBA) used in positive : Procedures pressure mode should be worn to prevent inhalation of airborne contaminants. Unusual Fire/Explosion None · Hazards 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. Environmental precautions Should not be released into the environment. The product should not : be allowed to enter drains, water courses or the soil. Clean up promptly by sweeping or vacuum. Package all material in Methods for cleaning up : plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods. 7. HANDLING AND STORAGE Handling Take measures to prevent the build up of electrostatic charge. Heat : only in areas with appropriate exhaust ventilation. Storage Keep containers dry and tightly closed to avoid moisture absorption •



MATERIAL SAFETY DATA SHEET

# PG 27316 GN PE

ision Date 11/27/2002				Print	Page 3 Date 11/7/2
	ar	nd contamination. Keep i	n a dry, cool plac	ce.	
8. EX	XPOSURE	CONTROLS / PERSON	VAL PROTECT	ION	
Respiratory protection	: N	o personal respiratory pro	otective equipment	nt normally 1	required.
Eye/Face Protection	: Safety glasses with side-shields.				
Hand protection	: Protective gloves.				
Skin and body protection	: Long sleeved clothing.				
Additional Protective Measures	: Safety shoes.				
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)					
Components	Value	Exposure time		ure type	List:
Titanium dioxide	10 mg/m3	Exposure time Time Weighted Averag (TWA):	ge D	ust.	ACGIH
Titanium dioxide		Time Weighted Average	ge D		ACGIH
Titanium dioxide Titanium dioxide	10 mg/m3 15 mg/m3	Time Weighted Average (TWA):	ge Di Tota	ust.	ACGIH
Titanium dioxide Titanium dioxide Form Appearance	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle	Time Weighted Avera (TWA): PEL: CAL AND CHEMICAL	ge Di Tota PROPERTIES vaporation rate pecific Gravity	ust. l dust. : Not : Not	ACGIH OSHA Z1 applicable. determined
Titanium dioxide Titanium dioxide Form Appearance Color Odor	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : GRE : Very	Time Weighted Averag (TWA): PEL: CAL AND CHEMICAL ts SI EN B faint V	ge Di Tota PROPERTIES vaporation rate pecific Gravity ulk density apor pressure	ust. I dust. : Not : Not : Not : Not : Not	ACGIH OSHA Z1 applicable. determined established applicable
Titanium dioxide Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : GRE : Very : Not c	Time Weighted Averag (TWA): PEL: CAL AND CHEMICAL ts SI EN B faint V letermined V	ge Di Tota PROPERTIES vaporation rate pecific Gravity ulk density apor pressure apor density	ust. I dust. : Not : Not : Not : Not : Not : Not	ACGIH OSHA Z1 applicable. determined established applicable applicable
Titanium dioxide Titanium dioxide Form Appearance Color Odor	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : GRE : Very : Not c	Time Weighted Averag (TWA): PEL: CAL AND CHEMICAL ts SJ EN B faint V letermined V upplicable pl	ge Di Tota PROPERTIES vaporation rate pecific Gravity ulk density apor pressure apor density	ust. I dust. : Not : Not : Not : Not : Not : Not	ACGIH OSHA ZI applicable. determined established applicable
Titanium dioxide Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : GRE : Very : Not c : Not a : Insol	Time Weighted Averag (TWA): PEL: CAL AND CHEMICAL ts SJ EN B faint V letermined V upplicable pl	ge Di Tota PROPERTIES vaporation rate pecific Gravity ulk density apor pressure apor density H	ust. I dust. : Not : Not : Not : Not : Not : Not	ACGIH OSHA Z1 applicable. determined established applicable applicable
Titanium dioxide Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : GRE : Very : Not c : Insol 10. S	Time Weighted Avera (TWA): PEL: CAL AND CHEMICAL L E ts SI EN B faint V letermined V upplicable pl uble	ge Di Tota PROPERTIES vaporation rate pecific Gravity ulk density apor pressure apor density H	ust. I dust. : Not : Not : Not : Not : Not : Not	ACGIH OSHA ZI applicable. determined established applicable applicable
Titanium dioxide Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : GRE : Very : Not c : Not a : Insol 10. S	Time Weighted Averag (TWA): PEL: CAL AND CHEMICAL ts SI EN B faint V letermined V upplicable pl uble TABILITY AND REAC	ge Di Tota PROPERTIES vaporation rate pecific Gravity ulk density apor pressure apor density H	ust. I dust. : Not : Not : Not : Not : Not : Not	ACGIH OSHA Z1 applicable. determined established applicable applicable
Titanium dioxide Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : GRE : Very : Not a : Insol 10. S : St : W : W : K	Time Weighted Averag (TWA): PEL: CAL AND CHEMICAL L E- ts SJ EN B faint V letermined V upplicable pl uble TABILITY AND REAC table.	ge Di Tota PROPERTIES vaporation rate pecific Gravity ulk density apor pressure apor density H	ust. I dust. : Not : Not : Not : Not : Not	ACGIH OSHA Z1 applicable. determined established applicable applicable



MATERIAL SAFETY DATA SHEET

# PG 27316 GN PE

Version Number 1.0 Revision Date 11/27/2002 Page 4 of 6 Print Date 11/7/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

## 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

	12. ECOLOGIO	CAL INFORMATION	<u> </u>			
Persistence and degrada	bility : Not readily b	iodegradable.				
Environmental Toxicity		: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Bioaccumulation Potent		: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Additional advice	: No data avail	able.				
	13. DISPOSAL	CONSIDERATIONS	9			
Product Contaminated packaging	generator of v classification applicable fee g : Recycling is p has the respon and disposal	<ul> <li>Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.</li> <li>Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.</li> </ul>				
	14. TRANSPO	<b>RT INFORMATION</b>				
U.S. DOT Classification	Refer to spec	: Refer to specific regulation.				
ICAO/IATA	: Refer to spec	: Refer to specific regulation.				
IMO / IMDG	: Refer to spec	ific regulation.				
	15. REGULATO	DRY INFORMATION	N			

### MATERIAL SAFETY DATA SHEET



# PG 27316 GN PE Page 5 of 6 Version Number 1.0 Print Date 11/7/2011 Revision Date 11/27/2002 US Regulations: **OSHA Status** : Classified as hazardous based on components. **TSCA Status** All components of this product are listed on or exempt from the TSCA : Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable California Proposition : This product does not contain a substance listed by California Prop 65. 65 Canadian Regulations: WHMIS Classification : D2B DSL All components of this product are on the Canadian Domestic : Substances List (DSL) or are exempt. National Inventories: Australia AICS : Listed. China IECS Listed. ٠ **Europe EINECS** Not determined. Japan ENCS Not determined. : Korea KECI Listed. : **Philippines PICCS** : Listed.

## **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

MATERIAL SAFETY DATA SHEET

# PG 27316 GN PE

Version Number 1.0 Revision Date 11/27/2002



Page 6 of 6 Print Date 11/7/2011