

MATERIAL SAFETY DATA SHEET

PG 27343 BU ABS

Version Number 1.0 Revision Date 12/10/2002 Page 1 of 5 Print Date 11/7/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE		Product Stewardship (770) 271-5902	
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).	
Product name	:	PG 27343 BU ABS	
Product code	:	CC10027343	
Chemical Name	:	Mixture	
CAS-No.	:	Mixture	
Product Use	:	Industrial Applications	

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure Medical Conditions	Refer to Section 11 for Toxicological Information.None known.
Aggravated by Exposure:	



MATERIAL SAFETY DATA SHEET

PG 27343 BU ABS

Version Number 1.0 Page 2 of 5 Revision Date 12/10/2002 Print Date 11/7/2011 **4. FIRST AID MEASURES** Inhalation Move to fresh air in case of accidental inhalation of fumes from ÷ overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice. Ingestion Do not induce vomiting without medical advice. When symptoms : persist or in all cases of doubt seek medical advice. Eyes Rinse immediately with plenty of water, also under the eyelids, for at : least 15 minutes. If eye irritation persists, seek medical attention. Skin Wash off with soap and plenty of water. If skin irritation persists seek : medical attention. **5. FIRE-FIGHTING MEASURES** Flash point Not applicable : Flammable Limits Upper explosion limit Not applicable : Lower explosion limit Not applicable : Autoignition temperature Not relevant : Carbon dioxide blanket, Water spray, dry powder, foam. Suitable extinguishing media : Special Fire Fighting Fullface self-contained breathing apparatus (SCBA) used in positive : Procedures pressure mode should be worn to prevent inhalation of airborne contaminants. Unusual Fire/Explosion None · Hazards 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. Environmental precautions Should not be released into the environment. The product should not : be allowed to enter drains, water courses or the soil. Clean up promptly by sweeping or vacuum. Package all material in Methods for cleaning up : plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods. 7. HANDLING AND STORAGE Handling Take measures to prevent the build up of electrostatic charge. Heat : only in areas with appropriate exhaust ventilation. Storage Keep containers dry and tightly closed to avoid moisture absorption •



MATERIAL SAFETY DATA SHEET

PG 27343 BU ABS

rsion Number 1.0 vision Date 12/10/2002		Page 3 of Print Date 11/7/201		
	and contamination. Ke	and contamination. Keep in a dry, cool place.		
8. EXF	OSURE CONTROLS / PER	SONAL PROTECTION		
Respiratory protection	: No personal respirator	y protective equipment normally required.		
Eye/Face Protection	: Safety glasses with sid	e-shields.		
Hand protection	: Protective gloves.			
Skin and body protection	: Long sleeved clothing.			
Additional Protective Measures	: Safety shoes.			
General Hygiene Considerations		with good industrial hygiene and safety practice. eaks and at the end of workday.		
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)				
	as components above regulator			
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	 Solid Pellets BLUE Very faint Not determined Not applicable Insoluble 	Evaporation rate:Not applicable.Specific Gravity:Not determinedBulk density:Not establishedVapor pressure:Not applicableVapor density:Not applicablepH:Not applicable		
	10. STABILITY AND R	EACTIVITY		
Stability	: Stable.			
Hazardous Polymerization	: Will not occur.			
Conditions to avoid	: Keep away from oxidiz decomposition, do not	zing agents and open flame. To avoid thermal overheat.		
Incompatible Materials	: Incompatible with stro	ng acids and oxidizing agents.		
meompatible Materials	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.			
Hazardous decomposition products				



MATERIAL SAFETY DATA SHEET

PG 27343 BU ABS

Version Number 1.0 Revision Date 12/10/2002 Page 4 of 5 Print Date 11/7/2011

There are no known hazardous components above regulatory thresholds in this product.

12. ECOLOGICAL INFORMATION					
Persistence and degradability	: Not readily biodegradable.				
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.	:			
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.	:			
Additional advice	: No data available.				
	13. DISPOSAL CONSIDERATIONS				
Product	: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.	i			
14. TRANSPORT INFORMATION					
U.S. DOT Classification	: Refer to specific regulation.				
ICAO/IATA	Refer to specific regulation.				
IMO / IMDG	: Refer to specific regulation.				
	15. REGULATORY INFORMATION				
US Regulations:					
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.				
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.	L			
US. EPA CERCLA Hazardous	Substances (40 CFR 302)				
Not applicable					



MATERIAL SAFETY DATA SHEET

PG 27343 BU ABS

Version Number 1.0		Page 5 of 5						
Revision Date 12/10/2002		Print Date 11/7/2011						
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.						
Canadian Regulations:								
WHMIS Classification	:	Not controlled.						
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.						
National Inventories:								
Australia AICS	:	Listed.						
China IECS	:	Listed.						
Europe EINECS	:	Not determined.						
Japan ENCS	:	Listed.						
Korea KECI	:	Listed.						
Philippines PICCS	:	Listed.						
	16. OTHER INFORMATION							

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.