

MATERIAL SAFETY DATA SHEET

GOLD GLOW

Version Number 1.0 Revision Date 12/04/2002 Page 1 of 6 Print Date 11/7/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GOLD GLOW
Product code	:	CC10027422
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Mica	12001-26-2	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

GOLD GLOW

ion Number 1.0 sion Date 12/04/2002	Page 2 Print Date 11/7/			
4. FIRST AID MEASURES				
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.			
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.			
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.			
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.			
	5. FIRE-FIGHTING MEASURES			
Flash point	: Not applicable			
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne 			
Unusual Fire/Explosion Hazards	contaminants. : None			
	6. ACCIDENTAL RELEASE MEASURES			
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.			
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.			
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 3 of this MSDS for proper disposal methods.			
	7. HANDLING AND STORAGE			
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.			
Storage	: Keep containers dry and tightly closed to avoid moisture absorption			



MATERIAL SAFETY DATA SHEET

GOLD GLOW

ion Number 1.0 sion Date 12/04/2002			Pr	Page 3 int Date <u>11/7/</u>	
	a	nd contamination. Keep in	a dry, cool place.		
8. EXPOSURE CONTROLS / PERSONAL PROTECTION					
Respiratory protection	: N	o personal respiratory pro	ective equipment normal	lly required.	
Eye/Face Protection	: S	afety glasses with side-shi	elds.		
Hand protection	: P	rotective gloves.			
Skin and body protection	: Long sleeved clothing.				
Additional Protective Measures	: Safety shoes.				
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Components Mica	Value 3 mg/m3	Exposure time Time Weighted Averag (TWA):		List: ACGIH	
		Time Weighted Averag			
Mica	3 mg/m3 20 mppcf	Time Weighted Averag (TWA):	e Total dust. Total dust.	ACGIH	
Mica	3 mg/m3 20 mppcf 9. PHYSIC : Solic	Time Weighted Averag (TWA): PEL: CAL AND CHEMICAL I	e Total dust. Total dust. PROPERTIES aporation rate : 1	ACGIH OSHA Not applicable.	
Mica Mica	3 mg/m3 20 mppcf 9. PHYSIC	Time Weighted Averag (TWA): PEL: CAL AND CHEMICAL I I Ev ts Sp	e Total dust. Total dust. PROPERTIES aporation rate : 1 ecific Gravity : 1	ACGIH OSHA	
Mica Mica Form	3 mg/m3 20 mppcf 9. PHYSIC : Solic : Pelle : PINH	Time Weighted Averag (TWA): PEL: CAL AND CHEMICAL I I Ev ts Sp K Bu	e Total dust. Total dust. PROPERTIES aporation rate : 1 ecific Gravity : 1	ACGIH OSHA Not applicable.	
Mica Mica Form Appearance	3 mg/m3 20 mppcf 9. PHYSIC : Solic : Pelle : PINI : Very	Time Weighted Averag (TWA): PEL: CAL AND CHEMICAL I t Ev ts Sp K Bu faint Va	e Total dust. Total dust. PROPERTIES aporation rate : 1 ecific Gravity : 1 lk density : 1 por pressure : 1	ACGIH OSHA Not applicable. Not determined Not established Not applicable	
Mica Mica Form Appearance Color	3 mg/m3 20 mppcf 9. PHYSIC : Solic : Pelle : PINI : Very	Time Weighted Averag (TWA): PEL: CAL AND CHEMICAL I t Ev ts Sp K Bu faint Va	e Total dust. Total dust. PROPERTIES aporation rate : 1 ecific Gravity : 1 lk density : 1 por pressure : 1	ACGIH OSHA Not applicable. Not determined Not established	
Mica Mica Form Appearance Color Odor	3 mg/m3 20 mppcf 9. PHYSIC : Solic : Pelle : PINH : Very : Not of	Time Weighted Averag (TWA): PEL: CAL AND CHEMICAL I t Ev ts Sp K Bu faint Va	e Total dust. Total dust. PROPERTIES aporation rate : 1 ecific Gravity : 1 lk density : 1 por pressure : 1 por density : 1	ACGIH OSHA Not applicable. Not determined Not established Not applicable	
Mica Mica Form Appearance Color Odor Melting point/range	3 mg/m3 20 mppcf 9. PHYSIC : Solic : Pelle : PINH : Very : Not of	Time Weighted Averag (TWA): PEL: CAL AND CHEMICAL I I Ev ts Sp K Bu faint Va determined Va applicable pH	e Total dust. Total dust. PROPERTIES aporation rate : 1 ecific Gravity : 1 lk density : 1 por pressure : 1 por density : 1	ACGIH OSHA Not applicable. Not determined Not established Not applicable Not applicable	
Mica Mica Form Appearance Color Odor Melting point/range Boiling Point:	3 mg/m3 20 mppcf 9. PHYSIC : Solic : Pelle : PINH : Very : Not a : Insol	Time Weighted Averag (TWA): PEL: CAL AND CHEMICAL I I Ev ts Sp K Bu faint Va determined Va applicable pH	e Total dust. Total dust. PROPERTIES aporation rate : 1 ecific Gravity : 1 lk density : 1 por pressure : 1 por density : 1 	ACGIH OSHA Not applicable. Not determined Not established Not applicable Not applicable	
Mica Mica Form Appearance Color Odor Melting point/range Boiling Point:	3 mg/m3 20 mppcf 9. PHYSIC : Solic : Pelle : PINH : Very : Not a : Insol 10. §	Time Weighted Averag (TWA): PEL: CAL AND CHEMICAL I I Ev ts Sp K Bu faint Va determined Va applicable pH uble	e Total dust. Total dust. PROPERTIES aporation rate : 1 ecific Gravity : 1 lk density : 1 por pressure : 1 por density : 1 	ACGIH OSHA Not applicable. Not determined Not established Not applicable Not applicable	
Mica Mica Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	3 mg/m3 20 mppcf 9. PHYSIC : Solic : Pelle : PINH : Very : Not c : Not a : Insol 10. S : S	Time Weighted Averag (TWA): PEL: CAL AND CHEMICAL I I Ev ts Sp K Bu faint Va determined Va applicable pH uble	e Total dust. Total dust. PROPERTIES aporation rate : 1 ecific Gravity : 1 lk density : 1 por pressure : 1 por density : 1 	ACGIH OSHA Not applicable. Not determined Not established Not applicable Not applicable	
Mica Mica Mica Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	3 mg/m3 20 mppcf 9. PHYSIC : Solic : Pelle : PINF : Very : Not a : Insol 10. S n : W : K	Time Weighted Averag (TWA): PEL: CAL AND CHEMICAL I I Events Sp K Bu faint Va determined Va applicable pH uble STABILITY AND REAC table.	e Total dust. Total dust. PROPERTIES aporation rate : 1 ecific Gravity : 1 lk density : 1 por pressure : 1 por density : 1 TIVITY agents and open flame. 7	ACGIH OSHA Not applicable. Not determined Not established Not applicable Not applicable	



MATERIAL SAFETY DATA SHEET

GOLD GLOW

Version Number 1.0 Revision Date 12/04/2002 Page 4 of 6 Print Date 11/7/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

12001-26-2	Mica	Systemic effects	Respiratory system.			
	12. ECOLOGI	CAL INFORMATION	N			
Persistence and degrada	bility : Not readily	biodegradable.				
Environmental Toxicity		: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Bioaccumulation Potent		: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Additional advice	: No data ava	ilable.				
	13. DISPOSAI	L CONSIDERATIONS	5			
Product Contaminated packagin	g : Recycling is has the respondent	 Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. 				
	14. TRANSPO	ORT INFORMATION				
U.S. DOT Classification	n : Refer to spe	cific regulation.				
ICAO/IATA	: Refer to spe	cific regulation.				
IMO / IMDG	: Refer to spe	cific regulation.				
	15. REGULAT	ORY INFORMATION	N			

MATERIAL SAFETY DATA SHEET



GOLD GLOW		
Version Number 1.0 Revision Date 12/04/2002		Page 5 of 6 Print Date 11/7/2011
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous S	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
Canadian Regulations:		
WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.
		16 ΟΤΠΕΡ ΙΝΕΌΡΜΑΤΙΟΝ

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

MATERIAL SAFETY DATA SHEET

GOLD GLOW

Version Number 1.0 Revision Date 12/04/2002



Page 6 of 6 Print Date 11/7/2011