

#### MATERIAL SAFETY DATA SHEET

# **BLUE PEARL**

Version Number 1.1 Revision Date 12/06/2002 Page 1 of 6 Print Date 11/7/2011

## 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

| NON-EMERGENCY<br>TELEPHONE    | : | Product Stewardship (770) 271-5902   |
|-------------------------------|---|--|
| Emergency telephone<br>number | : | CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |
| Product name                  | : | BLUE PEARL   |
| Product code                  | : | CC10027636   |
| Chemical Name                 | : | Mixture  |
| CAS-No.                       | : | Mixture  |
| Product Use                   | : | Industrial Applications  |

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

| Components       | CAS-No.    | Weight % |
|------------------|------------|----------|
| Zinc stearate    | 557-05-1   | 1 - 5    |
| Mica             | 12001-26-2 | 5 - 10   |
| Titanium dioxide | 13463-67-7 | 5 - 10   |

## **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

## POTENTIAL HEALTH EFFECTS

| Routes of Exposure:     | : Inhalation, Ingestion, Skin contact   |
|-------------------------|---|
| Acute exposure          |   |
| Inhalation<br>Ingestion | <ul><li>Resin particles, like other inert materials, can be mechanically irritating.</li><li>May be harmful if swallowed.</li></ul> |
| Eyes                    | : Resin particles, like other inert materials, are mechanically irritating to   |
| Lycs                    | eves.   |
| Skin                    | : Experience shows no unusual dermatitis hazard from routine handling.  |
| Chronic exposure        | : Refer to Section 11 for Toxicological Information.  |
|                         |   |





| ion Number 1.1<br>sion Date 12/06/2002   | Page<br>Print Date 11/7/   |
|--|--|
| Medical Conditions<br>Aggravated by Exposure:  | : None known.  |
|  | 4. FIRST AID MEASURES  |
| Inhalation   | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.   |
| Ingestion  | : Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.   |
| Eyes   | : Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.  |
| Skin   | : Wash off with soap and plenty of water. If skin irritation persists see medical attention.   |
|  | 5. FIRE-FIGHTING MEASURES  |
| Flash point  | : Not applicable   |
| Flammable Limits<br>Upper explosion limit<br>Lower explosion limit<br>Autoignition temperature<br>Suitable extinguishing media<br>Special Fire Fighting<br>Procedures<br>Unusual Fire/Explosion<br>Hazards | <ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, Water spray, dry powder, foam.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>None</li> </ul> |
|  | 6. ACCIDENTAL RELEASE MEASURES   |
| Personal precautions   | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.   |
| Environmental precautions  | : Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.   |
| Methods for cleaning up  | : Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.   |
|  | 7. HANDLING AND STORAGE  |
| Handling   | : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.  |

#### MATERIAL SAFETY DATA SHEET



| ŀ | bh | One |
|---|----|-----|
| - |    |     |

| Version Number 1.1<br>Revision Date 12/06/2002 |       | Page 3 of 6<br>Print Date 11/7/2011   |
|--|-------|---|
| Storage  | :     | Keep containers dry and tightly closed to avoid moisture absorption<br>and contamination. Keep in a dry, cool place.          |
| 8. EXF   | POSUF | RE CONTROLS / PERSONAL PROTECTION   |
| Respiratory protection                         | :     | No personal respiratory protective equipment normally required.   |
| Eye/Face Protection                            | :     | Safety glasses with side-shields.   |
| Hand protection                                | :     | Protective gloves.  |
| Skin and body protection                       | :     | Long sleeved clothing.  |
| Additional Protective<br>Measures              | :     | Safety shoes.   |
| General Hygiene<br>Considerations              | :     | Handle in accordance with good industrial hygiene and safety practice.<br>Wash hands before breaks and at the end of workday. |
| Engineering measures                           | :     | Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.                |

Exposure limit(s)

| Components       | Value    | Exposure time         | Exposure type        | List:   |
|------------------|----------|-----------------------|----------------------|---------|
| Mica             | 3 mg/m3  | Time Weighted Average | Total dust.          | ACGIH   |
|                  | _        | (TWA):                |                      |         |
| Mica             | 20 mppcf | PEL:                  | Total dust.          | OSHA    |
| Titanium dioxide | 10 mg/m3 | Time Weighted Average | Dust.                | ACGIH   |
|                  | _        | (TWA):                |                      |         |
| Titanium dioxide | 15 mg/m3 | PEL:                  | Total dust.          | OSHA Z1 |
| Zinc stearate    | 5 mg/m3  | PEL:                  | Respirable fraction. | OSHA Z1 |
|                  | 15 mg/m3 | PEL:                  | Total dust.          | OSHA Z1 |
| Zinc stearate    | 10 mg/m3 | Time Weighted Average | as stearates         | ACGIH   |
|                  | _        | (TWA):                |                      |         |

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

- Form Appearance Color Odor Melting point/range Boiling Point: Water solubility
- Solid
  Pellets
  BLUE
  Very faint
  Not determined
  Not applicable
  Insoluble
- Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH
- Not applicable.
  Not determined
  Not established
  Not applicable
  Not applicable
  Not applicable
  Not applicable

#### **10. STABILITY AND REACTIVITY**



## MATERIAL SAFETY DATA SHEET

# **BLUE PEARL**

| ision Date 12/06/2002            |       | Print Date 11/7/2  |
|----------------------------------|-------|--|
| Stability                        | :     | Stable.  |
| Hazardous Polymerization         | :     | Will not occur.  |
| Conditions to avoid              | :     | Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.                             |
| Incompatible Materials           | :     | Incompatible with strong acids and oxidizing agents.   |
| Hazardous decomposition products | :     | Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. |
|                                  | 11. ' | TOXICOLOGICAL INFORMATION  |
| This mixture has not been ave    | luoto | l as a whole for health effects. Exposure effects listed are based on exis   |

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

| CAS-No.    | Chemical Name    | Effect           | Target Organ                    |
|------------|------------------|------------------|---------------------------------|
| 557-05-1   | Zinc stearate    | Systemic effects | Eyes, Skin, Respiratory system. |
| 12001-26-2 | Mica             | Systemic effects | Respiratory system.             |
| 13463-67-7 | Titanium dioxide | Systemic effects | Respiratory system.             |

LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

| CAS-No.                  | Chemical Name                               | Route  | Value   | Species                                       |  |
|--------------------------|---|--|---|---|--|
| 557-05-1                 | Zinc stearate                               | Oral LD50  | > 10 gm/kg  | rat   |  |
|                          | 12 5001 00                                  |  |   |   |  |
|                          | 12. ECOLOG                                  | GICAL INFORMAT   | ION   |   |  |
| Persistence and degradal | oility : Not readily                        | v biodegradable.   |   |   |  |
| Environmental Toxicity   | : Chemicals of the poly                     | are not readily availab<br>mer.  | ble as they are bour  | nd within the matrix                          |  |
| Bioaccumulation Potent   |   | : Chemicals are not readily available as they are bound within the matrix of the polymer.                                      |   |   |  |
| Additional advice        | : No data av                                | ailable.   |   |   |  |
|                          | 13. DISPOSA                                 | AL CONSIDERATIO  | DNS   |   |  |
| Product                  | possible, re<br>generator c<br>classificati | thermoplastics the precycling is preferred to<br>of waste material has to<br>on, transportation and<br>federal, state/provinci | o disposal or incine<br>he responsibility f<br>disposal in accord | eration. The<br>or proper waste<br>lance with |  |



MATERIAL SAFETY DATA SHEET

| sion Number 1.1              |   |                              | Page 5  |  |  |
|------------------------------|---|------------------------------|---|--|--|
| vision Date 12/06/2002       |   |                              | Print Date 11/7/20  |  |  |
| Contaminated packaging       | has the 1<br>and disp   | responsibility for proper wa | le. The generator of waste material<br>ste classification, transportation<br>plicable federal, state/provincial |  |  |
|                              | 14. TRAN  | SPORT INFORMATION            | ١   |  |  |
| U.S. DOT Classification      | · Defer to  | specific regulation.         |   |  |  |
| ICAO/IATA                    |   |                              |   |  |  |
| IMO / IMDG                   |   | specific regulation.         |   |  |  |
|                              |   | specific regulation.         |   |  |  |
|                              | 15. REGUI   | LATORY INFORMATIO            | N   |  |  |
| US Regulations:              |   |                              |   |  |  |
| OSHA Status                  | : Classifie   | ed as hazardous based on co  | omponents.  |  |  |
| TSCA Status                  | : All components of this product are listed on or exempt from the TSCA Inventory. |                              |   |  |  |
| US. EPA CERCLA Hazardo       | us Substances (4  | 40 CFR 302)                  |   |  |  |
| Not applicable               |   |                              |   |  |  |
|                              |   |                              |   |  |  |
| California Proposition<br>65 | n : This pro  | oduct does not contain a sub | stance listed by California Prop 65.  |  |  |
| SARA Title III Section 313   | Foxic Chemicals   | ::                           |   |  |  |
| Chemical Nar                 |   | CAS-No.                      | Weight %  |  |  |
| ZINC COMP                    | OUNDS   | 557-05-1                     | 03.01   |  |  |
| Canadian Regulations:        |   |                              |   |  |  |
| WHMIS Classification         | on : D2B  |                              |   |  |  |
| WHMIS Ingredient D           | isclosure List  |                              |   |  |  |
| CAS-No.<br>12001-26-2        |   |                              |   |  |  |
|                              |   |                              |   |  |  |
|                              |   |                              |   |  |  |



#### MATERIAL SAFETY DATA SHEET

# **BLUE PEARL** Version Number 1.1 Page 6 of 6 Revision Date 12/06/2002 Print Date 11/7/2011 557-05-1 DSL All components of this product are on the Canadian Domestic : Substances List (DSL) or are exempt. National Inventories: : Listed. Australia AICS China IECS Listed. : Europe EINECS Not determined. : Japan ENCS Not determined. : Korea KECI : Listed. **Philippines PICCS** : Listed. **16. OTHER INFORMATION** The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.