

MATERIAL SAFETY DATA SHEET

HC DK VIOLET BASE MIDDLE

Version Number 1.0 Revision Date 12/13/2002 Page 1 of 6 Print Date 11/7/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	HC DK VIOLET BASE MIDDLE
Product code	:	CC10028128
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

HC DK VIOLET BASE MIDDLE

Version Number 1.0 Revision Date 12/13/2002 Page 2 of 6 Print Date 11/7/2011

	4. FIRST AID MEASURES	
Inhalation	Move to fresh air in case of accide overheating or combustion. When doubt seek medical advice.	ental inhalation of fumes from a symptoms persist or in all cases of
Ingestion	Do not induce vomiting without n persist or in all cases of doubt see	
Eyes	Rinse immediately with plenty of least 15 minutes. If eye irritation	water, also under the eyelids, for at persists, seek medical attention.
Skin	Wash off with soap and plenty of medical attention.	water. If skin irritation persists seek
	. FIRE-FIGHTING MEASURE	8
Flash point	Not applicable	
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	Not applicable Not applicable Not relevant Carbon dioxide blanket, Water sp	ray, dry powder, foam.
Special Fire Fighting Procedures	pressure mode should be worn to contaminants.	apparatus (SCBA) used in positive prevent inhalation of airborne
Unusual Fire/Explosion Hazards	None	
	CIDENTAL RELEASE MEAS	URES
Personal precautions	Wear appropriate personal protect impervious gloves, boots and cov	
Environmental precautions	Should not be released into the en be allowed to enter drains, water of	vironment. The product should not courses or the soil.
Methods for cleaning up		r vacuum. Package all material in ters for disposal. Refer to Section 13 methods.
	. HANDLING AND STORAGE	
Handling	Take measures to prevent the buil only in areas with appropriate exh	d up of electrostatic charge. Heat aust ventilation.
Storage	Keep containers dry and tightly cl	osed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

HC DK VIOLET BASE MIDDLE

Version Number 1.0 Revision Date 12/13/2002 Page 3 of 6 Print Date 11/7/2011

8. E	EXPOSURE	CONTROLS / P	ERSONAL	PROTECTION		
Respiratory protection	: N	No personal respiratory protective equipment normally required.				
Eye/Face Protection	: S	Safety glasses with side-shields.				
Hand protection	: F	Protective gloves.				
Skin and body protection	: L	Long sleeved clothing.				
Additional Protective Measures	: S	Safety shoes.				
General Hygiene Considerations		: Handle in accordance with good industrial hygiene and safety prac Wash hands before breaks and at the end of workday.				
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)						
Components	Value	Exposure time		Exposure type		List:
Titanium dioxide	10 mg/m3	*		Dust.		ACGIH
Titanium dioxide	15 mg/m3	PEL:		Total dust.		OSHA Z1
		CAL AND CHEN	ALCAL DDC	DEDTIES		
	7.1113	CAL AND CHEN	IICAL I KU			
Form	: Solie			ration rate :		applicable.
Appearance	: Pelle			ic Gravity :		determined
Color Odor		RPLE y faint	Bulk d	pressure :		established
Melting point/range		determined		density :		applicable applicable
Boiling Point:			pH	defisity .		
Water solubility	: Not applicable pH : Not applicable : Insoluble					
	10. 9	STABILITY ANI	D REACTIV	TTY		
Stability	: S	stable.				
Hazardous Polymerization	n : V	Will not occur.				
Conditions to avoid	onditions to avoid : Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.					
Incompatible Materials		n a ammatible with	strong opida	and oxidizing agen	to	



MATERIAL SAFETY DATA SHEET

HC DK VIOLET BASE MIDDLE

Version Number 1.0 Revision Date 12/13/2002 Page 4 of 6 Print Date 11/7/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

Persistence and degradabili Environmental Toxicity	ty : Not readily bi : Chemicals are	Systemic effects	Respiratory system.			
Environmental Toxicity	ty : Not readily bi : Chemicals are		I			
Persistence and degradabili Environmental Toxicity	: Chemicals are	iodegradable.				
Bioaccumulation Potential	of the polyme	: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Bioaccumulation Potential		: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Additional advice	: No data avail	: No data available.				
	13. DISPOSAL	CONSIDERATIONS				
Product Contaminated packaging	possible, recy generator of v classification, applicable fec : Recycling is p has the respon and disposal i	 Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal. State/provincial and local regulations. 				
	14. TRANSPO	RT INFORMATION				
U.S. DOT Classification	: Refer to speci	ific regulation.				
ICAO/IATA	: Refer to specific regulation.					
IMO / IMDG	: Refer to speci	: Refer to specific regulation.				
	15. REGULATO	DRY INFORMATION	N			



MATERIAL SAFETY DATA SHEET

HC DK VIOLET BASE MIDDLE

Version Number 1.0 Revision Date 12/13/2002		Page 5 of 6 Print Date <i>11/7/2011</i>				
US Regulations:						
OSHA Status	:	Classified as hazardous based on components.				
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.				
US. EPA CERCLA Hazardous S	US. EPA CERCLA Hazardous Substances (40 CFR 302)					
Not applicable						
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.				
Canadian Regulations:						
WHMIS Classification	:	D2B				
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.				
National Inventories:						
Australia AICS	:	Listed.				
China IECS	:	Listed.				
Europe EINECS	:	Not determined.				
Japan ENCS	:	Listed.				
Korea KECI	:	Listed.				
Philippines PICCS	:	Listed.				
16. OTHER INFORMATION						

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



MATERIAL SAFETY DATA SHEET

HC DK VIOLET BASE MIDDLE

Version Number 1.0 Revision Date 12/13/2002 Page 6 of 6 Print Date 11/7/2011