

MATERIAL SAFETY DATA SHEET

TAN BABY WIPES

Version Number 1.0 Revision Date 01/02/2003 Page 1 of 7 Print Date 11/7/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	TAN BABY WIPES
Product code	:	CC10028146
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Carbon black	1333-86-4	0.1 - 1
Calcium carbonate	1317-65-3	1 - 5
Rutile, antimony chromium buff	68186-90-3	5 - 10
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eves.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



MATERIAL SAFETY DATA SHEET

TAN BABY WIPES

sion Number 1.0 ision Date 01/02/2003	Page 2 Print Date 11/7/2
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	 Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat

TAN BABY WIPES





Page 3 of 7 Version Number 1.0 Revision Date 01/02/2003 Print Date 11/7/2011 only in areas with appropriate exhaust ventilation. : Keep containers dry and tightly closed to avoid moisture absorption Storage and contamination. Keep in a dry, cool place. 8. EXPOSURE CONTROLS / PERSONAL PROTECTION : No personal respiratory protective equipment normally required. Respiratory protection Eye/Face Protection Safety glasses with side-shields. : Hand protection : Protective gloves. Skin and body protection : Long sleeved clothing. Additional Protective Safety shoes. : Measures General Hygiene Handle in accordance with good industrial hygiene and safety practice. : Considerations Wash hands before breaks and at the end of workday. : Heat only in areas with appropriate exhaust ventilation. Provide Engineering measures

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	10 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH
Calcium carbonate	5 mg/m3	PEL:	Respirable dust.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
Carbon black	3.5 mg/m3	Time Weighted Average (TWA):	Total dust. as carbon black	ACGIH
Carbon black	3.5 mg/m3	PEL:	Total dust. as carbon black	OSHA Z1
Rutile, antimony chromium buff	0.5 mg/m3	PEL:	Total dust. as Cr	OSHA Z1
Rutile, antimony chromium buff	1 mg/m3	PEL:	as Cr	OSHA Z1
Rutile, antimony chromium buff	0.5 mg/m3	PEL:	as Sb	OSHA Z1
Rutile, antimony chromium buff	0.5 mg/m3	Time Weighted Average (TWA):	as Cr	ACGIH
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):	Dust.	ACGIH
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z1

appropriate exhaust ventilation at machinery.

9. PHYSICAL AND CHEMICAL PROPERTIES

MATERIAL SAFETY DATA SHEET

TAN BABY WIPES

Version Number 1.0 Revision Date 01/02/2003			Page 4 of 7 Print Date 11/7/2011		
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	 Solid Pellets TAN Very faint Not determined Not applicable Insoluble 	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH	Not establishedNot applicable		
Stability	10. STABILITY AN	D REACTIVITY			
Hazardous Polymerization	: Will not occur.				
Conditions to avoid	: Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.				
Incompatible Materials	: Incompatible with strong acids and oxidizing agents.				
Hazardous decomposition products		CO2), carbon monoxide (CO rdous materials, and smoke			

vOne.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.
68186-90-3	Rutile, antimony	Irritant	Eyes, Skin.
	chromium buff		
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1333-86-4	Carbon black	Oral LD50	>15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit

Carcinogenicity:

This product contains the following components which in their pure form have the following carcinogenicity data:

CAS-No. Chemical Name OSHA IARC NTP



MATERIAL SAFETY DATA SHEET

TAN BABY WIPES

						Print Dat	Page : te 11/7/
1333-86-4 Carbon	n black		no		2B		no
IARC Carcinogen Classificatio							
1 - The component is carcinoge							
2A - The component is probable2B - The component is possible							
2D - The component is possion.	y carenic	genne to numan	.5.				
NTP Carcinogen Classification	ns:						
1 - The component is known to	be a hu	man carcinogen					
2 - The component is reasonable	ly anticip	pated to be a hur	man carcinogen	l .			
exposure. However, the IAR "There is sufficient evidence this evaluation, along with th overall evaluation is that "Ca has not been listed as a carcin and Health Administration (O criteria document on carbon hydrocarbon) levels greater t	in exper eir evalu arbon Bl togen by OSHA). black re	imental anima iation of inaded ack is possibly the National T The National I ecommends tha	ls for the carci quate evidence carcinogenic t oxicology Prog Institute of Oc t only carbon	nogenie of care o huma gram (N cupatio black w	city of can cinogenic ons (Grou NTP) or th onal Safet vith PAH	rbon blac ity in hur ip 2B). (he Occup y and He	ck''. Bas mans, IA Carbon H pational S calth (NI
Rutile, antimony chromium b Symptoms may include reduc	buff 68 ess and l	3186-90-3 Can ourning of skin	, and other ski				
Rutile, antimony chromium b Symptoms may include reduc	buff 68 ess and b timony	3186-90-3 Can ourning of skin	, and other ski pimply rash).	n dama			
Additional Health Hazard In Rutile, antimony chromium b Symptoms may include reduc skin contact may include: an Persistence and degradability	buff 68 ess and l ntimony 12. E	8186-90-3 Can ourning of skin measles (a red,	, and other ski pimply rash). INFORMATI	n dama			
Rutile, antimony chromium b Symptoms may include reduces skin contact may include: an Persistence and degradability	buff 68 ess and b atimony <u>12. E</u> : No : Ch	bil86-90-3 Can ourning of skin measles (a red, COLOGICAL	, and other ski pimply rash). INFORMATI gradable.	n dama <u>ON</u>	nge. Add	itional sy	mptoms
Rutile, antimony chromium h Symptoms may include reduc skin contact may include: an Persistence and degradability Environmental Toxicity	buff 68 ess and l atimony : 12. E : No : Ch of : Ch	BI86-90-3 Can burning of skin measles (a red, COLOGICAL ot readily biodeg memicals are not	, and other ski pimply rash). INFORMATI gradable. readily availab	on dama	nge. Add	itional sy	the matr
Rutile, antimony chromium h Symptoms may include reduc skin contact may include: an Persistence and degradability Environmental Toxicity Bioaccumulation Potential	itimony : 12. E : No : Ch of : Ch of	COLOGICAL ot readily biodeg nemicals are not the polymer.	, and other ski pimply rash). INFORMATI gradable. readily availab readily availab	on dama	nge. Add	itional sy	the matr
Rutile, antimony chromium k Symptoms may include redno skin contact may include: an	buff 68 ess and b atimony = 12. E : No : Ch of : Ch of : Ch of	COLOGICAL ot readily biodeg nemicals are not the polymer.	, and other ski pimply rash). INFORMATI gradable. readily availab readily availab	n dama	nge. Add	itional sy	the matr
Rutile, antimony chromium h Symptoms may include reduc skin contact may include: an Persistence and degradability Environmental Toxicity Bioaccumulation Potential	itimony : 12. E 12. E : No : Ch of : Ch of : Ch of : No 13. D ; Li po ge cla	TREADED CONTINUES OF SET UP: TREADED CONTINUES OF SET UP: TREADED CONTINUES OF SET UP:	, and other ski pimply rash). INFORMATI gradable. readily availab readily availab NSIDERATIO plastics the prog is preferred to material has the sportation and	In dama	n be recycal or incin nsibility f	nd within nd within nd within cled. Wh eration. for proper dance wit	the matr the matr the matr ere The waste



MATERIAL SAFETY DATA SHEET

TAN BABY WIPES

Version Number 1.0 Revision Date 01/02/2003			Page 6 of 7 Print Date 11/7/2011			
and local regulations.						
	14. TRANSPORT	INFORMATION				
U.S. DOT Classification	: Refer to specific	regulation.				
ICAO/IATA	: Refer to specific	regulation.				
IMO / IMDG	IMO / IMDG: Refer to specific regulation.					
	15. REGULATORY	Y INFORMATION	N			
US Regulations:						
OSHA Status	: Classified as haz	ardous based on con	mponents.			
TSCA Status	: All components Inventory.	of this product are l	isted on or exempt from the TSCA			
US. EPA CERCLA Hazardous Su	ubstances (40 CFR 3	02)				
Not applicable						
California Proposition 65						
SARA Title III Section 313 Toxic	chemicals:					
Chemical Name CHROMIUM III O ANTIMONY COM		CAS-No. 68186-90-3	Weight % 07.78			
Canadian Regulations:						
WHMIS Classification	: D2A					
WHMIS Ingredient Disclo	sure List					
CAS-No. 68186-90-3]					
DSL		of this product are o DSL) or are exemp	on the Canadian Domestic t.			



MATERIAL SAFETY DATA SHEET

TAN BABY WIPES

Version Number 1.0 Revision Date 01/02/2003		Page 7 of 7 Print Date <i>11/7/2011</i>
National Inventories:		
Australia AICS	: Listed.	
China IECS	: Listed.	
Europe EINECS	: Not determined.	
Japan ENCS	: Not determined.	
Korea KECI	: Listed.	
Philippines PICCS	: Listed.	
	16. OTHER INFORMATION	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.