

MATERIAL SAFETY DATA SHEET

POTTERY VW GREEN 366 ROTO LLDPE

Version Number 1.0 Revision Date 12/16/2002 Page 1 of 6 Print Date 11/7/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	POTTERY VW GREEN 366 ROTO LLDPE
Product code	:	CC10028248
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Zinc stearate	557-05-1	10 - 30
Titanium dioxide	13463-67-7	60 - 100

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

POTTERY VW GREEN 366 ROTO LLDPE

Version Number 1.0 Revision Date 12/16/2002 Page 2 of 6 Print Date 11/7/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	: :	Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	none
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

POTTERY VW GREEN 366 ROTO LLDPE

Version Number 1.0 Revision Date 12/16/2002 Page 3 of 6 Print Date 11/7/2011

8. E	XPOSURE	CONTROLS / PERSONAL	PROTECTION			
Respiratory protection		: No personal respiratory protective equipment normally required. If dusty conditions occur wear appropriate respiratory protection.				
Eye/Face Protection	: Safety glasses with side-shields.					
Hand protection	: Protective gloves.					
Skin and body protection	: L	: Long sleeved clothing.				
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations		andle in accordance with good Vash hands before breaks and a		afety practice		
Engineering measures		leat only in areas with appropr ppropriate exhaust ventilation		Provide		
Exposure limit(s)						
Components	Value	Exposure time	Exposure type	List:		
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):	Dust.	ACGIH		
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z1		
	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1		
Zinc stearate				OCTI 171		
	15 mg/m3	PEL:	Total dust.	OSHA Z1		
Zinc stearate Zinc stearate			Total dust. as stearates	ACGIH		
	15 mg/m3 10 mg/m3	PEL: Time Weighted Average	as stearates			
Zinc stearate	15 mg/m3 10 mg/m3	PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PRO	as stearates	ACGIH		
	15 mg/m3 10 mg/m3 9. PHYSIC : Solic : powo	PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PRO I Evapo der, granular Specif	as stearates DPERTIES ration rate : Not			
Zinc stearate Form Appearance Color	15 mg/m3 10 mg/m3 9. PHYSIC : Solic : powo : GRE	PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PRO I Evapo I Evapo Jer, granular Specif EN Bulk d	as stearates DPERTIES ration rate : Not ïc Gravity : Not lensity : Not	ACGIH applicable. applicable. determined		
Zinc stearate Form Appearance Color Odor	15 mg/m3 10 mg/m3 9. PHYSIC : Solic : powo : GRE : Very	PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PRO ter, granular Specif EN Bulk d faint Vapor	as stearates DPERTIES ration rate : Not ic Gravity : Not lensity : Not pressure : Not	ACGIH applicable. applicable. determined applicable		
Zinc stearate Form Appearance Color Odor Melting point/range	15 mg/m3 10 mg/m3 9. PHYSIC : Solic : powo : GRE : Very : Not o	PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PR(Exapo der, granular Specif EN Bulk d faint Vapor determined Vapor	as stearates DPERTIES ration rate : Not ic Gravity : Not lensity : Not pressure : Not density : Not	ACGIH applicable. applicable. determined applicable applicable		
Zinc stearate Form Appearance Color Odor Melting point/range Boiling Point:	15 mg/m3 10 mg/m3 9. PHYSIC : Solic : powo : GRE : Very : Not o : Not a	PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PRO der, granular Specif EN Bulk d faint Vapor determined Vapor applicable pH	as stearates DPERTIES ration rate : Not ic Gravity : Not lensity : Not pressure : Not density : Not	ACGIH applicable. applicable. determined applicable		
Zinc stearate Form Appearance Color Odor Melting point/range	15 mg/m3 10 mg/m3 9. PHYSIC : Solic : powe : GRE : Very : Not e : Not e : Insol	PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PRO I Evapo der, granular Specif EN Bulk d faint Vapor determined Vapor applicable pH uble	as stearates DPERTIES ration rate : Not ïc Gravity : Not lensity : Not pressure : Not density : Not : Not	ACGIH applicable. applicable. determined applicable applicable		
Zinc stearate Form Appearance Color Odor Melting point/range Boiling Point:	15 mg/m3 10 mg/m3 9. PHYSIC : Solic : powe : GRE : Very : Not e : Not e : Insol	PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PRO der, granular Specif EN Bulk d faint Vapor determined Vapor applicable pH	as stearates DPERTIES ration rate : Not ïc Gravity : Not lensity : Not pressure : Not density : Not : Not	ACGIH applicable. applicable. determined applicable applicable		
Zinc stearate Form Appearance Color Odor Melting point/range Boiling Point:	15 mg/m3 10 mg/m3 9. PHYSIC : Solic : powo : GRE : Very : Not o : Insol 10. S	PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PRO I Evapo der, granular Specif EN Bulk d faint Vapor determined Vapor applicable pH uble	as stearates DPERTIES ration rate : Not ïc Gravity : Not lensity : Not pressure : Not density : Not : Not	ACGIH applicable. applicable. determined applicable applicable		
Zinc stearate Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	15 mg/m3 10 mg/m3 9. PHYSIC : Solic : powe : GRE : Very : Not e : Not a : Insol 10. S : S	PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PRO Mer, granular Specifient EN Bulk der faint Vapor determined Vapor applicable pH uble	as stearates DPERTIES ration rate : Not ïc Gravity : Not lensity : Not pressure : Not density : Not : Not	ACGIH applicable. applicable. determined applicable applicable		



MATERIAL SAFETY DATA SHEET

POTTERY VW GREEN 366 ROTO LLDPE

Version Number 1.0 Revision Date 12/16/2002		Page 4 of 6 Print Date 11/7/2011
Conditions to avoid	:	To avoid thermal decomposition, do not overheat. Keep away from oxidizing agents and open flame.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
557-05-1	Zinc stearate	Systemic effects	Eyes, Skin, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
557-05-1	Zinc stearate	Oral LD50	> 10 gm/kg	rat

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Adverse ecological impact is not known or expected under normal use.
Bioaccumulation Potential	: Not inherently biodegradable.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION



MATERIAL SAFETY DATA SHEET

POTTERY VW GREEN 366 ROTO LLDPE

				Print	Page 5 of Date <u>11/7/20</u> 7
U.S. DOT Classification	: N	ot regulated for	transportation.		
ICAO/IATA	: N	ot regulated for	transportation.		
IMO / IMDG	: N	ot regulated for	transportation.		
	15 D	ECHLATOD	Y INFORMATIO		
	15. N	EGULAIUN			
US Regulations:					
OSHA Status	: C	lassified as haz	ardous based on c	components.	
TSCA Status		All components aventory.	of this product are	e listed on or exempt f	rom the TSCA
US. EPA CERCLA Hazardous	s Substai	nces (40 CFR 3	02)		
Not applicable					
	· Cl				
SARA Title III Section 313 To	oxic Che	micals:			
		micals:	CAS No	Weight %	-
SARA Title III Section 313 To Chemical Name ZINC COMPO	e		CAS-No. 557-05-1	Weight % 18.96	
Chemical Name	e				
Chemical Name ZINC COMPO	e UNDS	2B			
Chemical Name ZINC COMPO Canadian Regulations: WHMIS Classification	e <u>UNDS</u>	2B			
Chemical Name ZINC COMPO Canadian Regulations: WHMIS Classification WHMIS Ingredient Dis CAS-No.	e <u>UNDS</u>	2B			
Chemical Name ZINC COMPO Canadian Regulations: WHMIS Classification WHMIS Ingredient Dis	e <u>UNDS</u>	2B			
Chemical Name ZINC COMPO Canadian Regulations: WHMIS Classification WHMIS Ingredient Dis CAS-No.	e UNDS : D sclosure : A	2B List All components	557-05-1	18.96 e on the Canadian Do	mestic
Chemical Name ZINC COMPO Canadian Regulations: WHMIS Classification WHMIS Ingredient Dis CAS-No. 557-05-1	e UNDS : D sclosure : A	2B List All components	557-05-1 of this product ar	18.96 e on the Canadian Do	mestic
Chemical Name ZINC COMPO Canadian Regulations: WHMIS Classification WHMIS Ingredient Dis CAS-No. 557-05-1 DSL	e UNDS	2B List All components	557-05-1 of this product ar	18.96 e on the Canadian Do	mestic



MATERIAL SAFETY DATA SHEET

POTTERY VW GREEN 366 ROTO LLDPE

Version Number 1.0 Revision Date 12/16/2002 Page 6 of 6 Print Date 11/7/2011

Europe EINECS	:	Listed.
Japan ENCS	:	Listed.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.