

MATERIAL SAFETY DATA SHEET

PURPLE CAP

Version Number 1.0 Revision Date 12/23/2002 Page 1 of 6 Print Date 11/7/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

| NON-EMERGENCY TELEPHONE | : | Product Stewardship (770) 271-5902 |
|-------------------------------|---|--|
| Emergency telephone number | : | CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |
| Product name | : | PURPLE CAP |
| Product code | : | CC10028587 |
| Chemical Name | : | Mixture |
| CAS-No. | : | Mixture |
| Product Use | : | Industrial Applications |

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

| Components | CAS-No. | Weight % |
|------------------|------------|----------|
| Titanium dioxide | 13463-67-7 | 1 - 5 |

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

| Routes of Exposure: | : Inhalation, Ingestion, Skin contact | | |
|---|---|--|--|
| Acute exposure | | | |
| Inhalation Ingestion Eyes | Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. | | |
| Skin | : Experience shows no unusual dermatitis hazard from routine handling. | | |
| Chronic exposure | : Refer to Section 11 for Toxicological Information. | | |
| Medical Conditions Aggravated by Exposure: | : None known. | | |



MATERIAL SAFETY DATA SHEET

PURPLE CAP

| ion Number 1.0 sion Date 12/23/2002 | Page 2 Print Date 11/7/2 |
|--|--|
| | 4. FIRST AID MEASURES |
| | |
| Inhalation | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice. |
| Ingestion | : Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice. |
| Eyes | : Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention. |
| Skin | : Wash off with soap and plenty of water. If skin irritation persists see medical attention. |
| | 5. FIRE-FIGHTING MEASURES |
| Flash point | : Not applicable |
| - | |
| Flammable Limits | |
| Upper explosion limit | : Not applicable |
| Lower explosion limit | : Not applicable |
| Autoignition temperature | : Not relevant |
| Suitable extinguishing media | : Carbon dioxide blanket, Water spray, dry powder, foam. |
| Special Fire Fighting | : Fullface self-contained breathing apparatus (SCBA) used in positive |
| Procedures | pressure mode should be worn to prevent inhalation of airborne |
| Tiocedures | contaminants. |
| Unusual Fire/Explosion Hazards | : None |
| | 6. ACCIDENTAL RELEASE MEASURES |
| Personal precautions | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. |
| Environmental precautions | : Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil. |
| Methods for cleaning up | : Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods. |
| | 7. HANDLING AND STORAGE |
| Handling | : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. |
| Storage | : Keep containers dry and tightly closed to avoid moisture absorption |



MATERIAL SAFETY DATA SHEET

PURPLE CAP

| | | | | PIN | Date 11/7/ |
|---|---|--|---|--|---|
| | a | nd contamination. Keep | in a dry | y, cool place. | |
| 8. H | EXPOSURE | CONTROLS / PERSO | NAL P | ROTECTION | |
| Respiratory protection | : No personal respiratory protective equipment normally required. | | | | |
| Eye/Face Protection | : S | : Safety glasses with side-shields. | | | |
| Hand protection | : P | : Protective gloves. | | | |
| Skin and body protection | : L | ong sleeved clothing. | | | |
| Additional Protective Measures | : Safety shoes. | | | | |
| General Hygiene Considerations | : Handle in accordance with good industrial hygiene and safety practice Wash hands before breaks and at the end of workday. | | | | |
| Engineering measures | | leat only in areas with app ppropriate exhaust ventila | | | Provide |
| Components | Value | Exposure time | | Exposure type | List: |
| Titanium dioxide | 10 mg/m3 | Time Weighted Avera (TWA): | ige | Dust. | ACGIH |
| Titanium dioxide | 15 mg/m3 | PEL: | | Total dust. | OSHA Z |
| | | | | | |
| | 9. PHYSIC | CAL AND CHEMICAL | PROP | PERTIES | |
| | | | | | tannlicable |
| Form | : Solic | l E | vapora | tion rate : Not | t applicable. |
| Form Appearance | : Solic : Pelle | t E sts S | vapora pecific | tion rate : Not Gravity : Not | t determined |
| Form Appearance Color | : Solic : Pelle : PUR | l E ets S PLE B | vapora pecific sulk der | tion rate : Not Gravity : Not nsity : Not | t determined t established |
| Form Appearance Color Odor | : Solic : Pelle : PUR : Very | l E ets S PLE B gint V | Evapora pecific Bulk der Vapor p | tion rate : Not Gravity : Not nsity : Not ressure : Not | t determined t established t applicable |
| Form Appearance Color Odor Melting point/range | : Solic : Pelle : PUR : Very : Not o | l E ets S PLE B v faint V determined V | vapora pecific sulk der | tion rate : Not Gravity : Not nsity : Not ressure : Not ensity : Not | t determined t established |
| Form Appearance Color Odor | : Solic : Pelle : PUR : Very : Not o | l E ets S PLE B faint V determined V applicable p | Evapora pecific Bulk der Vapor pr Vapor de | tion rate : Not Gravity : Not nsity : Not ressure : Not ensity : Not | t determined t established t applicable t applicable |
| Form Appearance Color Odor Melting point/range Boiling Point: | : Solic : Pelle : PUR : Very : Not : Not : Insol | l E ets S PLE B faint V determined V applicable p | Evapora pecific Sulk der Vapor pr Vapor de H | tion rate : Not Gravity : Not nsity : Not ressure : Not ensity : Not : Not | t determined t established t applicable t applicable |
| Form Appearance Color Odor Melting point/range Boiling Point: | : Solic : Pelle : PUR : Very : Not : Not : Insol 10. § | l E ets S PLE B faint V determined V applicable p luble | Evapora pecific Sulk der Vapor pr Vapor de H | tion rate : Not Gravity : Not nsity : Not ressure : Not ensity : Not : Not | t determined t established t applicable t applicable |
| Form Appearance Color Odor Melting point/range Boiling Point: Water solubility | : Solid : Pelle : PUR : Very : Not (: Not (: Insol 10. S : S | l E ets S PLE B 7 faint V determined V applicable p uble STABILITY AND REA | Evapora pecific Sulk der Vapor pr Vapor de H | tion rate : Not Gravity : Not nsity : Not ressure : Not ensity : Not : Not | t determined t established t applicable t applicable |
| Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability | : Solia : Pelle : PUR : Very : Not a : Not a : Insol 10. § : S n : V : K | l E ets S PLE B v faint V determined V applicable p luble STABILITY AND REA table. | Evapora pecific Sulk der Vapor de H CTIVI | tion rate : Not Gravity : Not nsity : Not ressure : Not ensity : Not : Not TY | t determined t established t applicable t applicable t applicable |



MATERIAL SAFETY DATA SHEET

PURPLE CAP

Version Number 1.0 Revision Date 12/23/2002

Page 4 of 6 Print Date 11/7/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

| CAS-No. 13463-67-7 | Chemical Name Titanium dioxide | Effect Systemic effects | Target OrganRespiratory system. | | | | |
|--|-----------------------------------|--|---------------------------------|--|--|--|--|
| 15105 07 7 | | Systemic cricets | respiratory system. | | | | |
| | 12. ECOLOGIO | CAL INFORMATION | | | | | |
| Persistence and degrada | bility : Not readily bi | iodegradable. | | | | | |
| Environmental Toxicity | | : Chemicals are not readily available as they are bound within the matrix of the polymer. | | | | | |
| Bioaccumulation Potent | | : Chemicals are not readily available as they are bound within the matrix of the polymer. | | | | | |
| Additional advice | : No data avail | able. | | | | | |
| | 13. DISPOSAL | CONSIDERATIONS | 9 | | | | |
| Contaminated packaging : Recyc has th and di | | e most thermoplastics the product can be recycled. Where sible, recycling is preferred to disposal or incineration. The erator of waste material has the responsibility for proper waste stification, transportation and disposal in accordance with licable federal, state/provincial and local regulations. cycling is preferred when possible. The generator of waste material the responsibility for proper waste classification, transportation disposal in accordance with applicable federal, state/provincial local regulations. | | | | | |
| | 14. TRANSPO | RT INFORMATION | | | | | |
| U.S. DOT Classification | n : Refer to speci | ific regulation. | | | | | |
| ICAO/IATA | : Refer to speci | : Refer to specific regulation. | | | | | |
| IMO / IMDG | : Refer to speci | ific regulation. | | | | | |
| | 15. REGULATO | ORY INFORMATION | N | | | | |
| | | | | | | | |
| | | | | | | | |

4/6

MATERIAL SAFETY DATA SHEET



| PURPLE CAP | | | | |
|--|--------------------------------|-----------------------|-------------------------------------|--|
| Version Number 1.0 Revision Date 12/23/2002 | | | Page 5 o Print Date 11/7/20 | |
| US Regulations: | | | | |
| OSHA Status | : Classified as haza | rdous based on co | mponents. | |
| TSCA Status | : All components of Inventory. | of this product are l | isted on or exempt from the TSCA | |
| US. EPA CERCLA Hazardous S | ubstances (40 CFR 30 |)2) | | |
| Not applicable | | | | |
| California Proposition 65 | : This product does | not contain a subs | tance listed by California Prop 65. | |
| SARA Title III Section 313 Toxi | c Chemicals: | | | |
| Chemical Name | | CAS-No. | Weight % | |
| ZINC COMPOUN | | Proprietary | 04.79 | |
| ZINC COMPOUN | NDS | 73398-89-7 | 00.15 | |
| Canadian Regulations: | | | | |
| WHMIS Classification | : D2B | | | |
| DSL | : DSL status has n | | d. Quantity use in Canada may be | |

National Inventories:

| Australia AICS | : | Not determined. |
|-------------------|---|-----------------|
| China IECS | : | Not determined. |
| Europe EINECS | : | Not determined. |
| Japan ENCS | : | Not determined. |
| Korea KECI | : | Not determined. |
| Philippines PICCS | : | Not determined. |

16. OTHER INFORMATION

restricted by regulations.

MATERIAL SAFETY DATA SHEET



PURPLE CAP

Version Number 1.0 Revision Date 12/23/2002 Page 6 of 6 Print Date 11/7/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.