

MATERIAL SAFETY DATA SHEET

TR. LILAC

Version Number 1.0 Revision Date 01/02/2003 Page 1 of 5 Print Date 11/7/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	TR. LILAC
Product code	:	CC10028842
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eves.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

TR. LILAC

ision Date 01/02/2003	Print Date 11/7/2
	A FIDCT AID MEACUDEC
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



TR. LILAC



		Print Date 11/7
	and contaminatior	a. Keep in a dry, cool place.
8. EXP	OSURE CONTROLS /]	PERSONAL PROTECTION
Respiratory protection	: No personal respir	ratory protective equipment normally required.
Eye/Face Protection	: Safety glasses wit	h side-shields.
Hand protection	: Protective gloves.	
Skin and body protection	: Long sleeved clot	hing.
Additional Protective Measures	: Safety shoes.	
General Hygiene Considerations		nce with good industrial hygiene and safety practi e breaks and at the end of workday.
Engineering measures		with appropriate exhaust ventilation. Provide st ventilation at machinery.
Exposure limit(s)		
	PHYSICAL AND CHE	latory thresholds in this product. MICAL PROPERTIES
Form	: Solid	Evaporation rate : Not applicable
Annaaranaa	: Pellets	
Appearance		Specific Gravity : Not determined
Color	: PURPLE	Bulk density : Not established
Color Odor	: PURPLE : Very faint	Bulk density: Not establishedVapor pressure: Not applicable
Color Odor Melting point/range	PURPLEVery faintNot determined	Bulk density: Not establishedVapor pressure: Not applicableVapor density: Not applicable
Color Odor	: PURPLE : Very faint	Bulk density: Not establishedVapor pressure: Not applicable
Color Odor Melting point/range Boiling Point:	PURPLEVery faintNot determinedNot applicable	Bulk density: Not establishedVapor pressure: Not applicableVapor density: Not applicablepH: Not applicable
Color Odor Melting point/range Boiling Point:	PURPLEVery faintNot determinedNot applicableInsoluble	Bulk density: Not establishedVapor pressure: Not applicableVapor density: Not applicablepH: Not applicable
Color Odor Melting point/range Boiling Point: Water solubility	 PURPLE Very faint Not determined Not applicable Insoluble 10. STABILITY AND	Bulk density: Not establishedVapor pressure: Not applicableVapor density: Not applicablepH: Not applicable
Color Odor Melting point/range Boiling Point: Water solubility Stability	 PURPLE Very faint Not determined Not applicable Insoluble 10. STABILITY AN Stable. Will not occur. 	Bulk density : Not established Vapor pressure : Not applicable Vapor density : Not applicable pH : Not applicable DREACTIVITY
Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	 PURPLE Very faint Not determined Not applicable Insoluble 10. STABILITY AN Stable. Will not occur. Keep away from of decomposition, doe 	Bulk density : Not established Vapor pressure : Not applicable Vapor density : Not applicable pH : Not applicable DREACTIVITY
Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	 PURPLE Very faint Not determined Not applicable Insoluble 10. STABILITY AN Stable. Will not occur. Keep away from of decomposition, do Incompatible with Carbon dioxide (O) 	Bulk density : Not established Vapor pressure : Not applicable Vapor density : Not applicable pH : Not applicable D REACTIVITY oxidizing agents and open flame. To avoid therm o not overheat.





TR. LILAC

Version Number 1.0 Revision Date 01/02/2003 Page 4 of 5 Print Date 11/7/2011

There are no known hazardous components above regulatory thresholds in this product.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA	: Refer to specific regulation.
IMO / IMDG	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	





TR. LILAC Page 5 of 5 Version Number 1.0 Print Date 11/7/2011 Revision Date 01/02/2003 California Proposition : This product does not contain a substance listed by California Prop 65. 65 Canadian Regulations: WHMIS Classification : Not controlled. DSL All components of this product are on the Canadian Domestic : Substances List (DSL) or are exempt. National Inventories: Australia AICS : Not determined. China IECS : Listed. **Europe EINECS** Not determined. : Japan ENCS Not determined. : Korea KECI Not determined. · **Philippines PICCS** Not determined. :

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.