

MATERIAL SAFETY DATA SHEET

7AB97081MBUV BARNETT BLUE

Version Number 1.0 Revision Date 12/23/2002 Page 1 of 6 Print Date 11/7/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902	
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).	
Product name	:	7AB97081MBUV BARNETT BLUE	
Product code	:	CC10028891	
Chemical Name	:	Mixture	
CAS-No.	:	Mixture	
Product Use	:	Industrial Applications	

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Zinc stearate	557-05-1	1 - 5
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	Resin particles, like other inert materials, can be mechanically irritating.May be harmful if swallowed.Resin particles, like other inert materials, are mechanically irritating to
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



MATERIAL SAFETY DATA SHEET

7AB97081MBUV BARNETT BLUE

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.



MATERIAL SAFETY DATA SHEET

7AB97081MBUV BARNETT BLUE

Version Number 1.0 Revision Date 12/23/2002

Page 3 of 6 Print Date 11/7/2011

Keep containers dry and tightly closed to avoid moisture absorption Storage : and contamination. Keep in a dry, cool place. 8. EXPOSURE CONTROLS / PERSONAL PROTECTION Respiratory protection No personal respiratory protective equipment normally required. : **Eye/Face Protection** Safety glasses with side-shields. : Hand protection Protective gloves. : Skin and body protection : Long sleeved clothing. Additional Protective Safety shoes. : Measures General Hygiene Handle in accordance with good industrial hygiene and safety practice. : Considerations Wash hands before breaks and at the end of workday. Heat only in areas with appropriate exhaust ventilation. Provide Engineering measures : appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Titanium dioxide	10 mg/m3	Time Weighted Average	Dust.	ACGIH
		(TWA):		
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z1
Zinc stearate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
Zinc stearate	10 mg/m3	Time Weighted Average	as stearates	ACGIH
		(TWA):		

9. PHYSICAL AND CHEMICAL PROPERTIES

- Form Appearance Color Odor Melting point/range Boiling Point: Water solubility
- : Solid : Pellets : BLUE : Very faint : Not determined : Not applicable : Insoluble
- Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pН
- Not applicable. : Not determined : Not established : : Not applicable : Not applicable
- : Not applicable

10. STABILITY AND REACTIVITY

Stability

Stable. :

Hazardous Polymerization

Will not occur. :

3/6



MATERIAL SAFETY DATA SHEET

7AB97081MBUV BARNETT BLUE

	002			Pr	Page 4 7 int Date 11/7/2
Conditions to avoid	:		om oxidizing agents n, do not overheat.	and open flame.	Γo avoid thermal
Incompatible Materials : Incom			with strong acids and	d oxidizing agents	
Hazardous decompos products	sition		le (CO2), carbon mo hazardous materials,		
	11	. TOXICOLOG	ICAL INFORMAT	ION	
This mixture has not health data for the in <u>Toxicity Overview</u> This product contain	dividual com	ponents which co	omprise the mixture.		
CAS-No.	Che	mical Name	Effect	Taro	get Organ
557-05-1	Zinc stear		Systemic effects		espiratory syster
13463-67-7	Titanium		Systemic effects	Respiratory s	
-			hich in their pure for		
CAS-No. 557-05-1		mical Name	Route Oral LD50	Value > 10 gm/kg	Species rat
CAS-No.	Che Zinc stear	mical Name rate	Route	Value > 10 gm/kg	Species
CAS-No.	Che Zinc stear	mical Name rate	Route Oral LD50	Value > 10 gm/kg	Species
CAS-No. 557-05-1	Che Zinc stear adability	mical Name rate 12. ECOLOGIC Not readily bi	Route Oral LD50 CAL INFORMATIC odegradable. e not readily available	Value > 10 gm/kg	Species rat
CAS-No. 557-05-1 Persistence and degra	Che Zinc stear adability	mical Name rate 12. ECOLOGIC Not readily bi Chemicals are of the polyme	Route Oral LD50 CAL INFORMATIC odegradable. e not readily available r. e not readily available	Value > 10 gm/kg DN e as they are bound	Species rat
CAS-No. 557-05-1 Persistence and degra Environmental Toxic	Che Zinc stear adability	mical Name rate 12. ECOLOGIC Not readily bi Chemicals are of the polyme Chemicals are	Route Oral LD50 CAL INFORMATIC odegradable. e not readily available r. e not readily available r.	Value > 10 gm/kg DN e as they are bound	Species rat
CAS-No. 557-05-1 Persistence and degra Environmental Toxic Bioaccumulation Pot	Che Zinc stear adability city	mical Name rate 12. ECOLOGIC Not readily bi Chemicals are of the polyme Chemicals are of the polyme No data availa	Route Oral LD50 CAL INFORMATIC odegradable. e not readily available r. e not readily available r.	Value > 10 gm/kg DN e as they are bound e as they are bound	Species rat
CAS-No. 557-05-1 Persistence and degra Environmental Toxic Bioaccumulation Pot	Che Zinc stear adability city	 mical Name rate 12. ECOLOGIC Not readily bi Chemicals are of the polyme Chemicals are of the polyme Chemicals are of the polyme No data availa 13. DISPOSAL Like most the possible, recygenerator of we classification, 	Route Oral LD50 CAL INFORMATIC odegradable. e not readily available r. e not readily available r. able.	Value > 10 gm/kg DN e as they are bound e as they are bound we as they are bound NS luct can be recycled disposal or inciner e responsibility for isposal in accorda	Species rat within the matries within the matries within the matries ed. Where ation. The proper waste nce with



MATERIAL SAFETY DATA SHEET

7AB97081MBUV BARNETT BLUE

Version Number 1.0 Revision Date 12/23/2002			Page 5 of 6 Print Date <i>11/7/2011</i>	
	and local regulation	ions.		
	14. TRANSPORT	INFORMATION	N	
U.S. DOT Classification	: Refer to specific	regulation.		
ICAO/IATA	: Refer to specific	regulation.		
IMO / IMDG	: Refer to specific	regulation.		
	15. REGULATORY	Y INFORMATIO	N	
US Regulations:				
OSHA Status	: Classified as haz	ardous based on co	omponents.	
TSCA Status	: All components Inventory.	of this product are	listed on or exempt from the TSCA	
US. EPA CERCLA Hazardou	s Substances (40 CFR 3	02)		
Not applicable				
California Proposition 65	: This product doe	s not contain a sub	stance listed by California Prop 65.	
SARA Title III Section 313 To	oxic Chemicals:			
Chemical Nam	le	CAS-No.	Weight %	
ZINC COMPO		557-05-1	03.00	
Canadian Regulations:				
WHMIS Classification	ı : D2B			
WHMIS Ingredient Dis	sclosure List			
CAS-No. 557-05-1				
DSL		of this product are DSL) or are exempt	on the Canadian Domestic pt.	
National Inventories:				



MATERIAL SAFETY DATA SHEET

7AB97081MBUV BARNETT BLUE

Version Number 1.0 Revision Date 12/23/2002 Page 6 of 6 Print Date 11/7/2011

Australia AICS	: Listed.
China IECS	: Listed.
Europe EINECS	: Not determined.
Japan ENCS	: Not determined.
Korea KECI	: Not determined.
Philippines PICCS	: Not determined.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.