

MATERIAL SAFETY DATA SHEET

RED

Version Number 1.0 Revision Date 01/10/2003 Page 1 of 5 Print Date 11/7/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

| NON-EMERGENCY TELEPHONE | : | Product Stewardship (770) 271-5902 |
|-------------------------------|---|--|
| Emergency telephone number | : | CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |
| Product name | : | RED |
| Product code | : | CC10029150 |
| Chemical Name | : | Mixture |
| CAS-No. | : | Mixture |
| Product Use | : | Industrial Applications |

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

| Routes of Exposure: | : Inhalation, Ingestion, Skin contact |
|---|---|
| Acute exposure | |
| Inhalation Ingestion Eyes | Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. |
| Skin | : Experience shows no unusual dermatitis hazard from routine handling. |
| Chronic exposure | : Refer to Section 11 for Toxicological Information. |
| Medical Conditions Aggravated by Exposure: | : None known. |



MATERIAL SAFETY DATA SHEET

RED

| sion Date 01/10/2003 | Print Date 11/7/2 |
|-----------------------------------|---|
| | 4. FIRST AID MEASURES |
| Inhalation | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice. |
| Ingestion | : Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice. |
| Eyes | : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention. |
| Skin | : Wash off with soap and plenty of water. If skin irritation persists seek medical attention. |
| | 5. FIRE-FIGHTING MEASURES |
| Flash point | : Not applicable |
| Flash point | . Not applicable |
| Flammable Limits | |
| Upper explosion limit | : Not applicable |
| Lower explosion limit | : Not applicable |
| Autoignition temperature | : Not relevant |
| Suitable extinguishing media | : Carbon dioxide blanket, Water spray, dry powder, foam. |
| Special Fire Fighting | : Fullface self-contained breathing apparatus (SCBA) used in positive |
| Procedures | pressure mode should be worn to prevent inhalation of airborne contaminants. |
| Unusual Fire/Explosion Hazards | : None |
| | 6. ACCIDENTAL RELEASE MEASURES |
| Personal precautions | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. |
| Environmental precautions | : Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil. |
| Methods for cleaning up | : Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods. |
| | 7. HANDLING AND STORAGE |
| Handling | : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. |
| Storage | : Keep containers dry and tightly closed to avoid moisture absorption |



MATERIAL SAFETY DATA SHEET

RED

| | and contamination. | Keep in a dry, cool place. | |
|---|---|---|--|
| 8. EXP | POSURE CONTROLS / P | ERSONAL PROTECTION | |
| Respiratory protection | : No personal respiratory protective equipment normally required. | | |
| Eye/Face Protection | : Safety glasses with side-shields. | | |
| Hand protection | : Protective gloves. | | |
| Skin and body protection | : Long sleeved clothing. | | |
| Additional Protective Measures | : Safety shoes. | | |
| General Hygiene Considerations | : Handle in accordance with good industrial hygiene and safety practice Wash hands before breaks and at the end of workday. | | |
| Engineering measures | : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. | | |
| Exposure limit(s) | | | |
| | | | |
| | | | |
| There are no known hazardou | us components above regula | atory thresholds in this product. | |
| | us components above regula | · · · | |
| | | AICAL PROPERTIES | |
| 9. | . PHYSICAL AND CHEM | MICAL PROPERTIES Evaporation rate : Not applicable. Specific Gravity : Not determined | |
| 9. Form Appearance Color | . PHYSICAL AND CHEM : Solid : Pellets : RED | MICAL PROPERTIES Evaporation rate : Not applicable. Specific Gravity : Not determined Bulk density : Not established | |
| 9. Form Appearance Color Odor | PHYSICAL AND CHEM Solid Pellets RED Very faint | MICAL PROPERTIES Evaporation rate : Not applicable. Specific Gravity : Not determined Bulk density : Not established Vapor pressure : Not applicable | |
| 9. Form Appearance Color Odor Melting point/range | PHYSICAL AND CHEM Solid Pellets RED Very faint Not determined | MICAL PROPERTIES Evaporation rate : Not applicable. Specific Gravity : Not determined Bulk density : Not established Vapor pressure : Not applicable Vapor density : Not applicable | |
| 9. Form Appearance Color Odor Melting point/range Boiling Point: | PHYSICAL AND CHEM Solid Pellets RED Very faint Not determined Not applicable | MICAL PROPERTIES Evaporation rate : Not applicable. Specific Gravity : Not determined Bulk density : Not established Vapor pressure : Not applicable | |
| 9. Form Appearance Color Odor Melting point/range | PHYSICAL AND CHEM Solid Pellets RED Very faint Not determined | MICAL PROPERTIES Evaporation rate : Not applicable. Specific Gravity : Not determined Bulk density : Not established Vapor pressure : Not applicable Vapor density : Not applicable | |
| 9. Form Appearance Color Odor Melting point/range Boiling Point: | PHYSICAL AND CHEM Solid Pellets RED Very faint Not determined Not applicable | MICAL PROPERTIES Evaporation rate : Not applicable. Specific Gravity : Not determined Bulk density : Not established Vapor pressure : Not applicable Vapor density : Not applicable pH : Not applicable | |
| 9. Form Appearance Color Odor Melting point/range Boiling Point: | PHYSICAL AND CHEM Solid Pellets RED Very faint Not determined Not applicable Insoluble | MICAL PROPERTIES Evaporation rate : Not applicable. Specific Gravity : Not determined Bulk density : Not established Vapor pressure : Not applicable Vapor density : Not applicable pH : Not applicable | |
| 9. Form Appearance Color Odor Melting point/range Boiling Point: Water solubility | PHYSICAL AND CHEM Solid Pellets RED Very faint Not determined Not applicable Insoluble 10. STABILITY ANI | MICAL PROPERTIES Evaporation rate : Not applicable. Specific Gravity : Not determined Bulk density : Not established Vapor pressure : Not applicable Vapor density : Not applicable pH : Not applicable | |
| 9 Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability | PHYSICAL AND CHEM Solid Pellets RED Very faint Not determined Not applicable Insoluble 10. STABILITY ANI Stable. Will not occur. | MICAL PROPERTIES Evaporation rate : Not applicable. Specific Gravity : Not determined Bulk density : Not established Vapor pressure : Not applicable Vapor density : Not applicable pH : Not applicable OREACTIVITY Statisticable stidizing agents and open flame. To avoid thermal | |
| 9. Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization | PHYSICAL AND CHEM Solid Pellets RED Very faint Not determined Not applicable Insoluble 10. STABILITY ANI Stable. Will not occur. Keep away from ox decomposition, do applicable of the second second | MICAL PROPERTIES Evaporation rate : Not applicable. Specific Gravity : Not determined Bulk density : Not established Vapor pressure : Not applicable Vapor density : Not applicable pH : Not applicable OREACTIVITY Statisticable stidizing agents and open flame. To avoid thermal | |



MATERIAL SAFETY DATA SHEET

RED

Version Number 1.0 Revision Date 01/10/2003 Page 4 of 5 Print Date 11/7/2011

There are no known hazardous components above regulatory thresholds in this product.

| | 12. ECOLOGICAL INFORMATION |
|-------------------------------|--|
| Persistence and degradability | : Not readily biodegradable. |
| Environmental Toxicity | : Chemicals are not readily available as they are bound within the matrix of the polymer. |
| Bioaccumulation Potential | : Chemicals are not readily available as they are bound within the matrix of the polymer. |
| Additional advice | : No data available. |
| | 13. DISPOSAL CONSIDERATIONS |
| Product | : Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |
| Contaminated packaging | : Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |
| | 14. TRANSPORT INFORMATION |
| U.S. DOT Classification | : Refer to specific regulation. |
| ΙCAO/ΙΑΤΑ | : Refer to specific regulation. |
| IMO / IMDG | : Refer to specific regulation. |
| | 15. REGULATORY INFORMATION |
| US Regulations: | |
| - | |
| OSHA Status | : There are no known hazardous components above regulatory thresholds in this product. |
| TSCA Status | : All components of this product are listed on or exempt from the TSCA Inventory. |
| US. EPA CERCLA Hazardous | Substances (40 CFR 302) |
| Not applicable | |
| | |
| | |

4/5



MATERIAL SAFETY DATA SHEET

RED

| ersion Number 1.0 evision Date 01/10/2003 | | | Page 5 of Print Date 11/7/201 |
|--|---|--|-------------------------------------|
| California Proposition 65 | : | WARNING! This product contain California to cause cancer. | ns a chemical known to the State of |
| SARA Title III Section 313 To: | xic (| hemicals: | |
| | Chemical Name C.I. SOLVENT YELLOW 14 | | Weight % 01.98 |
| Canadian Regulations: | | | |
| WHMIS Classification | : | Not controlled. | |
| DSL | : | All components of this product ar Substances List (DSL) or are exer | |
| National Inventories: | | | |
| Australia AICS | : | Listed. | |
| China IECS | : | Listed. | |
| Europe EINECS | : | Not determined. | |
| Japan ENCS | : | Listed. | |
| Korea KECI | : | Listed. | |
| Philippines PICCS | : | Listed. | |
| | | | |

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.