MATERIAL SAFETY DATA SHEET SOLAR YELLOW

Version Number 1.1 Revision Date 09/17/2007 Page 1 of 5 Print Date 12/1/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	SOLAR YELLOW
Product code	:	CC10029448
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure: : Inhalation, Ingestion, Skin contact			
Acute exposure			
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.		
Ingestion	: May be harmful if swallowed.		
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		
	4. FIRST AID MEASURES		



MATERIAL SAFETY DATA SHEET **SOLAR YELLOW**

sion Date 09/17/2007	Print Date	Page 2 12/1/2
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all c doubt seek medical advice.	
Ingestion	: Do not induce vomiting without medical advice. When symptopersist or in all cases of doubt seek medical advice.	oms
Eyes	: Rinse immediately with plenty of water, also under the eyelids, least 15 minutes. If eye irritation persists, seek medical attention	
Skin	: Wash off with soap and plenty of water. If skin irritation persists medical attention.	
	5. FIRE-FIGHTING MEASURES	
Flash point	: Not applicable	
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. 	
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in po pressure mode should be worn to prevent inhalation of airborne	
Unusual Fire/Explosion Hazards	 contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitro (NOx), other hazardous materials, and smoke are all possible. 	gen
	ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product shou be allowed to enter drains, water courses or the soil.	ıld not
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all mater plastic, cardboard or metal containers for disposal. Refer to Sec of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge. only in areas with appropriate exhaust ventilation.	Heat
Storage	: Keep containers dry and tightly closed to avoid moisture absor and contamination. Keep in a dry, cool place.	ption

PolyOne.

MATERIAL SAFETY DATA SHEET **SOLAR YELLOW**

Version Number 1.1 Revision Date 09/17/2007 Page 3 of 5 Print Date 12/1/2011

	OSURE CO	NTROLS / PERS	SONAL PROTECTI	ON
Respiratory protection	: No personal respiratory protective equipment normally required.			
Eye/Face Protection	: Safe	Safety glasses with side-shields		
Hand protection	: Prote	Protective gloves		
Skin and body protection	: Long	Long sleeved clothing		
Additional Protective Measures	: Safe	Safety shoes		
General Hygiene Considerations		Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.		
Engineering measures		Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		
Exposure limit(s)				
There are no known hazardou 9.	-		thresholds in this pro	duct.
Form	: Solid		Evaporation rate	: Not applicable
Appearance	: pellets			: Not determined
	· penets		Specific Gravity	
Color	: YELLO	W	Specific Gravity Bulk density	
Color	: YELLO : Very fai		Bulk density	: Not established
Color Odour	: Very fai	nt	Bulk density Vapour pressure	Not establishedNot applicable
Color Odour Melting point/range	: Very fai : Not dete	nt rmined	Bulk density Vapour pressure Vapour density	Not establishedNot applicableNot applicable
Color Odour	: Very fai	nt rmined icable	Bulk density Vapour pressure	Not establishedNot applicable
Color Odour Melting point/range Boiling Point:	: Very fa: : Not deta : Not app : Insolubl	nt rmined icable	Bulk density Vapour pressure Vapour density pH	Not establishedNot applicableNot applicable
Color Odour Melting point/range Boiling Point:	: Very fa: : Not deta : Not app : Insolubl	nt rmined icable e BILITY AND RI	Bulk density Vapour pressure Vapour density pH	Not establishedNot applicableNot applicable
Color Odour Melting point/range Boiling Point: Water solubility	: Very fa: : Not deta : Not app : Insolub! 10. STA : Stab	nt rmined icable e BILITY AND RI	Bulk density Vapour pressure Vapour density pH	Not establishedNot applicableNot applicable
Color Odour Melting point/range Boiling Point: Water solubility Stability	: Very fai : Not dete : Not app : Insolubi 10. ST : Stab : Will : Keep	nt rmined icable e BILITY AND RI e. not occur.	Bulk density Vapour pressure Vapour density pH EACTIVITY	Not establishedNot applicableNot applicable
Color Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	: Very fai : Not dete : Not app : Insolubi 10. ST : Stab : Will : Keep decc	nt rmined icable e BILITY AND RI e. not occur. away from oxidiz mposition, do not o	Bulk density Vapour pressure Vapour density pH EACTIVITY	 Not established Not applicable Not applicable Not applicable
Color Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	 Very fai Not deta Not app Insolubi 10. STA Stab Will Keep deco Inco Carb 	nt rmined icable e BILITY AND RI e. not occur. away from oxidiz mposition, do not o npatible with stror on dioxide (CO2),	Bulk density Vapour pressure Vapour density pH EACTIVITY	 Not established Not applicable Not applicable Not applicable Not applicable

PolyOne

MATERIAL SAFETY DATA SHEET **SOLAR YELLOW**

Version Number 1.1 Revision Date 09/17/2007 Page 4 of 5 Print Date 12/1/2011

There are no known hazardous components above regulatory thresholds in this product.

	12. ECOLOGICAL INFORMATION		
Persistence and degradability	: Not readily biodegradable.		
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.		
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.		
Additional advice	: No data available		
	13. DISPOSAL CONSIDERATIONS		
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
	14. TRANSPORT INFORMATION		
U.S. DOT Classification	: Not regulated for transportation.		
ICAO/IATA (air)	: Refer to specific regulation.		
IMO / IMDG (maritime)	: Refer to specific regulation.		
	15. REGULATORY INFORMATION		
US Regulations:			
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.		
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.		
US. EPA CERCLA Hazardous	Substances (40 CFR 302)		
NT- (
Not applicable			

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET **SOLAR YELLOW**

Version Number 1.1 Revision Date 09/17/2007 Page 5 of 5 Print Date 12/1/2011

California Proposition 65	Not applicable	
SARA Title III Section 302 Ext	y Hazardous Substance	
Unless specific chemicals are ic	ed under this section, this product is	Not Applicable under this regulation
SARA Title III Section 313 To:	emicals:	
Unless specific chemicals are ic	ed under this section, this product is	Not Applicable under this regulation
Canadian Regulations:		
National Pollutant Relea	entory (NPRI)	
Not applicable		
WHMIS Classification	Not controlled.	
DSL	DSL status has not been determined restricted by regulations.	. Quantity use in Canada may be
National Inventories:		
Australia AICS	Not determined	
China IECS	Not determined	
Europe EINECS	Not determined	
Japan ENCS	Not determined	
Korea KECI	Not determined	
Philippines PICCS	Not determined	

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.